

[REDACTED]

From: Paul Molloy [REDACTED]
Sent: Thursday, 21 February 2019 11:29 AM
To: [REDACTED]
Cc: [REDACTED]
Subject: EDN Application -Development of SWI [UNCLASSIFIED]

Hi [REDACTED]

Following on from the recent discussions between EPA & WorkSafe legal colleagues please see the amended submission to the DMC below:

'In response to point 12b of the Directions and Minutes, WorkSafe confirms that we intend to proceed with the development of safe work instrument(s), on the basis of the information, intelligence and data currently available to us. We understand that the DMC requires both further information relevant to workplace exposure and certainty about what the relevant HSWA controls might be in order to make a final decision. WorkSafe notes its consideration of these matters would be part of a separate statutory process for consulting on a safe work instrument.'

I would be grateful if you would share this information with the Chair of the DMC

Ngā mihi,

Paul Molloy
Manager - Technical Programmes & Support (Acting)
Health & Technical Services

WorkSafe New Zealand
Level 6, 86 Customhouse Quay, PO Box 165, Wellington 6140

P: [REDACTED]
M: [REDACTED]
E: [REDACTED]
W: www.worksafe.govt.nz



www.govt.nz - your guide to finding and using New Zealand government services

Any opinions expressed in this message are not necessarily those of WorkSafe New Zealand. This message and any files transmitted with it are confidential and solely for the use of the intended recipient. If you are not the intended recipient or the person responsible for delivery to the intended recipient, be advised that you have received this message in error and that any use is strictly prohibited. Please contact the sender and delete the message and any attachment from your computer.
