

## References

---

Note: References in **bold** are references the Agency found in addition to those provided by the applicants.

- Abacus Biotech. 2004. *Livestock production gains from improved drinking water: Literature review*. Technical Paper 2004/07. Wellington: Ministry of Agriculture and Forestry, <http://www.maf.govt.nz/mafnet/rural-nz/sustainable-resource-use/water-efficiency/gains-from-improved-drinking-water/improved-drinking-water-techpaper-04-07.pdf>
- Al-Juburi AZ, Clarkson TW, Cockett AT. 1989. Vasocystostomy: A model for studying male reproductive toxicity in the rat. *Reproductive Toxicology* 3: 181–186.
- Allen RB, Fitzgerald BM, Efford MG. 1997. Long-term changes and seasonal patterns in possum (*Trichosurus vulpecula*) leaf diet, Orongorongo Valley, Wellington, New Zealand. *New Zealand Journal of Ecology* 21: 181–186, available from <http://www.nzes.org.nz/nzje>
- Alterio N. 2000. Controlling small mammal predators using sodium monofluoroacetate (1080) in bait stations along forestry roads in a New Zealand beech forest. *New Zealand Journal of Ecology* 24: 3–9, available from <http://www.nzes.org.nz/nzje>**
- Alterio N, Brown K, Moller H. 1997. Secondary poisoning of mustelids in a New Zealand Nothofagus forest. *Journal of Zoology (London)* 24(3): 863–869.
- American Conference of Governmental Industrial Hygienists (ACGIH). 1991. *Documentation of the threshold limit values and biological exposure indices* (6th edition). Cincinnati, Ohio: ACGIH.
- Anderson SH. 2003. The relative importance of birds and insects as pollinators of New Zealand flora. *New Zealand Journal of Ecology* 27: 83–94, available from <http://www.nzes.org.nz/nzje>
- Ando J. 1966. A selective blockade of the cardiac inotropic effect of adrenaline by sodium monofluoroacetate. *Bulletin of Osaka Medical School* 12: 1–4.
- Animal Compounds Veterinary Medicines Group (ACVM). 2002. *Controlled pesticides: Sodium and potassium cyanide ('cyanide') in pest control*. Prepared for ERMA New Zealand, <http://www.nzfsa.govt.nz/acvm/publications/notes/cyanide-study-notes.pdf> (accessed 27 June 2006).
- Animal Control Products. 2000. *MSDS for Pestoff 1080 possum pastes 0.15%*. <http://www.pestoff.co.nz/msd/108015p.pdf>
- Animal Health Board (AHB). 2004. *Annual research report*.**
- Animal Health Board (AHB). 2005a. *2004/2005 annual research report*. [http://www.landcareresearch.co.nz/publications/annualreport\\_0405](http://www.landcareresearch.co.nz/publications/annualreport_0405)
- Animal Health Board (AHB). 2005b. *National bovine tuberculosis pest management strategy: National operational plan 1 July 2005 – 30 June 2013*. Wellington: AHB.
- Animal Health Board (AHB). 2006. *1080 reassessment application*. <http://www.ermanz.govt.nz/appfiles/execsumm/pdf/HRE05002-021pdf>

- Animal Health Board (AHB). No date. *Movement control area.***  
<http://www.ahb.org.nz/AHBWebsite/Essentials/MovementControl>
- Animal Health Board (AHB). No date. *Towards a Tb-free future for the upper South Island.***
- Annison EF, Hill KJ, Lindsay DB, Peters RA. 1960. Fluoroacetate poisoning in sheep. *Journal of Comparative Pathology* 70: 145–155.
- Anon. 1990. Rangitoto pest eradication report: Phase 1: Air drop of 1080. Unpublished report, Department of Conservation, Wellington.
- Anon. 1992. Sodium fluoroacetate. *Federal register* 57(114): 26,275–26,276.
- Anon. 2002. *1080 policies, practices and procedures, Australia and New Zealand.* 1080 Working Group of the Vertebrate Pests Committee Report to the Vertebrate Pests Committee Australia and New Zealand.
- Anon. 1994. *Possums as conservation pests: Proceedings of a workshop on possums as conservation pests organised by the Possum and Bovine Tuberculosis Control National Science Strategy Committee.* Christchurch: Department of Conservation.**
- Anon. 1995. *Criteria and indicators for the conservation and sustainable management of temperate and boreal forests.* Hull, Quebec: Montreal Process Canadian Forest Service.
- Anon. 1998. *Zinc phosphide.* US Environmental Protection Agency.**
- Anon. 2000. *Coughing up for bovine Tb control.* Working Paper 00/24. Wellington: The Treasury.
- Anon. 2003. Policy implications of 1080 toxicology in New Zealand. *Journal of Rural and Remote Environmental Health* 2(2): 46–59.**
- Anon. 2003. *Scientific research and aerial possum control: A cost/benefit study.* Foundation for Research Science and Technology Evaluation.**
- Anon. 2005. Deer repellent on 1080. Wellington: Department of Conservation, <http://www.doc.govt.nz>**
- Anon. 2006. *The value of conservation: What does conservation contribute to the economy?* Wellington: Department of Conservation.**
- Arallano M, Malet-Martino M, Martino R, Gires P. 1998. The anti-cancer drug 5-fluoracil is metabolized by the isolated perfused rat liver and in rats into highly toxic fluoroacetate. *British Journal of Cancer* 7(1): 79–86.**
- Arena JM. 1963. *Poisoning: Toxicology, symptoms, treatments.***
- Arena JM. 1986. *Poisoning: Toxicology, symptoms, treatments.* Springfield, US: CC Thomas.
- Armstrong DP, Ewen JG. 2000. Estimating impacts of poison operations using mark-recapture analysis and population viability analysis: An example with New Zealand robins (*Petroica australis*). *New Zealand Journal of Ecology* 25: 29–38, available from <http://www.nzes.org.nz/nzje>**

- Aspin P, Stringer I, Potter M. No date. *Invertebrate abundance in pitfall traps before and after aerial sowing and bait station presentation of 1080*. Institute of Natural Resources, Massey University.
- Ataria JM, Wickstrom ML, Arthur D, Eason CT. 2000. Biochemical and histopathological changes induced by sodium monofluoroacetate (1080) in mallard ducks. *Proceedings of the New Zealand Plant Protection Conference 53*: 293–298.
- Atkinson AE, Camerson EK. 1993. Human influence on the terrestrial biota and biotic communities of New Zealand. *TREE 8(12)*: 447–451.
- Atkinson IAE. 1992. *Effects of possums on the vegetation of Kapiti Island and changes following possum eradication*. DSIR Landcare Resources Contract report 92/95. Lower Hutt: DSIR.
- Atkinson IAE, Campbell DJ, Fitzgerald BM, Flux JEC, Meads MJ. 1995. *Possums and possum control: Effects on lowland forest ecosystems: A literature review with specific reference to the use of 1080*. Science for Conservation Series 1. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Atzert SP. 1971. *A review of sodium monofluoroacetate (compound 1080): Its properties, toxicology, and use in predator and rodent control*. Special scientific report, Wildlife 146. Washington, DC: US Department of the Interior, Bureau of Sport Fisheries and Wildlife.
- Auckland Regional Council. 2005. *Proposed Auckland Regional Plan: Air, land and water plan, incorporating variation 1*. Auckland: Auckland Regional Council.
- Australian Pesticides and Veterinary Medicines Association (APVMA). 2004. *Permit to allow minor use and supply of an Agvet chemical product, permit number PER7410*. Canberra: APVMA, <http://permits.apvma.gov.au/per7410.pdf>
- Australian Pesticides and Veterinary Medicines Association (APVMA). 2005a. *The reconsiderations of products containing sodium fluoroacetate (1080) and their associated labels: Preliminary review findings*. Canberra: APVMA.
- Australian Pesticides and Veterinary Medicines Association (APVMA). 2005b. *The reconsiderations of products containing sodium fluoroacetate (1080) and their associated labels: Preliminary review findings*. Technical report. Canberra: APVMA.
- Australian Pesticides and Veterinary Medicines Authority. 2004. *Permit to allow minor use and supply of an Agvet chemical product*.
- Bach CE, Kelly D. 2004. Effects of forest edges on herbivory in a New Zealand mistletoe, *Alepis flavida*. *New Zealand Journal of Ecology 28*: 195–205, available from <http://www.nzes.org.nz/nzje>
- Balcomb R, Bowen CA, Williamson HO. 1983. Acute and sublethal effects of 1080 on starlings. *Bulletin of Environmental Contamination and Toxicology 31*: 692–698.
- Banner M, Bulfield G, Clark S, Gormally L, Hignett P, et al. 1995. *Report of the Committee to Consider the Ethical Implications of Emerging Technologies in the Breeding of Farm Animals*. London: HMSO.

## References

- Barasa A, Godina G, Buffa P, Pasquali-Rochetti I. 1973. Biochemical lesions of respiratory enzymes and configurational changes of mitochondria in vivo. I. The effect of fluoroacetate: A study by phase-contrast microscopy and time-lapse cinemicrography. *Zeitschrift Fuer Zellforschung und Mikroskopische Anatomie* 138: 187–210.
- Basse B, Flux I, Innes J. 2003. Recovery and maintenance of North Island kokako (*Callaeas cinerea wilsoni*) populations through pulsed pest control. *Biological Conservation* 109: 259–270.
- Bassett-Smith B. 2005. Potential of possums. *Rural Delivery* 4 June.
- Basson PA, Norval AG, Hofmeyr JM, Ebedes H, Schultz RA. 1982. Antelope and poisonous plants: 1. Gifblaar *Dichapetalum cymosum* containing monofluoroacetate. *Madoqua* 13: 59–70.
- Batcheler CL. 1978. *Compound 1080: Its properties, effectiveness, dangers, and use*. Wellington: New Zealand Forest Service.
- Batcheler CL, Challies CN. 1988. Loss of compound 1080 (sodium Monofluoroacetate) from carbopol gel smeared on foliage to poison deer. *New Zealand Journal of Forestry Science* 18 (1): 109–115.
- Batchelor CL. 1982. Quantifying “bait quality” from number of random encounters required to kill a pest. *New Zealand Journal of Ecology* 5: 129–139, available from <http://www.nzes.org.nz/nzje>**
- Batcheler D. 1996. *Assessment of carrot bail produced by Gibson, Reliance, and Urquhart carrot cutters*. Christchurch: Manaaki Whenua Landcare Research.**
- Bauermeister A, Thompson CJ, Nimmo IA. 1977. The susceptibility of rainbow trout to fluoroacetate. *Biochemical Society Transactions* 5: 304–306.
- Beath A, Thorne J, Robertson AW. 2004. *Evaluating the attractiveness of pest-control baits and lures to captive short-tailed bats, *Mystacina tuberculata**. Science Internal Series 189. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/dsis189.pdf>
- Beauchamp AJ, Bulter DJ, King D. 1999. *Weka (*Gallirallus australis*) recovery plan 1999–2009*. Threatened Species Recovery Plan Series 29. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39163>
- Bedford J. 2006. Tb halted. *New Zealand Deer Farming Annual* p 23.
- Beileski R. 2003. The 1080 plant: Putting fluoroacetate into context. *New Zealand Tree Grower* November.
- Bellingham PJ, Wisser SK, Hall GMJ, Alley JC, Allen RB et al. 1999. *Impacts of possum browsing on the long-term maintenance of forest biodiversity*. Science for Conservation Series 103. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Berends AG, Boutonnet de Rooij JC, Thompson CG, RS. 1999. Toxicity of trifluoroacetate to aquatic organisms. *Environmental Toxicology and Chemistry* 18: 1053–1059.

- Berends AG, Keetelaar-Jansen WAJ, Van Dijk NRM. 1994. *A comparison of the toxicity of sodium trifluoroacetate, sodium difluoroacetate, sodium monofluoroacetate and sodium fluoride to the alga Scenedesmus subspicatus. Alternative fluorocarbon environmental acceptability study*. Final report 56835/61/94. Washington, DC: AFEAS. (Cited in AG Berends, JC Boutonnet, CG de Rooij, RS Thompson. 1999. Toxicity of trifluoroacetate to aquatic organisms. *Environmental Toxicology and Chemistry* 18: 1053–1059.)
- Biggerstaff RH, Rose JC. 1979. The effects of induced prenatal hyperthyroidism on lamb mandibular third primary molars. *American Journal of Physical Anthropology* 10: 357–362.
- Bio-Gro New Zealand. 2005. BioGro fee schedule.  
<http://www.biogro.co.nz/main.php?page=226&#Anchor%201> (accessed 29 July 2005).
- Blackman A. 2002. Inside the workings of a controversial killer. *Otago Daily Times* 3 June.
- Blackwell GL, Potter MA, McLennan JA. 2002. Rodent density indices from tracking tunnels, snap traps and fenn traps: Do they tell the same story? *New Zealand Journal of Ecology* 26: 43–51, available from <http://www.nzec.org.nz/nzje>
- Blake PG, Tomlinson AD. 1971. Thermal decomposition of fluoroacetic acid. *Journal of the Chemical Society (B)* 1596–1597.
- Bollen M, Stalmans W. 1988. Fluorine compounds inhibit the conversion of active type-1 protein phosphates into the ATPMg-dependent form. *Biochem Journal* 255: 327–333.**
- Bong CL, Cole ALJ, Walker JRL, Peters JA. 1979. Effect of sodium fluoroacetate (“compound 1080”) on the soil microflora. *Soil Biology and Biochemistry* 11(1): 13–18.**
- Bong CL, Walker JRL, Peters JA. 1980. The effect of fluoroacetate (“compound 1080”) and fluoride upon duckweeds. *New Zealand Journal of Science* 23: 179–183.
- Booth LH, Eason CT, Spurr EB. 2001. *Literature review of the acute toxicity and persistence of brodifacoum to invertebrates*. Science for Conservation Series 177. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Booth LH, Ogilvie SC, Eason CT. 1999a. Persistence of sodium monofluoroacetate (1080), pindone, cholecalciferol, and brodifacoum in possum baits under simulated rainfall. *New Zealand Journal of Agricultural Research* 42(1): 107–112.
- Booth LH, Ogilvie SC, Wright GR, Eason CT. 1999b. Degradation of sodium monofluoroacetate (1080) and fluorocitrate in water. *Bulletin of Environmental Contamination and Toxicology* 62: 34–39.
- Booth LH, Ogilvie SC, Wright GR, Eason CT. 1997. Water quality monitoring after 1080 pest control operations. *Water & Wastes in New Zealand July*, p 22.**
- Booth LH, Wickstrom ML. 1999. The toxicity of sodium monofluoroacetate (1080) to *huberia striata*, a New Zealand native ant. *New Zealand Journal of Ecology* 23: 161–165, available from <http://www.nzec.org.nz/nzje>

- Bosakowski T, Levin TT. 1986. Serum citrate as a peripheral indicator of fluoroacetate and fluorocitrate toxicity in rats and dogs. *Toxicology and Applied Pharmacology* 85: 428–436.
- Boutonnet JC, Bingham P, Calamari D, de Rooij C, Franklin J, Kawano T, Libre J-M, McCulloch A, Malinverno G, Odom JM, Rusch GM, Smythe K, Sobolev I, Thompson R, Tiedje JM. 1999. Environmental risk assessment of trifluoroacetic acid. *Human and Ecological Risk Assessment* 5(1): 59–124.**
- Bowen LH, Eason CT, Ogilvie SC. 1995. The effect of the plant *Myriophyllum triphyllum* and temperature on the degradation of sodium monofluoroacetate (1080) in an aquatic ecosystem. *Proceedings of the New Zealand Plant Protection Conference* 48: 260–263.
- Bowen LH, Morgan DR, Eason CT. 1995. Persistence of sodium monofluoroacetate (1080) in baits under simulated rainfall. *New Zealand Journal of Agricultural Research* 38: 529–531.**
- Bowman RG. 1999. Fate of sodium monofluoroacetate (1080) following disposal of pest bait to a landfill. *New Zealand Journal of Ecology* 23: 193–197, available from <http://www.nzes.org.nz/nzje>
- Bowman RH. 1964. Inhibition of citrate metabolism by sodium fluoroacetate in the perfused rat heart and the effect on phosphofructokinase activity and glucose utilization. *Biochemical Journal* 93: 13c–15c.
- Boyd P. 1996. *Vector control and Tb reactor history on Mandamus Downs*. Miscellaneous Series 36. Royal Society of New Zealand.
- Bradfield P. 1993. *The Mapara report*. Hamilton: Department of Conservation.
- Bremner AG, Barratt BIP, Butcher CF, Patterson GB. 1989. The effects of mammalian predation on invertebrate behaviour in south west Fiordland. *New Zealand Entomologist* 12: 72–74.**
- Bringmann G, Kühn R. 1976. Vergleichende befunde der schadwirkung wassergefahrener stoffe gegen Bakterien (*Pseudomonas putida*) und Blaualgen (*Microcystis aeruginosa*). *GWF-wasserlabwasser* 117: 410–413. (Cited in AG Berends, JC Boutonnet, CG de Rooij, RS Thompson. 1999. Toxicity of trifluoroacetate to aquatic organisms. *Environmental Toxicology and Chemistry* 18: 1053–1059.)
- British Crop Protection Council (BCPC) (CDS Tomlin (ed)). 2000. *The pesticide manual* (12th edition). Surrey, UK: BCPC.
- Brockie RE. 1982. Effect of commercial hunters on the number of possums, *Trichosurus vulpecula*, in Orongorongo Valley, Wellington. *New Zealand Journal of Ecology* 5: 21–28, available from <http://www.nzes.org.nz/nzje>**
- Brockmann JL, McDowell AV, Leeds WG. 1955. Fatal poisoning with sodium fluoroacetate: Report of a case. *Journal of the American Medical Association* 159: 1529–1532.
- Broome KG, Fairweather AAC, Fisher P. 2004. *Sodium monofluoroacetate: A review of current knowledge. Part 2 in a series of Department of Conservation pesticide information reviews*. Project HAMRO-97321. Hamilton: Department of Conservation.

- Brown D. 2005. Risks to organic certification from 1080 use. Personal communication, Agriquality Technical Management.
- Brown D. 2005. *Secretary Island deer eradication: Scoping document*. Southland Conservancy.**
- Brown KP, Moller M, Innes J. 1996. Sign left by brushtail possums after feeding on bird eggs and chicks. *New Zealand Journal of Ecology* 20: 277–284, available from <http://www.nzes.org.nz/nzje>**
- Brown KP, Urlich SC. 2005. *Aerial 1080 operations to maximise biodiversity protection*. Research and Development Series 216. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/drds216.pdf>.**
- Brown KP. 2002. Rabbit bait-take from plastic bait stations. *New Zealand Journal of Ecology* 26: 81–88, available from <http://www.nzes.org.nz/nzje>**
- Bruere AN, Cooper BS, Dillon EA. 1990. *Veterinary clinical toxicology*. Publication 127. Foundation for Continuing Education of the New Zealand Veterinary Association.**
- Budavari S, O'Neil MJ, Smith A, Heckelman PE, Kinneary JF (eds). 1996. *The Merck Index: An encyclopaedia of chemicals, drugs, and biologicals* (12 edition). Whitehouse Station, NJ, US: Merck Research Laboratories.
- Buffa P, Costa Tiozzo R, Gualtieri Fruggeri M. 1979. The synthesis of fluorocitrate from fluoroacetate in isolated rat mitochondria. *Fluoride* 12: 114–124.
- Burande MD, Goyal RK, Verma SC. 1983. Studies on the mechanism of cardiotoxic effects of sodium fluoroacetate and dobutamine. *Indian Journal of Experimental Biology* 21: 150–152.
- Burns R, Harrison A, Hudson J, Jones G, Rudolf P, et al. 1999-2000. *Northern Te Urewera ecosystem restoration project. Summary Annual Report*. East Coast Hawke's Bay Conservancy, Department of Conservation.**
- Burns RJ, Connolly GE. 1992. Toxicity of compound 1080 to magpies and the relationship of dose rates to residues recovered. *15th Vertebrate Pest Conference*, University of California.**
- Butcher, S. 2000. Impact of possums on primary production. In TL Montague (ed), *The brushtail possum: Biology, impact and management of an introduced marsupial*. Lincoln: Manaaki Whenua Press, pp 105–110.**
- Butts KO. 1973. Observations on the ecology of burrowing owls in Western Oklahoma: A preliminary report. *Proceedings of the Oklahoma Academy of Science* 51: 66–74.
- Cai J, Luo H, Guo C, Cai JS, Luo HM, Guo CK. 1997. Study on the clinical features of fluoroacetamide and sodium fluoroacetate poisoning cases. *Zhongguo Meijiashengwuxue ji Kongzhi Zazhi (Chinese Journal of Vector Biology and Control)* 8: 251–254.
- Caithness TA, Williams GR. 1971. Protecting birds from poisoned baits. *New Zealand Journal of Agriculture* 122: 38–43.**
- Calcinai A. 2006. Monofluoroacetate drop set to go ahead in forest park. *Straight Furrow* 30 May.

- Calder B, Deuss F. 1985. *The effect of 1080 poisoning on bird populations in Motere, Pureora Forest Park, winter 1984*. New Zealand Forest Service.
- Caley P. 1998. Broad-scale possum and ferret correlates of macroscopic *Mycobacterium bovis* infection in feral ferret populations. *New Zealand Veterinary Journal* 45: 157–162.
- Caley P. 2006. Bovine tuberculosis in brushtail possums: Models, dogma and data. *New Zealand Journal of Ecology* 30: 25–24, available from <http://www.nzes.org.nz/nzje>
- Caley P, Coleman JD, Hickling GJ. 2001. Habitat-related prevalence of macroscopic *Mycobacterium bovis* infection in brushtail possums (*Trichosurus vulpecula*), Hohonu Range, Westland, New Zealand. *New Zealand Veterinary Journal* 49(3).
- Caley P, Hickling GJ, Cowan PE, Pfeiffer DU. 1999. Effects of sustained control of brushtail possums on levels of *Mycobacterium bovis* infection in cattle and brushtail possum populations from Hohotaka, New Zealand. *New Zealand Veterinary Journal* 47: 133–142.
- Caley P, Hone J. 2002. Estimating the force of infection: *Mycobacterium bovis* infection in feral ferrets *Mustela furo* in New Zealand. *Journal of Animal Ecology* 71: 44–54.
- Caley P, Hone J, Cowan PE. 2001. The relationship between prevalence of *Mycobacterium bovis* infection in feral ferrets and possum abundance. *New Zealand Veterinary Journal* 49: 195–200.
- Caley P, Morley C, Thomas M. 1998. *Effects of ferret control on cattle reactor incidence, ferret Tb prevalence, and rabbit numbers: The North Canterbury ferret control trials*. Landcare Research Contract Report LC9899/044.
- Calver MC, King DR. 1986. Controlling vertebrate pests with fluoroacetate: Lessons in wildlife management, bio-ethics, and co-evolution. *Journal of Biological Education* 20(4): 257–262.
- Calver MC, McIlroy JC, King DR, Bradley JS, Gardner JL. 1989. Assessment of an approximate lethal dose technique for determining the relative susceptibility of non-target species to 1080 toxin. *Australian Wildlife Research* 16: 33–40.
- Campbell S, Beavers J, Grimes J. 1994a. Sodium fluoroacetate: A dietary LC<sub>50</sub> study with the northern bobwhite. Unpublished study prepared by Wildlife International. Lab Project 247–101B: QA-297: 94–021.
- Campbell S, Beavers J, Grimes J. 1994b. Sodium fluoroacetate: A dietary LC<sub>50</sub> study with the mallard. Unpublished study prepared by Wildlife International. Lab Project 247–102B: 94–021: QA-298.
- Carey P. 2004. Making possums pay. *New Zealand Geographic* 53.
- Carey PW, O' Connor CE, McDonald RM, Matthews LR. 1997. Comparison of the attractiveness of acoustic and visual stimuli for brushtail possums. *New Zealand Journal of Zoology* 24: 273–276.
- Carter C. 2002. *Over 2000 species threatened with extinction*. <http://www.beehive.govt.nz/Print/PrintDocument.aspx?DocumentID=15834>



- Casper HH et al. 1984. Sodium fluoroacetate levels in canine tissues. Proceedings of the Annual Meeting American Association of Veterinary Laboratory Diagnosticians 26 (1983 meeting): 155–160.
- Castro I, Robertson AW. 1997. Honeyeaters and the New Zealand forest flora: The utilization and profitability of small flowers. *New Zealand Journal of Ecology* 21: 169–179, available from <http://www.nzes.org.nz/nzje>
- Caughey G. 1983. *The deer wars*. Auckland: Heinemann.
- Cerutti VF, Peters RA. 1969. Observations upon the effect of fluoroacetate and pyruvate upon the isolated atria from rat heart. *Biochemical Pharmacology* 18: 2264–2267.
- Cerven D. 1987a. Primary dermal irritation in albino rabbits: Sodium monofluoroacetate compound 1080-1%. Poison. Lab Proj ID MB 87–8886 C. Vertebrate Pesticide Residue Database (VPRD).
- Cerven D. 1987b. Primary eye irritation/corrosion in albino rabbits: Sodium monofluoroacetate compound 1080-1%. Poison: Lab Proj ID MB 87–8886 D. Unpublished study prepared by MB Research Laboratories. 11 p.
- Challies CN, Thomson C. 1988. *Foliage bait poisoning of ungulates 4: Rates of loss of compound 1080 from poison carriers*. Forest Research Institute Report FAE 7.10.4. Christchurch: Forest Research Institute.
- Chenoweth MB, et al. 1951. Factors influencing fluoroacetate poisoning practical treatment with glycerol monoacetate. *Journal of Pharmacology and Experimental Therapeutics* 102(1): 31–49.
- Chenoweth MB, Gilman A. 1946. Studies on the pharmacology of fluoroacetate: I Species response to fluoroacetate. *Journal Pharmacology and Experimental Therapeutics* 87: 90–103.
- Chenoweth MB, Gilman A. 1947. Studies on the pharmacology of fluoroacetate: II Action on the heart. *Bulletin of the US Army Medical Department* 7: 687–706.
- Chenoweth MB, St John EF. 1947. Studies on the pharmacology of fluoroacetate: III Effects in the central nervous system of dogs and rabbits. *Journal Pharmacology and Experimental Therapeutics* 90: 76–82.
- Chenoweth MB. 1949. Monofluoroacetic acid and related compounds. *Pharmacological Reviews* 1, 383–424.
- Chi CH, Chen KW, Chan SH, Wu MH, Huang JJ. 1996. Clinical presentation and prognostic factors in sodium monofluoroacetate intoxication. *Journal of Toxicology: Clinical Toxicology* 34: 707–712.
- Chi CH, Lin TK, Chen KW. 1999. Hemodynamic abnormalities in sodium monofluoroacetate intoxication. *Human and Experimental Toxicology* 18: 351–353.
- Choquenot D, Parkes J. 2001. Setting thresholds for pest control: How does pest density affect resource viability? *Biological Conservation* 99: 29–46.**
- Choquenot D, Warburton B. 2006. Modelling the cost effectiveness of wallaby control in New Zealand. *Wildlife Research* 33: 77–83.**
- Choquenot D. 2006. New directions in vertebrate pest science at Landcare Research. *Vertebrate Pest Research* 8: 13.**

- Chung HM. 1984. Acute renal failure caused by monofluoroacetate poisoning. *Veterinary and Human Toxicology* 26(suppl 2): 29–32.
- Clapperton BK. 2001. Advances in New Zealand mammalogy 1990–2000: Feral ferret. *Journal of the Royal Society of New Zealand* 31(1): 186–203.**
- Clapperton BK, McLennan JA, Woolhouse AD. 1999. Responses of stoats to scent lures in tracking tunnels. *New Zealand Journal of Zoology* 26: 175–178.
- Clapperton BK, Morgan Dai, Oates KE, Beath AM, Matthews LR. 2005. *Field testing the efficacy of bird repellent treated 1080: Carrot baits.*
- Clapperton BK, Phillipson SM, Woolhouse AD. 1994. Field trials of slow-release synthetic lures for stoats (*Mustela erminea*) and ferrets (*M. furo*). *New Zealand Journal of Zoology* 21: 279–284.
- Clarke DD. 1991. Fluoroacetate and fluorocitrate: Mechanism of action. *Neurochemical Research* 16(9): 1055–1058.
- Clarke S. 2007. 1080 reassessment: Query 38b re kill rates. URS Corp, pp 1–3.
- Clarke S. 2007. 1080 reassessment: Query 42 re bait bags. Wellington: URS New Zealand, Engineering and Environmental Management.
- Clough P, Nixon C. 2000. *Coughing up for bovine Tb control*. Working Paper 00/24. Wellington: The Treasury, <http://www.treasury.govt.nz/workingpapers/2000/00-24.asp>
- Clout M, Barlow N. 1982. Exploitation of brushtail possum populations in theory and practice. *New Zealand Journal of Ecology* 5: 29–35, available from <http://www.nzes.org.nz/nzje>
- Clout MN, Hay JR. 1989. The importance of birds as browsers, pollinators and seed dispersers in New Zealand forests. *New Zealand Journal of Ecology* 12(suppl): 27–33, available from <http://www.nzes.org.nz/nzje>
- Clout MN, Karl BJ, Pierce RJ, Robertson HA. 1995. Breeding and survival of New Zealand pigeons *Hemiphaga novaeseelandiae*. *Ibis* 137: 264–271.
- Clout MN, Veitch CR. 2002. Turning the tide of biological invasion: The potential for eradicating invasive species. Auckland IUCN (World Conservation Union).
- Cole BT, Engel FL, Fredericks. 1955. Sodium fluoroacetate diabetes: Correlations between glycemia, ketonemia and tissue citrate levels. *Journal of Endocrinology* 56: 675–683.
- Coleman JD. 1988. Distribution, prevalence and epidemiology of bovine tuberculosis in brushtail possums, *Trichosurus vulpecula*, in the Hohonu Range, New Zealand. *Australian Wildlife Research* 15(6): 651–663.
- Coleman JD, Coleman MC, Nugent G, Yockney I. 2005. *Identifying causes of and solutions to vector-related Tb persistence near Featherston*. Animal Health Board Project R-50634, Landcare Research Contract Report LC0506/005.
- Coleman JD, Coleman MC, Warburton B. 2006. Trends with the incidence of tuberculosis in possums and livestock, associated with differing control intensities applied to possum populations. *New Zealand Veterinary Journal* 54(2): 52–60.**

- Coleman JD, Cooke MM. 2001. Tuberculosis: *Mycobacterium bovis* infection in wildlife in New Zealand. Conference abstract, ScienceDirect, Harcourt Publishers.
- Coleman J, Fraser W, Nugent G. 1999. How deep into the forest should possums and deer be controlled to manage bovine Tb? *He Kōrero Pahama: Possum Research News* 11: 8–9.
- Coleman JD, Fraser KW, Nugent G. 2000. Optimal buffer widths for control of possums in the Hauhungaroa Range: 1994/95–1998/99. Population recovery of possums and wild deer and Tb prevalence in possums, wild deer, and cattle. Unpublished Landcare Research Contract Report LC9900/55.
- Coleman JD, Morgan DR, Sweetapple P. 1999. *Seasonal constraints on the use of aerially-sown baits loaded with 1080 to control possum populations*. Landcare Research Contract Report LC9899/123 for Animal Health Board.**
- Coleman JD, et al. 1993. *The bovine tuberculosis status of predators near reactor herds at Waitarere, coastal Manawatu*. Landcare Research Contract Report LC9394/47.
- Collins DM, Zoete MD, Cavaignac SM. 2002. *Mycobacterium avium* subsp. *paratuberculosis* strains from cattle and sheep can be distinguished by a PCR test based on a novel DNA sequence difference. *Journal of Clinical Microbiology* 40(12): 4760–4762.**
- Collins M. 1993a. Sodium fluoroacetate-acute toxicity to Rainbow Trout (*Oncorhynchus mykiss*) under static conditions. Lab Project 13014.0293.6101.103: QA-295: 93–8–4885. Unpublished study prepared by Springborn Labs. (Cited in USEPA, 1995.)
- Collins M. 1993b. Sodium fluoroacetate-acute toxicity to bluegill sunfish (*Lepomis macrochirus*) under static renewal conditions. Lab Project 13014.0293.6100.100: DWRC QA-294: 93–7–4847. Unpublished study prepared by Springborn Labs. (Cited in USEPA, 1995.)
- Collins M. 1993c. Sodium fluoroacetate-acute toxicity to daphnids (*Daphnia magna*) under static conditions. Lab Project 13014.0293.6102.110: DWRC QA-296: 93–7–4844. Unpublished study prepared by Springborn Labs. (Cited in USEPA, 1995.)
- Connelly G. 2004. Development and use of 1080 in coyote control, 1944–1972. *Proceedings of the 21st Vertebrate Pest Conference, March 2004, California, US*.**
- Connovation. 2002. *Encapsulated cyanide paste: Material safety data sheet* (Ferapaste). Connovation, <http://www.connovation.co.nz/assets/mdf/msds%20ferapaste.pdf>
- Connovation. 2007. *Toxicity of cyanide baits to domestic livestock in New Zealand*. [http://www.connovation.co.nz/assets/Documents/Toxicity%20of%20cyanide%20base%20baits\\_3\\_.pdf](http://www.connovation.co.nz/assets/Documents/Toxicity%20of%20cyanide%20base%20baits_3_.pdf)
- Connovation. No date *Cyanide environmental data*. [http://www.connovation.co.nz/assets/Documents/CYANIDE%20Environmental\\_1\\_.pdf](http://www.connovation.co.nz/assets/Documents/CYANIDE%20Environmental_1_.pdf) (accessed 15 July 2006).
- Conservation News. 2004 Forest and Bird support the continued use of 1080. *Conservation News* 135 (August).
- Cook CJ. 1998. Serotonergic and cholestykinin antagonists change patterns of response in rats (*Rattus norvegicus*) to oral sodium monofluoroacetate. *New Zealand Veterinary Journal* 46: 76–78.

- Cook CJ. 1999 Smarter baits: The effects of stress on bait aversion and options to avoid the development of bait aversions. *New Zealand Journal of Ecology* 23: 275–279, available from <http://www.nzes.org.nz/nzje>**
- Cook CJ, Eason CT, Wickstrom M, Devine, CD. 2001. Development of antidotes for sodium monofluoroacetate (1080). *Biomarkers* 6: 72–76.
- Cooke JA. 1976. The uptake of sodium monofluoroacetate by plants and its physiological effects. *Fluoride* 9 (4): 204–212.
- Coomes DA, Allen RB, Forsyth DM, Lee WG. 2003. Factors preventing the recovery of New Zealand forests following control of invasive deer. *Conservation Biology* 17: 450–459.
- Cooperative Research Centre. 2001. *Pest Animal Control CRC Annual Report 2000/01*.**
- Cordes DO et al. 1981. Observations on tuberculosis caused by *Mycobacterium bovis* in sheep. *New Zealand Veterinary Journal* 29: 60–62.
- Corr PV. 1971. The acceptability and effectiveness of pellet baits for poisoning rabbits. *Australian Journal of Experimental Agriculture and Animal Husbandry* 11: 407–414.**
- Corr PV, Martire P. 1971. Leaching by rain of sodium fluoracetate (“1080”) from baits used for rabbit control. *Australian Journal of Experimental Agriculture and Animal Husbandry* 11: 278–287.**
- Corsi A, Granata AL. 1967. Differential toxicity of fluoroacetate to heart, kidney and brain mitochondria of the living rat. *Biochemical Pharmacology* 16: 1083–1089.
- Cottral GE, Dibble GD, Winton B. 1947. The effect of sodium fluoroacetate (“1080” rodenticide) on white leghorn chickens. *Poultry Science* 26: 610–613.
- Cowan P, Ralston M, Grant W. 2005. [Abstract] Parasites: Possibilities for control of common brushtail possums, *Trichosurus vulpecula*, in New Zealand. In *Roles of Mammalogy on Coexistence of Wild Animals and Human: Abstracts of the plenary, symposium, poster and oral papers presented at the ninth International Mammalogical Congress (IMC 9)*, 31 July – 5 August 2005, Sapporo, Hokkaido, Japan Sapporo, pp 407–408.
- Cowan PE. 1991. Effects of introduced Australian brushtail possums (*Trichosurus vulpecula*) on the fruiting of the endemic New Zealand nikau palm (*Rhopalostylis sapida*). *New Zealand Journal of Botany* 29: 91–93.
- Cowan PE. 1994. *Predator/bovine tuberculosis surveys: Synthesis and review*. Landcare Research Contract Report LC9394/107.
- Cowan PE. 2001. Advances in New Zealand mammalogy 1990–2000: Brushtail possum. *Journal of the Royal Society of New Zealand* 31(1): 15–29.**
- Cowan PE. 2005. Brushtail possums. In CM King (ed) *The handbook of New Zealand mammals* (2nd edition). Melbourne: Oxford University Press, pp. 56–80.
- Cowan PE, Chilvers BL, Efford MG, McElrea GJ. 1997. Effects of possum browsing on northern rata, Orongorongo Valley, Wellington, New Zealand. *Journal of the Royal Society of New Zealand* 27(2): 173–179.**

- Cowan PE, Waddington DC. 1990. Suppression of fruit production of the endemic forest tree *Elaeocarpus dentatus*, by introduced marsupial brushtail possums, *Trichosurus vulpecula*. *New Zealand Journal of Botany* 28: 217–224.
- Cowan PE, Waddington DC. 1991. Litterfall under hinau, *Elaeocarpus dentatus*, in lowland podocarp/mixed hardwood forest, and the impact of brushtail possums, *Trichosurus vulpecula*. *New Zealand Journal of Botany* 29: 385–394.
- Crocker D, Hart A, Gurney J, McCoy C. 2002. *Project PN0908: Methods for estimating daily food intake of wild birds and mammals: Final report*. York, England: Central Science Laboratory, Department for Environment, Food and Rural Affairs, [http://www.pesticides.gov.uk/uploadedfiles/Web\\_Assets/PSD/Research\\_PN0908.pdf](http://www.pesticides.gov.uk/uploadedfiles/Web_Assets/PSD/Research_PN0908.pdf) (accessed 8 February 2007).
- Cruz F, Donlan CJ, Campbell K. 2005. Conservation action in the Galapagos: Feral pig (*Sus scrofa*) eradication from Santiago Island. Carrion V *Biological Conservation* 121: 473–478.
- Cullen R, Bicknell K. 2000. Possum management: An economic analysis. In TL Montague (ed), *The brushtail possum: Biology, impact and management of an introduced marsupial*. Lincoln: Manaaki Whenua Press, pp 198–207.
- Cullen R, Kerr GN, Warburton B, O'Connor C. 1996. Costs and benefits of control programmes for an introduced herbivore. In MM Ralston, KFD Hughey, KF O'Connor (eds) *Mountains of East Asia and the Pacific*. Christchurch: Lincoln University, pp 189–198.
- Dairy Insight. 2004. Routine test highlights the importance of Tb programme. *Diary Insight*.
- Dairying Today. 2006. Microchipping: Slippage too great if farm dogs exempt. *Dairying Today*, 7 March.
- Daniel MJ. 1962. Control of introduced deer in New Zealand. *Nature* 194(4828): 527–528.
- Daniel MJ. 1966. *Early trials with sodium monofluoroacetate (compound 1080) for the control of introduced deer in New Zealand*. New Zealand Forest Service.
- Daniel MJ, Williams GR. 1984. A survey of the distribution, seasonal activity and roost sites of New Zealand bats. *New Zealand Journal of Ecology* 7: 9–25, available from <http://www.nzes.org.nz/nzje>
- David WAL. 1950. Sodium fluoroacetate as a systemic and contact insecticide. *Nature* 165: 493–494.
- David WAL, Gardiner BOC. 1951. Investigations on the systemic insecticidal action of sodium fluoroacetate and of three phosphorus compounds on *Aphis scabae* Scob. *Annals Applied Biology* 38: 91–110.
- David WAL, Gardiner BOC. 1953. The systemic insecticidal action of sodium fluoroacetate and of three phosphorus compounds on the eggs and larvae of *Pieris brassicae* L. *Annals Applied Biology* 40: 403–417.
- David WAL, Gardiner BOC. 1954. The systemic insecticidal action of certain compounds of fluorine and phosphorus on *Phaedon cochleariae*. *Annals of Applied Biology* 41: 261–270.

## References

- David WAL, Gardiner BOC. 1958. Fluoroacetimide as a systemic insecticide. *Nature* 181: 1810.
- David WAL, Gardiner BOC. 1966. Persistence of fluoroacetate and fluoroacetamide in soil. *Nature* 209: 1367–1368.
- Day TD, Matthews LR. 1999. Do colours that deter birds affect cereal bait acceptance by possums (*Trichsurus vulpecula*)? *New Zealand Journal of Ecology* 23: 261–266, available from <http://www.nzes.org.nz/nzje>**
- De Lisle GW, Yates GF, Collins DM. 2003. Overview of DNA fingerprinting of *Mycobacterium bovis* applied to the epidemiology of tuberculosis in wildlife in New Zealand. *Symposium: Managing Tuberculosis in Wildlife* 3 December.
- De Lisle GW, Yates GF, Collins DM, MacKenzie RW, Crews KB, et al. 1995. A study of bovine tuberculosis in domestic animals and wildlife in the MacKenzie Basin and surrounding areas using DNA fingerprinting. *New Zealand Veterinary Journal* 43(7): 266–271.**
- De Meyer R, De Plaen. 1964. An approach to the biochemical study of teratogenic substances on isolated rat embryo. *Journal of Life Sciences* 3: 709–713.
- de Moraes-Moreau RL, Harguich M, Harasuchi M, Morita H, Palermo-Yeto. 1995. Chemical and biological demonstration of the presence of monofluoroacetate in the leaves of *Palicourea marcgravii*. *Brazilian Journal of Medical and Biological Research* 28: 685–692.
- Deer Farmer. 2006. Venison price table, week starting 12 June 2006. *Deer Farmer* no 9.
- Deichmann WB, Gerarde HW (eds). 1969. *Toxicology of drugs and chemicals*.**
- Deonier CC, Jones HA, Incho HH. 1946. Organic compounds effective against larvae of *Anopheles quadrimaculatus*: Laboratory tests. *Journal of Economic Entomology* 39: 459–462.
- Department of Conservation (DoC). 1997. *Black maire (Nestegis cunninghamii) decline in the Haurangi Forest Park*. Department of Conservation.
- Department of Conservation (DoC). 1997. *Issue and options for managing impacts of deer on native forests and other ecosystems*. Department of Conservation.
- Department of Conservation (DoC). 1997. *Vertebrate pest control manual: Toxins and poisons*. Department of Conservation.
- Department of Conservation (DoC). 2000. *Northern Te Urewera ecosystem restoration project: Summary annual report*. East Coast Hawke's Bay Conservancy, Department of Conservation, available from <http://www.doc.govt.nz/templates/MultiPageDocumentTOC.aspx?id=39627>
- Department of Conservation (DoC). 2000. *Possums: Everybody's problem*. Department of Conservation.**
- Department of Conservation (DoC). 2001. *Deer management policy*. Department of Conservation.
- Department of Conservation (DoC). 2003. *Standard Operating Procedure: Operational Reporting*. NH 3005, version 2.2. Department of Conservation.

- Department of Conservation (DoC). 2004. *1080 in action*. Department of Conservation, <http://www.doc.govt.nz/templates/MultiPageDocumentTOC.aspx?id=39948>
- Department of Conservation (DoC). 2006. *How does DoC analyse recreation opportunities?* Department of Conservation.
- Department of Conservation (DoC). 2006. *Standard operating procedure: Consultation and notification of pesticide operations*. NH 3007, version 2.0. Department of Conservation.
- Department of Conservation (DoC). 2006. *The value of conservation*. Department of Conservation.
- Department of Conservation (DoC). 2007. *Animal pests: Bounties*. <http://www.doc.govt.nz/templates/page.aspx?id=33377>**
- Department of Conservation (DoC). 2007. *Standard operating procedure: Consultation and notification of pesticide operations*. Animal Pests 2 NH 3007.**
- Department of Labour (DoL). 2002a. *Workplace Exposure Standards*. <http://www.osh.govt.nz/order/catalogue/329.shtml>
- Department of Labour (DoL), 2002b, Guidelines for the Safe Use of Sodium Fluoroacetate (1080).
- Department of Primary Industries and Energy (DPIE). 1992. Vertebrate pest control and animal welfare: A report of the National Consultative Committee on Animal Welfare.
- Devine CD, Cook CJ. 1998. Bait shyness and its prevention in the rabbit *Oryctolagus cuniculus* L. *New Zealand Journal of Zoology* 25: 223–229.**
- Dietrich LS, Shapiro DM. 1956. Fluoroacetate and fluorocitrate antagonism of tumor growth: Effect of these compounds on citrate metabolism in normal and neoplastic tissue. *Cancer Research* 16: 585–588.
- Dilks P, Lawrence B. 2000. The use of poison eggs for the control of stoats. *New Zealand Journal of Zoology* 27: 173–182.**
- Dilks PJ, O'Donnell CFJ, Elliott GP, Phillipson SM. 1996. The effect of bait type, tunnel design, and trap position, on stoat control operations for conservation management. *New Zealand Journal of Zoology* 23: 295–306.**
- Douglas MH. 1967. Control of thar (*Hemitragus jemplahicus*): Evaluation of a poisoning technique. *New Zealand Journal of Science* 10: 511–526.**
- Doull J et al. 1986. *Casarett and Doull's toxicology* (3rd edition). New York: Macmillan.
- Dowding J. 1993. *New Zealand dotterel recovery plan* (*Charadrius obscurus*). Threatened Species Recovery Plan Series 10. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39163>
- Dowding JE, Davis AM. 2007. *New Zealand dotterel* (*Charadrius obscurus*) *recovery plan, 2004–14*. Threatened Species Recovery Plan Series 38. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/tsrp58.pdf>
- Dowding JE, Murphy EC. 2001. The impact of predation by introduced mammals on endemic shorebirds in New Zealand: A conservation perspective. *Biological Conservation* 99(1): 47–64.

- Dowding JE, Murphy EC. 1993. Decline of the Stewart Island population of the New Zealand dotterel. *Ornithological Society of New Zealand* 40: 1–13.**
- Dowding JE, Murphy EC. 1994. Ecology of ship rats (*Rattus rattus*) in a kauri (*Agathis australis*) forest in Northland, New Zealand. *New Zealand Journal of Ecology* 18: 19–28, available from <http://www.nzes.org.nz/nzje>**
- Draper M, Airey M. 2006. *New Zealand hunting guide: North Cape to Stewart Island*. Spot X NZ Hunting Guide.
- Dreisbach RH. 1966. *Handbook of poisoning: Diagnosis and treatment* (5th edition).**
- Duckworth DA, Byrom AE, Fisher P, Horn C. 2006. Pest control: Does the answer lie in new biotechnologies? In RB Allen, WG Lee (eds) *Biological Invasions New Zealand Ecological Studies* 186. Springer Berlin Heidelberg, pp 421–434.**
- Duncan K, Holdaway R. 1989. Footprint pressures and locomotion of moas and ungulates and their effects on the New Zealand indigenous biota through trampling. *New Zealand Journal of Ecology* 12: 97–101, available from <http://www.nzes.org.nz/nzje>
- Duncan R, Ruscoe W, Richardson S, Allen R. 2006. *Consequences of deer control for Kaweka mountain beech forest dynamics*. Lincoln: Landcare Research.**
- Dunn D, Berman DA. 1966. Oxidation of glucose-1–<sup>14</sup>C, glucose-6–<sup>14</sup>C and acetate-1–<sup>14</sup>C by rat ventricle strips during the inotropic action of fluoroacetate. *Life Sciences* 5: 1881–1886.
- Dunning RA, Winder GH. 1960. *Report of the Rothamsted Experimental Station*.
- Eason C. 2002a. Sodium monofluoroacetate (1080) risk assessment and risk communication. *Toxicology* 181–182; 523–530.
- Eason C, Gooneratne. 1993. An evaluation of the risk to man of secondary poisoning with sodium monofluoroacetate (1080). *New Zealand Medical Journal* 106[949]: 41.
- Eason C, O'Connor C. 2006. *Manaaki Whenua Conference Proceedings: Wildlife toxicology issues in possum control: A comparison of sodium monofluoroacetate (1080) and broadifacoum*. Landcare Research Manaaki Whenua, <http://www.landcareresearch.co.nz/news/conferences/manaakiwhenua/papers/eason.asp>**
- Eason CT. 1997. Sodium monofluoroacetate toxicology in relation to its use in New Zealand. *Australasian Journal of Ecotoxicology* 3: 57–64.
- Eason CT. 2000. Evidence for a hearing on the application for 1080 use in South Westland. Unpublished report. Landcare Research.
- Eason CT. 2002. *Technical review of sodium monofluoroacetate (1080) toxicology*. Wellington: Animal Health Board and Landcare Research New Zealand, [http://www.ahb.org.nz/AHBWebsite/Research/1080\\_Info/5.1+1080+info.htm](http://www.ahb.org.nz/AHBWebsite/Research/1080_Info/5.1+1080+info.htm)
- Eason CT. 2000. *Evidence for a hearing on the application for 1080 use in South Westland*. Lincoln: Landcare Research.
- Eason CT. 2001. *Evidence for a hearing on the application for 1080 use in South Westland*. Lincoln: Landcare Research.



- Eason CT, Batcheler D, Wright GR. 1991a. *Environmental impact and post-control assessment on Rangitoto Island, after possum and wallaby control, November 1990*. Forest Research Institute Contract Report FWE91/9. Christchurch: Forest Research Institute.
- Eason CT, Batcheler D, Wright GR. 1991b. *Environmental impact on 1080 associated with possum control in the Waipoua Forest Sanctuary, Northland*. Forest Research Institute Contract Report FWE91/8. Christchurch: Forest Research Institute.
- Eason CT, Fountain JS, O'Connor CE. 2000. *Assessing exposure and health risks to 1080 workers in New Zealand*. Landcare Research.
- Eason CT, Fountain JS, O'Connor CE. 2002a. *Monitoring workers in the pest control industry against a biological exposure index (BEI) for 1080*. Landcare Research.
- Eason CT, Frampton CM. 1991. Acute toxicity of sodium monofluoroacetate (1080) baits to feral cats. *Wildlife Research* 18: 445–449.**
- Eason CT, Gooneratne R, Fitzgerald H, Wright G, Frampton C. 1994a. Persistence of sodium monofluoroacetate in livestock animals and risk to humans. *Human and Experimental Toxicology* 13(2): 119–122.
- Eason CT, Gooneratne R, Rammell CG. 1994b. A review of the toxicokinetics and toxicodynamics of sodium monofluoroacetate in animals. In AA Seawright, CT Eason (eds) *Proceedings of the science workshop on 1080*. Miscellaneous Series 28. Wellington: Royal Society of New Zealand, pp 82–89.
- Eason CT, Gooneratne R, Wright GR, Pierce R, Frampton CM. 1993. The fate of sodium monofluoroacetate (1080) in water, mammals, and invertebrates. *Proceedings of the forty-sixth New Zealand Plant Protection Conference*, pp 297–301.
- Eason CT, Hickling GJ. 1992. Evaluation of a bio-dynamic technique for possum pest control. *New Zealand Journal of Ecology* 16: 141–144, available from <http://www.nzes.org.nz/nzje>**
- Eason CT, Turck. 2002b. A 90-day toxicological evaluation of compound 1080 (sodium monofluoroacetate) in Sprague-Dawley rats. *Toxicological Sciences* 69: 439–447.
- Eason CT, Warburton B, Gregory N. 1995. *Assessment of the humaneness of toxins used for possum control in New Zealand (423/94)*. Landcare Research Contract Report LC9899/123 for Animal Health Board.**
- Eason CT, Warburton B, Gregory N. 1996. *Assessment of the humaneness of toxins used for possum control in New Zealand*. Landcare Contract Research Report LC9495/139. Landcare Research.
- Eason CT, Wickstrom M. 2001. *Vertebrate pesticide toxicology manual (poisons) (2nd edition)*. Technical Services Series 23. Wellington: Department of Conservation, <http://www.doc.govt.nz/templates/page.aspx?id=39161>**
- Eason CT, Wickstrom M, Turck P, Wright GRG. 1999. A review of recent regulatory and environmental toxicology studies on 1080: Results and implications. *New Zealand Journal of Ecology* 23: 129–137, available from <http://www.nzes.org.nz/nzje>
- Eason CT, Wright G. 2001. Water monitoring for contamination after aerial 1080 pest control operations: An update. *He Kōrero Pahama: Possum Research News* 16: 10–11.

- Eason CT, Wright GR, Fitzgerald H. 1992. Sodium monofluoroacetate (1080) water-residue analysis after large-scale possum control. *New Zealand Journal of Ecology* 16: 47–49, available from <http://www.nzes.org.nz/nzje>
- Eason CT, Wright GRG, Milne LM, Morriss GA. 2001. *Laboratory and field studies of brodifacoum residues in relation to risk of exposure to wildlife and people*. Science for Conservation Series 177. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- ECAN. 2002. *Economic analysis regional pest management control options*. Environment Canterbury.
- Ecroyd CE. 1993. *Testing whether wild short-tailed bats will consume non-toxic carrot bait*. Conservation Advisory Science Note 30. Wellington: Department of Conservation.
- Ecroyd CE. 1996. The ecology of *Dactyanthus taylorii* and threats to its survival. *New Zealand Journal of Ecology* 20: 80–100, available from <http://www.nzes.org.nz/nzje>
- Egekeze JO, Oehme FW. 1979a. Sodium monofluoroacetate (SMFA, compound 1080): A literature review. *Veterinary and Human Toxicology* 21: 411–416.
- Egekeze JO, Oehme FW. 1979b. Inorganic and organic fluoride concentrations in tissues after the oral administration of sodium monofluoroacetate (compound 1080) to rats. *Toxicology* 15: 43–53.
- Eggleston JE, Rixecker SS, Hickling GJ. 2003. The role of ethics in the management of New Zealand's wild mammals. *New Zealand Journal of Ecology* 30: 361–376, available from <http://www.nzes.org.nz/nzje>
- Eisler R. 1991. *Cyanide hazards to fish, wildlife and invertebrates: A synoptic review*. Report 85. US Department of the Interior, Fish and Wildlife Service.
- Eisler R. 1995. *Sodium monofluoroacetate (1080) hazards to fish, wildlife, and invertebrates: A synoptic review*. Biological Report 27. Laurel, MD: Patuxent Environmental Science Center, US National Biological Service.
- Ellenhorn MJ, Barceloux DG. 1988. *Sodium monofluoroacetate ("1080")*. In *Medical toxicology. Diagnosis and treatment of human poisoning*. New York, Amsterdam, London: Elsevier.
- Ellington JJ, Stancil FE. 1988. *Octanol/water partition co-efficients for evaluation of hazardous waste land disposal: Selected chemicals*. EPA/600/M-88/010: PB89–120760. Athens, Georgia, US: Environmental Research Laboratory, Office of Research and Development, US Environmental Protection Agency.
- Ellington JJ, Stancil FE, Payne WD. 1987. *Measurement of hydrolysis rate constants for evaluation of hazardous waste land disposal: 1. Data on 32 chemicals*. EPA/600/3–86/043; PB87–140349/GAR. Athens, Georgia, US: Environmental Research Laboratory, Office of Research and Development, US Environmental Protection Agency.
- Elliott GP. 1996a. Mohua and stoats: A population viability analysis. *New Zealand Journal of Zoology* 23: 239–248.

- Elliott GP, Dilks PJ, O'Donnell CFJ. 1996. The ecology of yellow-crowned parakeets (*Cyanoramphus auriceps*) in Nothofagus forest in Fiordland, New Zealand. *New Zealand Journal of Zoology* 23: 249–266.
- Elliott GP. 1996b. Productivity and mortality of mohua (*Mohoua ochrocephala*). *New Zealand Journal of Zoology* 23: 229–237.**
- Environment Canterbury. 2002. Proposed Canterbury natural resources regional plan.** <http://www.ecan.govt.nz/Plans+and+Reports/NRRP/Variations+1.htm>
- Environment Southland. 2000. Proposed regional fresh water plan.** <http://www.es.govt.nz/Departments/Planning/FreshWaterPlan/index.aspx>
- Environment Southland. 2000. Report on variation no 4 (water quality and silent files) proposed regional fresh water plan for Southland.** Environment Southland.
- Environment Southland. 2005. *Report on variation no 4 (water quality and silent files) proposed regional fresh water plan for Southland.* Environment Southland.
- Environment Waikato. 2000. *Operative Waikato regional policy statement.* <http://www.ew.govt.nz/policyandplans/rpsintro/rps/RPS3.3.7.htm>
- Environment Waikato. 2003. *River flooding: Reducing the risk: A report to the Thames–Coromandel District community as part of the Peninsula Project.* <http://www.ew.govt.nz/regionalservices/rivercatchment/peninsula/thamescoast/documents/thamesintro.pdf>
- Environment Waikato. 2006. Proposed Waikato regional plan: Appeals version.** Environment Waikato.
- Epro. 2005. *Post-operational report: Combined north and South Hauhangaroa Range, TB0406–1/TB0406–2.* Prepared for Regional Tb Programme, Environment Waikato, October.
- ERMA New Zealand. 2001. *User guide to thresholds and classifications.* Wellington: Environmental Risk Management Authority.
- ERMA New Zealand. 2002. Transfer report: Substances to be transferred to the HSNO Act under section 160(1)(a): Controlled vertebrate poisons containing: Sodium fluoroacetate [1080], sodium cyanide, potassium cyanide, yellow phosphorus, 3–chloro-p-toluidine hydrochloride [DRC 1339] and Fish-based paste containing 10g/kg sodium fluoroacetate [for wasp control].** Wellington: Environmental Risk Management Authority.
- ERMA New Zealand. 2006. Approved handler requirements for pesticides.** Information Sheet 33. Wellington: Environmental Risk Management Authority. <http://www.ermanz.govt.nz/resources/publications/pdfs/ER-IS-33-1.pdf>
- European Environmental Agency. 1999. *Chemicals in the European environment: Low doses, high stakes?*
- European Commission (EC). 2002. *Guidance document on risk assessment for birds and mammals under Council Directive 91/414/EEC SANCO/4145/2000: Final.* European Commission, [http://ec.europa.eu/food/plant/protection/evaluation/guidance/wrkd0c19\\_en.pdf](http://ec.europa.eu/food/plant/protection/evaluation/guidance/wrkd0c19_en.pdf) (accessed 8 February 2007).

## References

- European Communities, 2006. Guidance for the setting and application of acceptable operator exposure levels (AOELs), Working Document, SANCO 7531- rev.10 – 7 July 2006
- Fagerstone KA, Savarie PJ, Elias DJ, Schafer EW Jr. 1994. Recent regulatory requirements for pesticide registration and the status of compound 1080 studies conducted to meet EPA requirements. In AA Seawright, CT Eason (eds) *Proceedings of the science workshop on 1080*. Miscellaneous Series 28. Wellington: Royal Society of New Zealand, pp 206–212.
- Fairchild EJ (ed). 1997. *Registry of toxic effects of chemical substances. II*. Cincinnati: US Department of Health, Education and Welfare (National Institute for Occupational Safety and Health).
- Fairchild EJ et al. 1977. *Registry of toxic effects of chemical substances (RTECS)*. US: National Institute for Occupational Safety and Health.
- FishBase. No date. *FishBase*. <http://www.fishbase.org/search.php> (accessed 18 December 2006).
- Fisher M. 1998. Intersections between ethics and science in the promotion of animal welfare. In D Mellor, M Fisher, G Sutherland (eds). *Ethical approaches to animal-based science*. ANZCCART, pp 33–37.
- Fisher P, Fairweather A. 2004. *Cyanide: A review of current knowledge*. Part 1 in a series of pesticide information reviews, project number HAMRO-93879. Hamilton: Department of Conservation.
- Fisher P, O'Connor CE, Eason CT. 2002b. *Monitoring workers in the pest control industry against a biological exposure index (BEI) for 1080*. Prepared for Animal Health Board.
- Fisher PM, O'Conner CE, Murphy EC. 2005. Acute oral toxicity of p-aminopropiophenone to stoats (*Mustela erminea*). *New Zealand Journal of Zoology* 32: 163–169.**
- Fitzgerald BM, Karl BJ. 1986. Home range of the feral house cats (*Felis catus* L.) in forest of the Orongorongo Valley, Wellington New Zealand. *New Zealand Journal of Ecology* 9: 71–81, available from <http://www.nzec.org.nz/nzje>**
- Fitzgerald G, Saunders L, Wilkinson R. 1995. *Public perceptions of management of possums*. Report prepared with funding from MAF Policy and Landcare Research, available at <http://www.maf.govt.nz/mafnet/rural-nz/research-and-development/pestcontrol>
- Fitzgerald G, Wilkinson R, Saunders L. 2000. Public perceptions and issues in possum control. In TL Montague (ed), *The brushtail possum: Biology, impact and management of an introduced marsupial*. Lincoln: Manaaki Whenua Press.
- Fleming PJS, Parker RW. 1991. Temporal decline of 1080 within meat baits used for control of wild dogs in New South Wales. *Wildlife Research* 18: 729–740.**
- Flux I, Innes J. 2001. *Kokako management folder*. Threatened Species Occasional Publication Series 19. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/publications/004%7escience-and-research/Biodiversity-Recovery-Unit/PDF/tsrp30.pdf>
- Fonterra. 2005. *Market prices for primary produce*.

- Forest and Bird. 2002. *1080 killing pests and saving forests*. Factsheet, August.
- Forest Research Institute. 1991. The effect of 1080-poisoning operations on non-target bird populations. *What's New in Forest Research* 94.
- Foronda NM, Fowles J, Smith N, Taylor M, Temple W. 2006a (e-published). A benchmark dose analysis for sodium monofluoroacetate (1080) using dichotomous toxicity data. *Regulatory Toxicology and Pharmacology* (2007) 47(1): 84–89.
- Foronda NM, Fowles J, Smith N, Taylor M, Temple W, et al. 2006b (e-published). The use of myocardial and testicular end points as a basis for estimating a proposed tolerable daily intake for sodium monofluoroacetate (1080). *Regulatory Toxicology and Pharmacology* (2007) 47(1): 29–36.
- Forsyth DM, Link WA, Webster R, Nugent G, Warburton B. 2005. Nonlinearity seasonal bias in an index of brushtailed possum abundance. *Journal of Wildlife Management* 69: 976–984.
- Forsyth DM, Parkes JP. 1995. Suitability of aerially sown artificial baits as a technique for poisoning feral goats. *New Zealand Journal of Ecology* 19: 73–76, available from <http://www.nzec.org.nz/nzje>
- Forsyth DM, Parkes JP, Hickling GJ. 2000. A case for multi-species management of sympatric herbivore pest impacts in the central Southern Alps, New Zealand. *New Zealand Journal of Ecology* 24: 97–103, available from <http://www.nzec.org.nz/nzje>
- Foss GL. 1948. The toxicology and pharmacology of methyl fluoroacetate (MFA) in animals, with some notes on experimental therapy. *British Journal of Pharmacology* 3: 118–127.
- Foundation for Research, Science and Technology (FRST). 2003. *Scientific research and aerial possum control: A cost/benefit study*. Evaluation Report. Wellington: Foundation for Research, Science and Technology.
- Fowles CR, Williams JR. 1997. Water quality monitoring in relation to a possum control operation on Mount Taranaki/Egmont. *New Zealand Natural Sciences* 23: 93–99.
- Frampton CM, Warburton B, Henderson R, Morgan DR. 1999. Optimising bait size and 1080 concentration (sodium monofluoroacetate) for the control of brushtail possums (*Trichosurus vulpecula*). *Wildlife Research* 26: 53–59.
- Fraser A. 2006. *Public attitudes to pest control: A literature review*. Research and Development Series 227. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/drds227.pdf>
- Fraser KW, Parkes JP, Thomson C. 2003. *Management of new deer populations in Northland and Taranaki*. Science for Conservation Series 212. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Fraser KW, Speedy CJ. 1997. *Hunting pressure, deer populations and vegetation impacts in the Kaimanawa recreational hunting area*. Science for Conservation Series 47. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>

- Fraser KW, Spurr EB, Eason CT. 1995. Non-target kills of deer and other animals from aerial 1080 operations. *Rod and Rifle* 16(5): 20–22.
- Fraser KW, Sweetapple PJ. 2000. *A comparison of the effectiveness of two toxic loadings (0.08% and 0.15%) for control of deer during aerial 1080 poisoning using carrot baits*. Landcare Research Contract Report LC9900/84 for Animal Health Board.
- Fraser W. 2001. *Introduced wildlife in New Zealand: A survey of general public views*. Landcare Research Science Series 23. Manaaki Whenua Press.
- Freeman AB, Hickling GJ, Bannock CA. 1997. *Responses of the native skink Leiopisma maccanni to two pest control baits*. Conservation Advisory Science Notes 139. Wellington: Department of Conservation.
- Frick EJ, Boebel FW. 1946. Clinical observation of “1080” poisoning. *Veterinary Medicine* 41: 196–198.
- Gajdusek DC, Luther G. 1950. Fluoroacetate poisoning: A review and report of a case. *American Journal of Diseases of Children* 79: 310–320.
- Gal EM, Drewes PA, Taylor NF. 1961. Metabolism of fluoroacetic acid -2-C<sup>14</sup> in the intact rat. *Archives of Biochemistry and Biophysics* 93: 1–14.
- Gale AM. 2004. *They don't come easy: The hunting challenge*. Auckland: Halcyon Press.
- Gallon JR, Ul-Haque MI, Chaplin AE. 1978. Fluoroacetate metabolism in *Gloeocapsa* sp. LB795 and its relationship to acetylene reduction (nitrogen fixation). *Journal of General Microbiology* 106: 329–336.
- Gaukrodger J. 2006. Department of Conservation addresses letter. *Hauraki Herald*, 8 September.
- Gaukrodger J. 2006. Department of Conservation's reply to Whiting O Keefe letter. *Hauraki Herald*, 9 August.
- Genstat 5 Committee. 1987. *Genstat 5 reference manual*. Oxford: Clarendon Press.
- Giddy C. 2006. *Operational plan for the Otaki bio and core possum and rat control operation*.
- Gilbert FF. 1991. Trapping: An animal rights issue or a legitimate wildlife management technique: The move to international standards. *Transactions of the 56th North American Wildlife & Natural Resource Conference*, pp 400–408.
- Gillies C, Williams D. 2003. *Using tracking tunnels to monitor rodents and other small mammals*. Wellington: Department of Conservation.
- Gillies CA, Leach MR, Coad NB, Theobald SW, Campbell J, et al. 2003. Six years of intensive pest mammal control at Trouson Kauri Park, a Department of Conservation “mainland island”, June 1996 – July 2002. *New Zealand Journal of Zoology* 30: 399–420.
- Gillies CA, Pierce RJ. 1999. Secondary poisoning of mammalian predators during possum and rodent control operations at Trounson Kauri Park, Northland, New Zealand *New Zealand Journal of Ecology* 23: 183–192, available from <http://www.nzec.org.nz/nzje>

- Gisborne District Council. 2000. *Regional air plan*.**  
<http://www.gdc.govt.nz/PlansAndReports/Regional+Air+Plan.htm>
- Godoy HM, Villarruel MC. 1974. Myocardial adenine nucleotides, hexose phosphates and inorganic phosphate, and the regulation of phosphofructokinase activity during fluoroacetate poisoning in the rat. *Biochemical Pharmacology* 23: 3179–3189.
- Goh CS, Hodgson DR, Fearnside SM, Heller J, Malikides N. 2005. Sodium monofluoroacetate (compound 1080) poisoning in dogs. *Australian Veterinary Journal* 83(8): 474–479.
- Goldman P. 1965. The enzymatic cleavage of the carbon-fluorine bond in fluoroacetate. *Journal of Biological Chemistry* 240(8): 3434–3438.**
- Goldman P, Milne GWA. 1966. Carbon-fluorine bond cleavage. *Journal of Biological Chemistry* 241(23): 5557–5559.**
- Goldschmidt I. 2002. *The Takaka 1080 incident*. Report compiled by New Zealand Milk Products.
- Goodwin RM, Ten Houten A. 1991. Poisoning of honey bees (*Apis mellifera*) by sodium fluoroacetate (1080) in baits. *New Zealand Journal of Zoology* 18: 45–51.**
- Gooneratne SR, Eason CT, Dickson CJ, Fitzgerald H, Wright G. 1995. Persistence of sodium monofluoroacetate in rabbits and risk to non-target species. *Human and Experimental Toxicology* 14(2): 212–216.
- Gooneratne R, Dickson CJ, Wallace D, Eason CT, Fitzgerald H, Wright G. 1994. Plasma and tissue 1080 in rabbits after lethal and sublethal doses. In AA Seawright, CT Eason (eds) *Proceedings of the science workshop on 1080*. Miscellaneous Series 28. Wellington: Royal Society of New Zealand, pp 67–73.
- Gordon EE. 1961. The metabolism of citrate-C14 in normal and in fluoroinhibitor-poisoned rats. *Journal of Clinical Investigation* 40: 1719–1726.
- Gosselin RE et al. 1984. *Clinical toxicology of commercial products* (5th edition). Baltimore: Williams & Wilkins.
- Gough J, Hooper G. 2004. *Communicating about risk issues*. Communicating Science and Technology, Education and Empowerment.**
- Gough JD, Ball RJ. 1995. *The contribution of conservation lands to the West Coast regional economy*. Research report to the Department of Conservation.**
- Grant A, Kearvell J. 1999. *Orange-fronted parakeet (Cyanoramphus malherbi) recovery plan 1999–2005*. Wellington: Department of Conservation.
- Grant PJ. 1984. Drought effect on high-altitude forests, Ruahine Range, North Island, New Zealand *New Zealand Journal of Botany* 22: 15–27.
- Grant WM. 1986. *Toxicology of the eye* (3rd edition). Springfield, Ill: Charles C Thomas.
- Green W. 2003. *Benefits to forests of 1080 operations*. EcoLogic Conservation Consultant's report for Department of Conservation.
- Green W. 1998. *Possum management in New Zealand: Critical issues in 1998*. PCE Progress Report 1. Wellington: Parliamentary Commissioner for the Environment, [http://www.pce.govt.nz/reports/allreports/possum\\_mgmt\\_98.shtml](http://www.pce.govt.nz/reports/allreports/possum_mgmt_98.shtml)
- Green W. 2003. *Monitoring forest health following 1080 operations*.

- Green W. 2004. *The use of 1080 for pest control. A discussion document*. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/MultiPageDocumentTOC.aspx?id=39912>
- Green WQ, Coleman JD. 1986. Movement of possums (*Trichosurus vulpecula*) between forest and pasture in Westland, New Zealand: Implications for bovine tuberculosis transmission. *New Zealand Journal of Ecology* 9: 57–69, available from <http://www.nzes.org.nz/nzje>**
- Greene TC. 1998. *The effects of compound 1080 on populations of specific non-target species, Waihaha Ecological Area, Pureora Forest Park, winter 1994*. Science for Conservation Series 69. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Greene TC, Fraser JR. 1998. Sex ratio of North Island kaka (*Nestor meridionalis septentrionalis*), Waihaha Ecological Area, Pureora Forest Park.**
- Greer G. 2006. The economic benefits of the possum control programme. Research Report 282. Lincoln: Agribusiness and Economics Research Unit, Lincoln University.**
- Gregory G. 1996. Perception of pain associated with 1080 poisoning. Humaness and Vertebrate Pest Control: Proceedings of the seminar held on March 27th 1996. Report 2.**
- Gregory N. 2002. *Trauma in livestock, companion animals and wildlife*. Wellington: Ministry of Agriculture and Forestry.
- Gregory NG, Milne LM, Rhodes AT, Littin KE, Wickstrom M, Eason CT. 1998. Effect of potassium cyanide on behaviour and time to death in possums. *New Zealand Veterinary Journal* 46: 60–64.**
- Griffiths ME. 1959. The effect of weathering on the toxicity of baits treated with sodium fluoroacetate.**
- Groeneveld AHC, Berends AG. 1994. *A comparison of the toxicity of sodium trifluoroacetate to algae*. Alternative Fluorocarbon Environmental Acceptability Study Final Report 56835/44/94. Washington DC, US. (Cited in AG Berends, JC Boutonnet, CG de Rooij, RS Thompson. 1999. Toxicity of trifluoroacetate to aquatic organisms. *Environmental Toxicology and Chemistry* 18: 1053–1059.)
- Hackwell K, Bertram G. 1999. *Pests and weeds: A blueprint for action*. Wellington: New Zealand Conservation Authority.
- Hagan EC, Ramsey LL, Woodard G. 1950. Absorption, distribution, and excretion of sodium fluoroacetate (1080) in rats. *Journal Pharmacology and Experimental Therapeutics* 99, 432–434.
- Hamilton B. 2004. *Effects of an aerial 1080 carrot bait operation on South Island tomtit (*Petroica macrocephala macrocephala*) populations within the Hampden possum control operational area of Otago*. Dunedin; Ecological Networks.
- Hamilton DJ, Eason CT. 1994. Monitoring for 1080 residues in waterways after a rabbit-poisoning operation in Central Otago. *New Zealand Journal of Agricultural Research* 37: 195–198.**
- Haque T. 2006. Funding recreational opportunity provision on the New Zealand conservation estate. Policy Perspectives Paper 06/07. Wellington: The Treasury.**



- Harper D, O'Hagan D, Murphy C. 2003. Fluorinated natural products: Occurrence and biosynthesis. *The Handbook of Environmental Chemistry* 3, pp 141–169.
- Harris RJ, Etheridge ND. 2001. Comparison of baits containing fipronil and sulfluramid for the control of *Vespula* wasps. *New Zealand Journal of Zoology* 28: 39–48.
- Harris RJ, Oliver EH. 1993. Prey diets and population densities of the wasps *Vespula vulgaris* and *V. germanica* in scrubland-pasture. *New Zealand Journal of Ecology* 17: 5–12, available from <http://www.nzes.org.nz/nzje>
- Harris RJ, Rees JS. 2000. *Aerial poisoning of wasps*. Science for Conservation Series 162. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Harrison JWE, Ambrus JL, Ambrus CM, Rees EW, Peters RH, et al. 1952. Acute poisoning with sodium fluoroacetate (compound 1080). *Journal of the American Medical Association* 23: 1520–1522.
- Harrison M. 1978. 1080. *Wildlife: A review* 9: 48–53.
- Hartley L, O'Connor C, Waas J, Matthews L. 1999. Colour preferences in North Island robins (*Petroica australis*): Implications for deterring birds from poison baits. *New Zealand Journal of Ecology* 23: 255–259, available from <http://www.nzes.org.nz/nzje>
- Hartley L, Waas J, O'Connor C, Matthews L. 2000. Colour preferences and coloured bait consumption by weka *Gallirallus australis*, an endemic New Zealand rail. *Biological Conservation* 93: 255–263.
- Hashimoto Y, Mori T, Noguchi T. 1969. Experimental studies on acetamide, an antidote of monofluoroacetamide poisoning: 2. Studies on the selective toxicity and antidotal effects of acetamide. *NYKZAU, Nippon Yakurigaku Zasshi (Japanese Journal of Pharmacology)* 65(3): 182–195.
- Hasler N, Klette R, Rosenhalm B, Agnew W. 2004. Footprint recognition of rodents and insects. In D Pariman, H North, and S McNeill (eds.), *Image and Vision Computing 2004*. Akaroa: Landcare Research, pp 167–172, <http://www.mpi-inf.mpg.de/~hasler/download/HasKleRosAgn04Footprint.pdf>
- Haw JM, Clout MN, Powlesland RG. 2001. Diet of moreporks (*Ninox novaeseelandiae*) in Pureora Forest determined from prey remains regurgitated pellets. *New Zealand Journal of Ecology* 25: 61–67, available from <http://www.nzes.org.nz/nzje>
- Hawcroft A, Merrifield K. 2004. *Aerial foliar browse index surveys of Egmont National Park, 2001 and 2004: Before and after a 1080 drop*. Monitoring report. Wellington: Department of Conservation.
- Hawke's Bay Regional Council. 2006. Regional rules. In *Hawke's Bay Regional Resource Management Plan*, chapter 6, pp 131–133.
- Hazardous Substances Data Base (HSDB). 2007. *Hazardous Substances Data Base (HSDB)*. <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>
- He Kōrero Paihama Possum Research News. 2001. The Bulldog: An effective new kill-trap. *He Kōrero Pahama: Possum Research News* 16.

- Hegdal PL, Fagerstone KA, Gatz TA, Glahn JF, Matschke GH. 1986. Hazards to wildlife associated with 1080 baiting for California ground squirrels. *Wildlife Society Bulletin* 14: 11–21.
- Henderson R, Commins P, Frampton C. 2004. *An evaluation of kill traps for monitoring low-density possum populations*. Landcare report.
- Henderson R, O'Connor CE, Morgan DR. 1999. *Current practices in sequential use of possum baits*. Technical Series 22. Wellington: Department of Conservation, <http://csl.doc.govt.nz/upload/documents/science-and-technical/docts22.pdf>
- Henderson RJ, Frampton CM, Morgan DR, Hickling GJ. 1999. The efficacy of baits containing 1080 for control of brushtail possums. *Journal of Wildlife Management* 63(4): 1138–1151.
- Henderson RJ, Morgan DR, Eason CT. 1999. *Manual for best practice for ground control of possums*. Landcare Research Contract Report LC9899/84 for Animal Health Board.
- Heyward RP, Norbury GL. 1999. Secondary poisoning of ferrets and cats after 1080 rabbit poisoning. *Wildlife Research* 26: 75–80.
- Hickling GJ. 1997. Effect of green dye and cinnamon oil on consumption of cereal pest baits by captive North Island kaka (*Nestor meridionalis*). *New Zealand Journal of Zoology* 24: 239–242.
- Hickling GJ, Henderson RJ, Thomas MCC. 1999. Poisoning mammalian pests can have unintended consequences for future control: Two case studies. *New Zealand Journal of Ecology* 23: 267–273, available from <http://www.nzes.org.nz/nzje>
- Hickling GJ, Pekelharing C J. 1989. Intrinsic rate of increase for a brushtail possum population in Rata/Kamahi Forest, Westland. *New Zealand Journal of Ecology* 12: 117–120, available from <http://www.nzes.org.nz/nzje>
- Hicks SP. 1952. Some effects of ionizing radiation and metabolic inhibition on the developing mammalian nervous system. *Journal of Pediatrics* 40: 489–513.
- Hilton HW, Yuen QH, Nomura NS. 1969. Absorption of monofluoroacetate-2-<sup>14</sup>C ion and its translocation in sugarcane. *Journal of Agricultural and Food Chemistry* 17(1): 131–134.
- Hoare J, Nelson N, Daugherty C. 2005. Micro-habitat use by sympatric native geckos, *Hoplodactylus duvaucelii*, and kiore, *Rattus exulans*, in New Zealand. *New Zealand Ecological Society Annual Conference 28 August–1 September 2005*. Nelson.
- Hodge HC, Williams, Wilkins, Gosselin RE, Smith RP. 1984. *Clinical toxicology of commercial products*.
- Höjer J, Hung HT, Du NT. 2003. *An outbreak of severe rodenticide poisoning in North Vietnam caused by illegal fluoroacetate*. Swedish Poisons Information Centre, Stockholm, Sweden. (NACCT Abstracts).
- Horizons Regional Council. 2003. Discharges to land. in *Land and water regional plan*, chapter 2, <http://www.horizons.govt.nz/default.asp?pageid=108>
- Horn C, Kilvington M. 2002. *Māori and 1080*. Landcare Research.

- Hornfeldt CS, Larson AA. 1990. Seizures induced by fluoroacetic acid and fluorocitric acid may involve chelation of divalent cations in the spinal cord. *European Journal of Pharmacology* 179(3): 307–313.**
- Hornshaw TC, Ringer RK, Aulerich RJ, Casper HH. 1986. Toxicity of sodium monofluoroacetate (compound 1080) to mink and European ferrets. *Environmental Toxicology and Chemistry* 5: 213–223.
- Hosking G. 2001. *Possum risk and impact on radiatia pine: Final report*. Research Proposal 8, 1999. Forest Health Research Collaborative.
- Hudson RH. 1984. *Handbook of toxicity of pesticides to wildlife*. Resource Publication 153. US: Department of the Interior Fish & Wildlife Service, pp 73–74.
- Hudson RH, Tucker RK, Haegele MA. 1972. Effect of age on sensitivity: Acute oral toxicity of 14 pesticides to mallard ducks of several ages. *Toxicology and Applied Pharmacology* 22: 556–561.
- Husheer SW. 2006. *Changes to the forests of Egmont National Park 1997–2001*. Research and Development Series 257. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/drds257.pdf>**
- Husheer SW, Allen RB, Robertson AW. 2006. Suppression of regeneration in New Zealand mountain beech forests is dependent on species of introduced deer. *Biological Invasions* 8: 823–834.**
- Husheer SW, Hansen QW, Ulrich SC. 2005. Effects of red deer on tree regeneration and growth in Aorangi Forest, Wairarapa. *New Zealand Journal of Ecology* 29: 271–278, available from <http://www.nzes.org.nz/nzje>**
- Hutcheson J. 1989. Impact of 1080 on weta populations. Unpublished Forest Research Institute report, June 1989.
- Hutcheson J. 1999. *Characteristics of Mapara insect communities as depicted by malaise trapped beetles: Changes with time and animal control*. Science for Conservation Series 135. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>**
- Innes J, Barker G. 1999. Ecological consequences of toxin use for mammalian pest control in New Zealand: An overview. *New Zealand Journal of Ecology* 23: 111–127, available from <http://www.nzes.org.nz/nzje>
- Innes J, Flux I. 1999. *North Island kokako recovery plan, 1999–2009*. Threatened Species Recovery Plan Series 30. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39163>
- Innes J, Hay R, Flux I, Bradfield P, Speed H, Jansen P. 1999. Successful recovery of North Island kokako *Callaeas cinerea wilsoni* populations, by adaptive management. *Biological Conservation* 87 (2): 201–214.
- Innes J, Nugent G, Prime K, Spurr EB. 2004. Responses of kukupa (*Hemiphaga novaezealandiae*) and other birds to mammal pest control at Motatau, Northland. *New Zealand Journal of Ecology* 28: 73–81, available from <http://www.nzes.org.nz/nzje>**
- Innes J, Warburton B, Williams D, Speed H, Bradfield P. 1995. Large scale poisoning of ship rats (*Rattus rattus*) in indigenous forests of the North Island, New Zealand. *New Zealand Journal of Ecology* 19: 5–17, available from <http://www.nzes.org.nz/nzje>

- International Organisation for Standardization (ISO). 1999. *Soil quality: Inhibition of reproduction of collembola (folsomia candida) by soil pollutants*. ISO 11267. Geneva, Switzerland: International Organisation for Standardization.
- International Programme on Chemical Safety (IPCS) INCHEM. 1975. Sodium monofluoroacetate. Data sheets on pesticides 16,**  
[http://www.inchem.org/documents/pds/pds/pest16\\_e.htm](http://www.inchem.org/documents/pds/pds/pest16_e.htm)
- IUCLID. 2000. Sodium cyanide.** <http://ecb.jrc.it/iuclid-datasheet/143339.pdf>
- Iwasaki I, Nawa H, Hara A, Takagi S, Hyodo K. 1970. Agricultural organofluoride poisoning: 1. Carbohydrate metabolism. Third Annual Conference of the International Society for Fluoride Research, Vienna, 22–25 March.**
- Jensen R, Tobiska JW, Ward JC. 1948. Sodium fluoroacetate (compound 1080) poisoning in sheep. *American Journal of Veterinary Research* 9: 370–372.
- Jolly B. 2005. Risk to trade from 1080 use. Personal communication.
- Kalmbach ER, Welch JF. 1946. Colored rodent baits and their value in safeguarding birds. Journal of Wildlife Management 10(4): 353–360.**
- Kalmbach ER. 1943. Birds, rodents and colored lethal baits. Eighth North American Wildlife Conference, pp 408–416.**
- Kalmbach ER. 1945. “Ten-eighty”: A war-produced rodenticide. *Science* 102: 232–233.
- Kalnitsky G, Guzman-Barron ES. 1947. The effect of fluoroacetate on the metabolism of yeast and bacteria. Journal of Biological Chemistry 83–95.**
- Kasperson R, Renn O, Slovic P, Brown H, Emel J, Goble R, Kasperson J, Ratick S. 1988. The social amplification of risk: A conceptual framework. *Risk Analysis* 8: 177–187.
- Kaye S. 1970. Handbook of emergency toxicology (3rd edition). Springfield: Charles C Thomas.**
- Kean JM, Barlow ND, Hickling GJ. 1999. Evaluating potential sources of bovine tuberculosis infection in a New Zealand cattle herd. New Zealand Journal of Agricultural Research 42: 101–106.**
- Kearvell JC, Young JR, Grant AD. 2002. Comparative ecology of sympatric orange-fronted parakeets (*Cyanoramphus malherbi*) and yellow-crowned parakeets (*C. auriceps*), South Island, New Zealand. New Zealand Journal of Ecology 26: 139–148, available from <http://www.nzes.org.nz/nzje>**
- Kelly CD. 2004. Allometry and sexual selection of male weaponry in Wellington tree weta. Behaviour Ecology 16(1): 145–152.**
- Kelly D, Brindle C, Ladley LJ, Robertson AW, Maddigan FW, Butler J, Ward-Smith Tamsin, Murphy DJ, Sessions LA. 2005. Can stoat (*Mustela erminea*) trapping increase bellbird (*Anthornis melanura*) populations and benefit mistletoe (*Peraxilla tetrapetala*) pollination? New Zealand Journal of Ecology 29: 69–82, available from <http://www.nzes.org.nz/nzje>**
- Kelly M. 1965. Isolation of bacteria able to metabolize fluoroacetate or fluoroacetamide. *Nature* 208, 809–810.
- Kerr GN. 1996a. Recreation values and Kai Tahu management: The Greenstone and Caples Valleys. *New Zealand Economic Papers* 30(1): 19–38.

- Kerr GN. 1996b. *Economic valuation of Wellington regional parks*. Report to Wellington Regional Council.
- Kerr GN, Cullen R. 1995. Public preferences and efficient allocation of a possum-control budget. *Journal of Environmental Management* 43: 1–15.**
- Kin DR, Oliver AJ, Mead RJ. 1978. The adaptation of some Western Australian mammals to food plants containing fluoroacetate. *Australian Journal of Zoology* 26: 699–712.
- King CM (ed). 1990. *The handbook of New Zealand mammals*. US: Oxford University Press.
- King CM (ed). 2005. *The handbook of New Zealand mammals* (2nd edition). New York: Oxford University Press.**
- King CM. 1994. *Monitoring and control of Mustelids on conservation lands: 1. planning and assessing an operation*. Technical Series 3. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/docts03.pdf>**
- King DR, Kirkpatrick WE, Wong DH, Kinnear JE. 1994. Degradation of 1808 in Australian soils. In AA Seawright, CT Eason (eds) *Proceedings of the science workshop on 1080*. Miscellaneous Series 28. Wellington: Royal Society of New Zealand, pp 45–49.
- King DR, Oliver AJ, Mead RJ. 1978. The adaptation of some Western Australia mammals to food plants containing fluoroacetate. *Australian Journal of Zoology* 26: 699–712.**
- King JE, Penfound WT. 1946. Effects of new herbicides on fish. *Science* 103: 487.
- King M. 2003. *History of New Zealand*. New Zealand: Penguin.
- Kirk K, Goldman P. 1970. Fluorocitric acid: Selective microbial degradation of the inhibitory isomer. *Biochemical Journal* 117: 409–410.
- Kirzon MV, Timeyko VN, Artyushkova VA. 1970. Citric acid content in various rat organs after fluoroacetate poisoning. *Voprosy Meditsinskoi Khimii* 16: 543–549.
- Kiwicare Corp. 2004. *Ask the experts: Bug and pest information*. <http://www.kiwicare.co.nz/experts-pestinfo.asp?id=8>**
- Knegtman JW, Powlesland RG. 1999. Breeding biology of the North Island tomtit (*Petroica macrocephala toitoi*) at Pureora Forest Park. *Notornis* 46: 446–456.**
- Knight J, Holdsworth D, Mather D. 2003. *Trust and country image: Perceptions of European food distributors regarding factors that could enhance or damage New Zealand's image, including GMO*. Marketing Department, University of Otago.
- Knight J. No date. 1080 disaster. *New Zealand Outdoor Magazine*.
- Knowles, CJ. 1988. Cyanide utilization and degradation by microorganisms. *Ciba Foundation Symposium* 140: 3–15.
- Knudson TB, Green ML. 2004. Response characteristics of the mitochondrial dna in developmental health and disease. *Birth Defects Research (Part C)* 72: 313–329.**
- Kononen DW, Hochstein JR, Ringer RK. 1991. Mallard and northern bobwhite exposure to compound 1080: Acute toxicity and food avoidance behavior. *Chemosphere* 22: 655–663.

## References

- Korn T, O'Brian P. 1992. *Vertebrate pest control using 1080 in Australia*. Bureau of Rural Resources, Department of Primary Industries.
- Korth M, Weger N, Reiter M. 1978. The positive inotropic effect of sodium fluoroacetate on guinea-pig ventricular myocardium. *Naunyn-Schmeideberg's Archives of Pharmacology* 303: 7–14.
- Kramer HL et al. 1987. Use of sodium fluoracetate (compound 1080) in the control of dingoes: I. Meat bait preparation techniques. *Australian Wildlife Research* 14: 65–68.
- Kuhajek JM, Payton IJ, Monks A. 2006. The impact of defoliation on the foliar chemistry of southern rata (*Metrosideros umbellata*). *New Zealand Journal of Ecology* 30: 237–249, available from <http://www.nzes.org.nz/nzje>**
- Kun E, Kirsten E, Sharma ML. 1977. Enzymatic formation of glutathione-citryl thioester by a mitochondrial system and its inhibition by (-) erythrofluorocitrate. *Proceedings of the National Academy of Sciences of the United States of America* 74(11): 4,942–4,946.
- Kun E. 1982. Monofluoroacetate acid (compound 1080), its pharmacology and toxicology. *Vertebrate Pest Conference Proceedings Collection, Lincoln: University of Nebraska, pp 34–41.***
- Kusabs IA, Swales S. 1991. Diet and food resource partitioning in kaoro, *Galaxias brevipinnis* (Günther), and juvenile rainbow trout, *Oncorhynchus mykiss* (Richardson), in two Taupo streams, New Zealand. *New Zealand Journal of Marine and Freshwater Research* 25: 317–325.**
- La Falci S, Molinia F. 2004. Progress towards stoat fertility control. Kararehe Kino: *Vertebrate Pest Research* 5: 6–7.
- LaGoy PK, Bohrer RL, Halvorsen FH. 1992. The development of cleanup criteria for an acutely toxic pesticide at a contaminated industrial facility. *American Industrial Hygiene Association Journal* 53(5): 298–302.**
- Lake RJ, Baker MG, Garrett N, Scott WG, Scott HM. 2000. Estimated number of cases of foodborne infectious disease in New Zealand. *New Zealand Medical Journal* 113: 278–281.
- Landcare Research. 1997. *Water quality monitoring after 1080 pest control operations*. Landcare Research.
- Landcare Research. 1998. *Review of impacts of large-scale sodium monofluoroacetate (1080) use in New Zealand*. Landcare Research.
- Landcare Research. 2001. *He Kōrero Pahama: Possum Research News Issue 15, June*, <http://www.landcareresearch.co.nz/publications/newsletters/posnews/psnews15.pdf> (accessed 19 July 2006).
- Landcare Research. 2003. *Landcare research discovery*. Landcare Research.
- Landcare Research. 2004. *Biological control of possums*. Landcare Research, [http://www.landcareresearch.co.nz/publications/infosheets/possums/biocontrol\\_of\\_possums.pdf](http://www.landcareresearch.co.nz/publications/infosheets/possums/biocontrol_of_possums.pdf)

- Lauble H, Kennedy MC, Emptage MH, Beinert H, Stout CD. 1996. The reaction of fluoroacetate with aconitase and the crystal structure of the enzyme-inhibitor complex. *Proceedings of the National Academy of the United States of America* 93: 13,699–13,703.
- Leathwick JR, Hay JR, Fitzgerald AE. 1983. The influence of browsing by introduced mammals on the decline of North Island kokako. *New Zealand Journal of Ecology* 6: 55–70, available from <http://www.nzes.org.nz/nzje>
- Lee HK, Park KS, Cho YM, Lee YY, Pak YK. 2005. Mitochondria-Based Model for Fetal Origin of Adult Disease and Insulin Resistance. *New York Academy of Sciences* 1042: 1–18.
- Leutert A. 1988. Mortality, foliage loss, and possum browsing in southern rata (*Metrosideros umbellata*) in Westland, New Zealand. *New Zealand Journal of Botany* 26: 7–20.
- Lewis RJ. 1992. *Sax's dangerous properties of chemical substances* (8th edition).
- Lewis RJ. 1992. Sodium compounds; sodium cyanide; potassium cyanide; sodium fluoroacetate; hydrocyanic acid. In *Sax's dangerous properties of industrial materials* (8th edition), pp 3074–3075, 2864–2865, 3082–3083, 1896–1897.
- Littin KE, Gregory NG, O'Connor CE, Airey AT, et al. 2004b. Behaviour and time to unconsciousness of brushtail possums (*Trichosurus vulpeca*) after sublethal or lethal dose of 1080.
- Littin KE, Mellor DJ, Warburton B, Eason CT. 2004a. Animal welfare and ethical issues relevant to the humane control of vertebrate pests. *New Zealand Veterinary Journal* 52: 1–10.
- Littin KE et al. 2002. How humane is 1080? *Proceedings from Conference on Animal Welfare and Behaviour: From Science to Solution*, Hamilton.
- Liu JQ, Kurihara T, Ichiyama S, Miyagi M, Susumu T, et al. 1998. Reaction mechanism of fluoroacetate dehalogenase from *Moraxella* sp. *B. Journal of Biological Chemistry* 273(47): 30,897–30,902.
- Livingstone PG, Nelson PC. 1994. *Possum control and the use of 1080 in New Zealand*. Wellington: Department of Conservation.
- Lloyd B, Hackwell K. 1993. *A trial to determine whether kaka consume carrot baits, Kapiti Island, May 1993*. Science and Research Series 62. Wellington: Department of Conservation.
- Lloyd B. 2005. Lesser short-tailed bat. In CM King (ed) *The handbook of New Zealand mammals* (2nd edition). Melbourne: Oxford University Press, pp 110–126.
- Lloyd BD. 1994. *Evaluating the potential hazard of aerial 1080 poison operations to short-tailed bat populations*. Conservation Advisory Science Notes 108. Wellington: Department of Conservation.
- Lloyd BD. 2001. Advances in New Zealand mammalogy 1990–2000: Shorttailed bats. *Journal of the Royal Society of New Zealand* 31(1): 59–81.

- Lloyd BD, McQueen SM. 2000. An assessment of the probability of secondary poisoning of forest insectivores following an aerial 1080 possum control operation. *New Zealand Journal of Ecology* 24: 47–56, available from <http://www.nzes.org.nz/nzje>
- Lloyd BD, McQueen SM. 2002. Measuring mortality in short-tailed bats (*Mystacina tuberculata*) as they return from foraging after an aerial 1080 possum control operation. *New Zealand Journal of Ecology* 26: 53–59, available from <http://www.nzes.org.nz/nzje>
- Lloyd-Jones G, Aislabie J, Hunter DWF. 1994. *Biodegradation of monofluoroacetate (1080)*. Landcare Research Contract Report LC9495/11 for Auckland Regional Council.
- Lovelock B, Robinson K. 2005. Maximising economic returns from consumptive wildlife tourism in peripheral areas: White-tailed deer hunting on Stewart Island/Rakiura, New Zealand. In M Hall, S Boyd (eds) *Nature-based tourism in peripheral areas: Development or disaster?* Clevedon: Channel View Publications.
- Lowe M. 1994. 1080 in honey from possum baits Rahotu, Taranaki. *Taranaki Healthcare* May.
- Lugton IW, Wobeser G, Morris RS, Caley P. 1997. Epidemiology of *Mycobacterium bovis* infection in wild ferrets (*Mustela furo*) in New Zealand: I. Pathology and diagnosis. *New Zealand Veterinary Journal* 45: 140–150.
- Lugton IW Wobeser G, Morris RS, Caley P. 1997. Epidemiology of *Mycobacterium bovis* infection in feral ferrets (*Mustela furo*) in New Zealand: II. Routes of infection and excretion. *New Zealand Veterinary Journal* 45: 151–157.
- Lyver P. 2004. Progress towards stoat fertility control. *Kararehe Kino: Vertebrate Pest Research Issue* 5, pp 6–7.
- Lyver P, Ataria JM, Trought K. 2004. *Residues in long-fin eels (Anguilla dieffenbachii) following exposure to 1080 in water and food*. Landcare Research Contract Report LC0304/140. Lincoln: Landcare Research.
- Lyver P, Ataria J, Trought K, Fisher P. 2005. Sodium fluoroacetate (1080) residues in longfin eels, *Anguilla dieffenbachii*, following exposure to contaminated water and food. *New Zealand Journal of Marine and Freshwater Research* 39(6): 1243–1252.
- Lyver P, Ataria J, Trought K, Fisher P. 2006. Erratum: Sodium fluoroacetate (1080) residues in longfin eels, *Anguilla dieffenbachii*, following exposure to contaminated water and food.
- Lyver P, Hayes L, Horn C. 2004. *A process for enhancing dialogue on biosecurity issues*. Landcare Research Contract Report LC0304/132.
- Macchiavello A. 1946. Plague control with DDT and “1080”. *American Journal of Public Health* 36: 842–854.
- Mager J, Goldblum-sinai J, Blank I. 1955. Effect of fluoroacetic acid and allied fluoroanalogues on growth of escherichia coli. *Journal of Bacteriology* 70: 320–325.
- Manaaki Whenua. 2006. *Possums ... the pros and cons of different poisons*. [www.landcareresearch.co.nz/publications/infosheets/possums/pros\\_cons\\_of\\_poisonong.pdf](http://www.landcareresearch.co.nz/publications/infosheets/possums/pros_cons_of_poisonong.pdf)



- Manaaki Whenua Landcare Research. 1999. Pigeons versus possums: 7–0 at Mototau. *He Kōrero Pahama: Possum Research News* p 8.
- Mark AF. 1989. Responses of indigenous vegetation to contrasting trends in utilization by red deer in two southwestern New Zealand national parks. *New Zealand Journal of Ecology* 12: 103–114, available from <http://www.nzes.org.nz/nzje>
- Marks C. 1999. Ethical issues in vertebrate pest management: Can we balance the welfare of individuals and ecosystems. In D Mellor, V Monamy (eds) *The Use of Wildlife for Research*, ANZCCART, pp 79–89.
- Marks CA, Hackman C, Busana F, Gigliotti F. 2000. Assuring that the 1080 toxicosis in the red fox (*Vulpes vulpes*) is humane: Fluoroacetic acid (1080) and drug combinations. *Wildlife Research* 27: 483–494.
- Marks CA, Johnston MJ, Fisher PM, Pontin K, Shaw MJ. 2006 Differential particle size ingestion: Promoting target-specific bating of feral cats. *Journal of Wildlife Management* 70(4): 1119–1124, <http://www.bioone.org>
- Marlborough District Council. 2003. Rural zones one and two. In *Marlborough Sounds Resource Management Plan*, sections 36–1–36–44, <http://www.marlborough.govt.nz/rma/sounds.cfm>
- Marlborough District Council. 2006. Conservation zone. In *Marlborough Sounds Resource Management Plan*, sections 38–1–38–12, <http://www.marlborough.govt.nz/rma/sounds.cfm>
- Marlborough District Council. No date. *Proposed Wairau/Awatere resource management plan*.
- Massaro M, Blair D. 2003. Comparison of population numbers of yellow-eyed penguins, *Megadyptes antipodes*, on Stewart Island and on adjacent cat-free islands. *New Zealand Journal of Ecology* 27: 107–113, available from <http://www.nzes.org.nz/nzje>
- Massei G, Lyon A, Cowan DP. 2003. Potential compounds for inducing conditional taste aversion in ferrets *New Zealand Journal of Zoology* 30: 95–100.
- Massey News. 2003. Ecological economics aids industry. *Massey News*. <http://masseynews.massey.ac.nz/2003/masseynews/oct/oct6/stories/14-17-03.html>
- Matsumura F, O'Brien RD. 1963. A comparative study of the modes of action of fluoroacetamide and fluoroacetate in the mouse and American cockroach. *Biochemical Pharmacology* 12: 1201–1205.
- May-Panloup P, Chretien MF, Malthiery Y, Reynier P. 2004. Mitochondria and reproduction. *Médecine Sciences (Paris)* 20: 779–783.
- McDowell RM. 1994. *Gamekeepers of the Nation: The story of New Zealand's acclimatisation societies*. Canterbury University Press.
- McGinness S. 1998. *Bovine tuberculosis*. Research Paper 98/63. United Kingdom Parliament, House of Commons Library.
- McGlone M. 1998. Long term vegetation structures and the impact of bird browsing. In *Proceedings Seminar 2000: The Future of New Zealand's Wild Animals*, Christchurch: New Zealand Deerstalkers Association.

- McGregor PG, Peterson PG, Berben PH, Arnold GC, Spurr EB. 2004. *Antifeedant effects of diethyl toluamide and neem oil on native cave weta, cockroaches, and amphipods*. Science Internal Series 159. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/dsis159.pdf>
- McIlroy JC. 1981a. The sensitivity of Australian animals to 1080 poison: I. Intraspecific variation and factors affecting acute toxicity. *Australian Wildlife Research* 8: 369–383.
- McIlroy JC. 1981b. The sensitivity of Australian animals to 1080 poison: II. Marsupial and eutherian carnivores. *Australian Wildlife Research* 8: 385–399.
- McIlroy JC. 1982a. The sensitivity of Australian animals to 1080 poison: III. Marsupial and eutherian herbivores. *Australian Wildlife Research* 9: 487–503.
- McIlroy JC. 1982b. The sensitivity of Australian animals to 1080 poison: IV. Native and introduced rodents. *Australian Wildlife Research* 9: 505–517.
- McIlroy JC. 1983. The sensitivity of Australian animals to 1080 poison: V. The sensitivity of feral pigs, *Sus scrofa*, to 1080 and its implications for poisoning campaigns. *Australian Wildlife Research* 10: 139–148.
- McIlroy JC. 1984. The sensitivity of Australian animals to 1080 poison: VII: Native and introduced birds. *Australian Wildlife Research* 11: 373–385.
- McIlroy JC. 1986. The sensitivity of Australian animals to 1080 poison: IX. Comparisons between major groups of animals, and the potential danger non-target species face from 1080-poisoning campaigns. *Australian Wildlife Research* 13: 39–48.**
- McIlroy JC. 1994. Susceptibility of target and non-target animals to 1080. In AA Seawright, CT Eason (eds) *Proceedings of the science workshop on 1080*. Miscellaneous Series 28. Wellington: Royal Society of New Zealand, pp 90–96.
- McIlroy JC. 1996. Rationale for the use of 1080 to control vertebrate pests. In P Fisher, CA Marks (eds) *Humaneness and vertebrate pest control: Proceedings of the seminar held on March 27th 1996*. Report Series 2. Victoria: Agriculture Victoria, Department of Natural Resources and Environment, pp 27–33.
- McIlroy JC. 2005. Feral pig. In C King (ed) *The handbook of New Zealand mammals*. Auckland: Oxford University Press, pp 334–345.
- McIlroy JC, Cooper RJ, Gifford EJ, Green BF, Newgrain KW. 1986. The effects on wild dogs, *Canis f. familiaris* of 1080-poisoning campaigns in the Kosciusko National Park, NSW. *Australian Wildlife Research* 13: 535–544.
- McIlroy JC, Gifford EJ. 1992. Secondary poisoning hazards associated with 1080-treated carrot-baiting campaigns against rabbits, *Oryctolagus cuniculus*. *Wildlife Research* 19: 629–641.**
- McIlroy JC, Gifford EJ, Carpenter SM. 1988. The effect of rainfall and blowfly larvae on the toxicity of '1080'-treated meat baits used in poisoning campaigns against wild dogs. *Australian Wildlife Research* 15: 473–483.**
- McIlroy JC, King DR, Oliver AJ. 1985. The sensitivity of Australian animals to 1080 poison: VIII. Amphibians and reptiles. *Australian Wildlife Research* 12: 113–118.

- McIntosh IG, Bell J, Poole WSH, Staples ELJ. 1966. The toxicity of sodium monofluoroacetate (1080) to the North Island weka (*Gallirallus australis greyi*). *New Zealand Journal of Science* 9: 125–128.
- McIntyre ME. 1987. Ecological and behavioural relationships of some native cockroaches (*Dictyoptera* and *Blattidae*). Unpublished PhD thesis, Victoria University of Wellington.
- McLaughlin AA. 2000. *Waipara Gorge ferret control trial*. AgriQuality New Zealand Report.
- McLennan JA, Dew J, Miles J, Gillingham N, Waiwai R. 2004. Size matters: Predation risk and juvenile growth in North Island brown kiwi (*Apteryx mantelli*). *New Zealand Journal of Ecology* 28: 241–250, available from <http://www.nzes.org.nz/nzje>**
- McLennan JA, Potter MA. 1992. Distribution, population changes and management of brown kiwi in Hawke's Bay. *New Zealand Journal of Ecology* 16: 91–102, available from <http://www.nzes.org.nz/nzje>**
- McLennan JA, Potter MA, Robertson HA, Wake GC, Colbourne RM, Dew L, Joyce L, McCann AJ, Miles J, Miller PJ, Reid J. 1996. Role of predation in the decline of kiwi, *Apteryx spp.*, in New Zealand. *New Zealand Journal of Ecology* 20: 27–35, available from <http://www.nzes.org.nz/nzje>
- McNaughton A, Greene B. 1994. *The effect of 1080 on the Hochstetter's frog (Leiopelma hochstetteri) population in the Hunua Ranges*. Auckland Regional Council Parks Technical Publication Series 7. ARC, Auckland.
- McTaggart DR. 1970. Poisoning due to sodium monofluoroacetate. *Medical Journal of Australia* 2: 641–642.
- Mead RJ, Feldwick MG, Bunn JT. 1991. 1,3-Difluoro-2-propanol: A potential replacement for 1080 in fauna management programs in Australia. *Wildlife Research* 18: 27–37.**
- Mead RJ, Oliver AJ, King DR. 1979. Metabolism and defluorination of fluoroacetate in the brush-tailed possum (*Trichosurus vulpecula*). *Australian Journal of Biological Sciences* 32: 15–26.
- Meads M. 1994. Effect of sodium monofluoroacetate (1080) on non target invertebrates of Whitecliffs conservation area, Taranaki. Landcare Research Contract Report LC9394/126.**
- Meat and Wool New Zealand. 2006a. *Annual beef prices to New Zealand farmers*. <http://www.nzmeatstats.co.nz/stats.htm>
- Meat and Wool New Zealand. 2006b. *Sheep and beef New Zealand: New season outlook 2006–07*. [http://www.meatnz.co.nz/download\\_file.cfm/New\\_Season\\_Outlook\\_2006-07.PDF?id=811,f](http://www.meatnz.co.nz/download_file.cfm/New_Season_Outlook_2006-07.PDF?id=811,f)
- Meenken D, Booth LH. 1997. The risk to dogs of poisoning from sodium monofluoroacetate (1080) residues in possum (*Trichosurus vulpecula*). *New Zealand Journal of Agricultural Research* 40: 573–576.**
- Meenken D, Eason CT. 1995. Effects on water quality of a possum (*Trichosurus vulpecula*) poisoning operation using toxin 1080 (sodium monofluoroacetate). *New Zealand Journal of Marine and Freshwater Research* 29: 25–28.**

## References

- Meenken D, Johnson B, Eason CT. 2000. *Effect of 1080 hand-baiting on water quality*. Report for the Director of Public Health, Wellington Regional Council Monitoring and Investigations, Wairarapa.
- Meenken D, Sweetapple P. 2000. *Comparison of red deer and possum kills following aerial 1080 poisoning by broadcast and strip application in the Wainuiomata and Orongorongo Catchments, Wellington.***
- Mehrtens B, Gaze P. 2003. *The impact of Feratox on weka*. Internal report, Department of Conservation, Nelson.
- Meikle L, Eason CT, Gooneratne SR, Arthur D. 1996. *The short and long-term effects of a single exposure of 1080 in sheep September 1994 to September 1995: 1 year report*. Landcare Research Contract Report LC9596/059. Lincoln: Manaaki Whenua Landcare Research.
- Meldrum GK, Bignell JT. 1957. The use of sodium fluoroacetate (compound 1080) for the control of the rabbit. *Australian Veterinary Journal* 33: 186–196.
- Meyer JJM, Grobbelaar N. 1991. Fluoroacetate degradation by *Dichapetalum cymosum*. *Journal of Plant Physiology* 138: 122–124.
- Meyer JJM, van Rooyen SW. 1996. Genetically transformed *Bacillus subtilis* with defluorinating ability. *South African Journal of Botany* 62: 65–66.
- Middendorf PJ, Dusenbery DB. 1993. Fluoroacetic acid is a potent and specific inhibitor of reproduction in the nematode *Caenorhabditis elegans*. *Journal of Nematology* 25: 573–577.
- Miller CJ. 1993. An evaluation of two possum trap types for catch-efficiency and humaneness. *Journal of the Royal Society of New Zealand* 23: 5–11.
- Miller CJ, Anderson S. 1992. Impacts of aerial 1080 poisoning on the birds of Rangitoto Island, Hauraki Gulf, New Zealand. *New Zealand Journal of Ecology* 16: 103–107, available from <http://www.nzes.org.nz/nzje>
- Miller CJ, Miller TK. 1995. Population dynamics and diet of rodents on Rangitoto Island, New Zealand, including the effect of a 1080 poison operation. *New Zealand Journal of Ecology* 19: 19–27, available from <http://www.nzes.org.nz/nzje>**
- Miller RF, Phillips PH. 1955. Effect of feeding fluoroacetate to the rat. *Proceedings of the Society for Experimental Biology and Medicine* 89: 411–413.
- Milne LM, Eason CT, Fisher P, O'Connor CE, Wright GRG. 2002b. *Potential human exposure to vertebrate pesticides through contaminated meat or milk*. Landcare Research.
- Mineau P, Hooper M, Elmegaard N, Grau R, Luttik RB. 1999. Case study 5. In A Hart, D Balluff, R Barfknecht, PF Chapman, T Hawkes, et al (eds) *Avian effects assessment: A framework for contaminant studies*. Pensacola, Florida: SETAC Press.
- Ministry for the Environment (MfE). 1997. *The state of New Zealand's environment 1997*. Wellington: MfE, <http://www.mfe.govt.nz/publications/ser/ser1997>
- Ministry for the Environment (MfE). 2001. *Valuing New Zealand's clean green image*. Wellington: MfE.

- Ministry of Agriculture and Forestry (MAF). 1997. *Application to import RCD into New Zealand: Independent reviewers' reports*. Wellington: MAF, <http://www.maf.govt.nz/mafnet/rural-nz/research-and-development/pest-control/index.htm>
- Ministry of Agriculture and Forestry (MAF). 2005. *Situation and outlook for New Zealand agriculture and forestry 2005*. Wellington: MAF, <http://www.maf.govt.nz/mafnet/rural-nz/statistics-and-forecasts/sonzaf/2005/index.htm>
- Ministry of Agriculture and Forestry (MAF). 2006a. *Ministry of Agriculture and Forestry*. <http://www.maf.govt.nz>
- Ministry of Agriculture and Forestry (MAF). 2006b. *National exotic forest description 2005*. Wellington: MAF, available from <http://www.maf.govt.nz/mafnet/publications/nefd.html>
- Ministry of Health. 2000. *Giardia*. Wellington: Ministry of Health, <http://www.moh.govt.nz/moh.nsf/pagesmh/4154?Open>
- Ministry of Health. 2002. *Guidelines for tuberculosis control in New Zealand 2003*. Media release, 6 December, <http://www.moh.govt.nz/moh.nsf/49ba80c00757b8804c256673001d47d0/4760df3580a6f5b5cc256c86006ed394?OpenDocument> (accessed 20 July 2006).
- Ministry of Health. 2003. *Questions and answers about cyanide*. Media release, 26 February, <http://www.moh.govt.nz/moh.nsf/238fd5fb4fd051844c256669006aed57/4c6cd76fa01807c7cc256cd80082197c?OpenDocument> (accessed 22 June 2006).
- Ministry of Health. 2004. *Tuberculosis still a real health threat*. Media release, 24 March, at <http://www.moh.govt.nz/moh.nsf/30ad137c772c883e4c25665c002c4198/ac761c9d66381551cc256e60007fa56d?OpenDocument> (accessed 20 July 2006).
- Ministry of Health. 2005a. *Drinking-water standards for New Zealand, 2005*. Wellington: Ministry of Health, <http://www.moh.govt.nz/moh.nsf/238fd5fb4fd051844c256669006aed57/5a25bf765b400911cc25708f0002b5a8?OpenDocument>
- Ministry of Health. 2005b. *Draft guidelines for drinking-water quality management for New Zealand*. Wellington: Ministry of Health, <http://www.moh.govt.nz/moh.nsf/238fd5fb4fd051844c256669006aed57/5a25bf765b400911cc25708f0002b5a8?OpenDocument>
- Ministry of Health. 2006a. *Environmental health protection manual* (version 5). Wellington: Ministry of Health.
- Ministry of Health. 2006b. Conditions permission for use of vertebrate toxic agent(s). *Environmental Health Protection Manual* (version 5), section 11, pp 156–158.**
- Ministry of Tourism. 2003. *The New Zealand tourism strategy 2010*.
- Ministry of Tourism. 2005. *Conservation & environment*. <http://www.tourism.govt.nz/policy/pol-conservation.html>
- Ministry of Tourism. 2006. *The tourism industry*. <http://www.tourism.govt.nz/quicklinks/ql-tourismindustry.html>

- Mitchell N, Haeffner R, Veer V, Fulford-Gardner M, Clerveaux W, et al. 2000. Cat eradication and the restoration of endangered iguanas (*Cyclura carinata*) on Long Cay, Caicos Bank, Turks and Caicos Islands, British West Indies. In: CR Veitch, M Clout (eds) *Turning the tide: The eradication of invasive species*. Gland, Switzerland and Cambridge, UK: IUCN SSC Invasive Species Specialist Group.
- Moeed A, Meads MJ. 1985. Seasonality of pitfall trapped invertebrates in two native forest communities of Orongorongo Valley, New Zealand. *New Zealand Journal of Zoology* 13: 45–63.
- Moller H, Clapperton BK, Fletcher DJ. 1997. Density of rabbits (*Oryctolagus cuniculus*) in the Mackenzie Basin, South Island, New Zealand. *New Zealand Journal of Ecology* 21: 161–167, available from <http://www.nzes.org.nz/nzje>
- Moller H, Showers J, Wright M. 1996. Sodium monofluoroacetate (1080) poisoned jam bait laid for brushtail possums (*Trichosurus vulpecula*) also kills ferrets (*Mustela furo*). *New Zealand Journal of Zoology* 23: 135–141.**
- Moller H. 1990. Wasps kill nestling birds. *Short Notes*, pp 76 and 77.**
- Montreal Process Working Group. 2005. *Criteria and indicators for the conservation and sustainable management of temperate and boreal forests*. [http://www.mpci.org/rep-pub/1995/santiago\\_e.html](http://www.mpci.org/rep-pub/1995/santiago_e.html)**
- Mooney N, Emms C, Bloomfield T. 2005. Minimising the effects of 1080 fox baiting on non-target species and vice versa while maximising the risks to foxes in Tasmania. *Proceedings of the 13th Australasian Vertebrate Pest Conference, Wellington, New Zealand, 2–6 May 2005*, pp 148–149.
- Moorhouse R, Greene T, Dilks P, Powlesland R, Moran L, et al. 2003. Control of introduced mammalian predators improves kaka *Nestor meridionalis* breeding success: Reversing the decline of a threatened New Zealand parrot. *Biological Conservation* 110 (1): 33–44.
- Moorhouse RJ. 1997. The diet of the North Island kaka (*Nestor meridionalis septentrionalis*) on Kapiti Island. *New Zealand Journal of Ecology* 21: 141–152, available from <http://www.nzes.org.nz/nzje>**
- Morgan, Ward-Smith, McQueen. 1997. *Responses of native birds and bats to 'bee-safe' possum paste*. Landcare Research Contract Report LC9697/126. Landcare Research.**
- Morgan D, Eason C. 1999. Zinc phosphide: A potential new toxicant for possum control. *He Kōrero Pahama: Possum Research News* 11: 10–11.
- Morgan DR. 1982. Field acceptance of non-toxic and toxic baits by populations of the brushtail possum (*Trichosurus vulpecula* Kerr). *New Zealand Journal of Ecology* 5: 36–43, available from <http://www.nzes.org.nz/nzje>**
- Morgan DR. 1989. *Examination of the characteristics of carrot bait used in the 1986 Copland aerial 1080 poisoning operation*.**
- Morgan DR. 1990. Behavioural response of brushtail possums, *Trichosurus vulpecula*, to baits used in pest control. *Australian Wildlife Research* 17: 601–613.**
- Morgan DR. 1994. Improving the efficiency of aerial sowing of baits for possum control. *New Zealand Journal of Agricultural Research* 37: 199–206.**

- Morgan DR. 1999. Risk to non-target species from use of a gel bait used for possum control. *New Zealand Journal of Ecology* 23: 281–287, available from <http://www.nzes.org.nz/nzje>
- Morgan DR. 2000. *Assessment of 1080 pastes for possum control*. Landcare Research Contract Report LC9900/117. Lincoln: Manaaki Whenua Landcare Research.
- Morgan DR. 2004. Enhancing maintenance control of possum populations using long-life baits. *New Zealand Journal of Zoology* 31: 271–282.
- Morgan DR, Goodwin M. 1994. *Field trials of 1080 paste treated with a bee repellent*. Landcare Research Contract Report LC9394/101 for Animal Health Board.
- Morgan DR, Goodwin M. 1995. *Identification of 1080 paste suitable for use in presence of bees (314/92)*. Landcare Research Contract Report LC9596/03 for Animal Health Board.
- Morgan DR, Innes J, Frampton CM, Woolhouse AD. 1995. Responses of captive and wild possums to lures used in poison baiting. *New Zealand Journal of Zoology* 22: 123–129.
- Morgan DR, Milne L, O'Connor C, Ruscoe WA. 2001. Bait shyness in possums induced by sublethal doses of cyanid paste bait. *International Journal Pest Management* 47: 277–284.
- Morgan DR, Nugent G, Warburton B. 2006. Benefits and feasibility of local elimination of possum populations. *Wildlife Research* 33(7): 605–614.
- Morgan DR, Thomas MD, Meenken D, Nelson PC. 1997. Less 1080 bait usage in aerial operations to control possums. *Fiftieth New Zealand Plant Protection Conference (Forest Weeds and Pests)* 391–396.
- Morgan DR, Warburton B. 1987. Unpublished FRI contract report.
- Morgan DR, Warburton B. 1987. *Comparison of effectiveness of hunting and aerial 1080 poisoning for reducing a possum population*. Forest Animal Ecology Section of Forest Research Institute for MAFQual, MAF Land and Fauna Division, Department of Conservation, FAE878001.
- Morgan J. 2006. Fur flies over possums. *Dominion Post* 21 September, p 1.
- Morgan J. 2006. *Fur flies over possums*. Factiva Inc.
- Morriss GA et al. 2005. *Development and testing of a deer-repellent cereal bait for possum control Part 3: Cereal bait field trial*. Animal Health Board Project R-80568–3.
- Morriss GA, Manning LM, O'Connor CE. 2003. *Assessment of the primary and secondary poisoning risk posed by Feratox-poisoned possums*. Landcare Research Contract Report LC0304/029. Lincoln: Landcare Research.
- Morriss GA, Nugent G, Whitford J, Fisher P. 2006. *Physical exclusion of rats, weka, and livestock from possum baits*. Animal Health Board Project R-10643. Landcare Research Contract Report LC0506/021. Landcare Research New Zealand.
- Morriss GA, Warburton B, Ruscoe WA. 2000. Comparison of the capture efficiency of a kill-trap set for brushtail possums that excludes ground-birds, and ground set leg-hold traps. *New Zealand Journal of Zoology* 27: 201–206.

- Morrow JH. 2005. *Evidence opposing consent to release 1080 poison baits by air in the Catlins and Takitimus*. Environment Southland.
- Mortimer R, Sharp B, Craig J. 1996. Assessing the conservation value of New Zealand's Offshore Islands. *Conservation Biology* 10(1): 25–29.**
- Mowbray SC. 2002. Eradication of introduced Australian marsupials (brush-tailed possum and brush-tailed rock wallaby) from Rangitoto and Motutapu Islands, New Zealand. In CR Veitch and MN Clout (eds) *Turning the tide: The eradication of invasive species*. Proceedings of the International Conference on Eradication of Island Invasives. Occasional paper of the IUCN Species Survival Commission 27, pp 226–232.
- MPI Research. 1998a. Microbial mutagenesis testing of sodium monofluoroacetate using *Salmonella typhimurium* and *Escherichia coli*, with and without metabolic activation (the Ames test). Unpublished. MPI Research LLC Study Number: 779–004, Genesys Research Study Number: 97078, -34. 1998. Genesys Research, NC.
- MPI Research. 1998b. In vitro forward mutation assay of sodium monofluoroacetate using the L5178Y/tk+/- mouse lymphoma cell mutagenesis assay (MLA) with colony sizing, with and without metabolic activation. Unpublished. MPI Research LLC Study Number: 779–005, Genesys Research Study Number: 97079, -36. 1998. Genesys Research, NC.
- MPI Research. 1998c. In vivo cytogenetics testing of sodium monofluoroacetate using the mouse bone-marrow micronucleus test preceded by dose range-finding. Unpublished. MPI Research LLC Study Number 779–006, Genesys Research Study Number 97080, -36. 1998. (unpublished) Genesys Research, NC.
- Munday BL. 1978. Marsupial disease. In *Proceedings No 36 of a course for veterinarians* (the JP Stewart course for 1978). Sydney University Post Graduate Committee in Veterinary Science.
- Murphy DD, Noon BR. 1991. Coping with uncertainty in wildlife biology. *Journal of Wildlife Management* 55(4): 773–782.**
- Murphy E, Bradfield P. 1992. Change in diet of stoats following poisoning of rats in a New Zealand forest. *New Zealand Journal of Ecology* 16: 137–140, available from <http://www.nzes.org.nz/nzje>**
- Murphy EC, Clapperton BK, Bradfield PMF, Speed HJ. 1998a. Effects of rat-poisoning operations on abundance and diet of mustelids in New Zealand podocarp forests. *New Zealand Journal of Zoology* 25: 315–328.**
- Murphy EC, Clapperton BK, Bradfield PM, Speed HJ. 1998b. Brodifacoum residues in target and non-target animals following large-scale poison operations in New Zealand podocarp-hardwood forests. *New Zealand Journal of Zoology* 25: 307–314.
- Murphy EC, Dowding JE. 1994. Range and diet of stoats (*Mustela erminea*) in a New Zealand beech forest. *New Zealand Journal of Ecology* 18: 11–18, available from <http://www.nzes.org.nz/nzje>**
- Murphy EC, Dowding JE. 1995. Ecology of the stoat in Nothofagus forest: Home range, habitat use and diet at different stages of the beech mast cycle. *New Zealand Journal of Ecology* 19: 97–109, available from <http://www.nzes.org.nz/nzje>**



- Murphy EC, Robbins L, Young JB, Dowding JE. 1999. Secondary poisoning of stoats after aerial 1080 poison operation in Pureora Forest, New Zealand. *New Zealand Journal of Ecology* 23: 175–182, available from <http://www.nzes.org.nz/nzje>**
- Mussel Inn. 2007. Small furry animal tail bounty1. The Mussel Inn. *Environmental Matters*, <http://www.musselinn.co.nz/eco.htm>
- National Institute of Occupational Safety and Health (NIOSH). 2006. *The Registry of Toxic Effects of Chemical Substances: Acetic acid, fluoro-, sodium salt.* <http://www.cdc.gov/niosh/rtecs/ah8adae0.html>**
- National Possum Control Agencies (NPCA). 2005. *Protocol for possum population monitoring using the trap-catch method*. Wellington: National Possum Control Agencies, <http://www.npca.org.nz/populationmonitoringpubs.html> (Accessed 30 January 2007).
- National Possum Control Agencies (NPCA). 2006. *Pest rabbits: Monitoring and control: Best practice guidelines*. Wellington: National Possum Control Agencies, <http://www.npca.org.nz/rabbitguidelines.pdf> (accessed 26 March 2007).
- National Registration Authority for Agricultural and Veterinary Chemicals (NRA). 2002. *Reconsideration of products containing sodium fluoroacetate (1080) and their labels: Background to the review and scope document*. Canberra, Australian Pesticides and Veterinary Medicines Authority.
- National Research Centre for Possum Biocontrol. 2007. *NRCPB: National Research Centre for Possum Biocontrol*, <http://possumbiocontrol.agresearch.co.nz>
- National Wildlife Research Center (NWRC). No date. *Controlling wildlife vectors of bovine tuberculosis and rabies*. [http://www.aphis.usda.gov/ws/nwrc/research/rabies\\_bovineTB/rabies.html](http://www.aphis.usda.gov/ws/nwrc/research/rabies_bovineTB/rabies.html)
- Negherbon WO. 1959. Sodium fluoroacetate. In WO Negherbon (ed) *Handbook of toxicology Vol. III. Insecticides*. A compendium WADC technical report 55–56, pp 694–695.
- Nelson City Council. 2006. *Amended fresh water change: Reflecting the council's decisions on submissions.* <http://www.nelsoncitycouncil.co.nz/enviroment/Freshwater/FRSHWTR-proped-chng.htm>**
- New Zealand Deerstalkers' Association. 2006. *New Zealand Deerstalkers Association call for Submissions, ERMA reassessment 1080*. November.
- New Zealand Food Safety Authority (NZFSA). 1998. *Guidelines for the minimum requirements to ensure game (other than rabbits/hares/possum) is procured from areas free from chemical contaminant*. Technical Directive 99/133. NZFSA.
- New Zealand Food Safety Authority (NZFSA). 2004. *Bovine tuberculosis revised requirements*. Technical Directive 04/58. NZFSA.
- New Zealand Food Safety Authority (NZFSA). 2005. *Review of non-commercial wild food in New Zealand*. <http://www.nzfsa.govt.nz/consumers/wild-foods-review/esr-report-in-full.pdf> (accessed 16 July 2006).
- New Zealand Food Safety Authority (NZFSA). 2007. *Agricultural chemicals and veterinary remedies register*. <http://www.nzfsa.govt.nz/acvm/registers-lists/acvm-register/index.htm>

## References

- Newman DR. 1994. Effects of a mouse, *Mus musculus*, eradication programme and habitat change on lizard populations of Mana Island, New Zealand, with special reference to McGregor's skink, *Cyclodina macgregori*. *New Zealand Journal of Zoology* 21: 443–456.
- NIWA. 2002. *Monitoring of streams in the Haupiri forests after aerial 1080 drops.* NIWA Client Report 1–19.**
- Nogales M, Martin A, Tershy BR, Donlan CJ, Veitch D, et al. 2004. A review of feral cat eradication on islands. *Conservation Biology* 18: 310–319.
- Noguchi T, Ohnuki Y, Okigaki T. 1966. Effect of sodium fluoroacetate on myocardial cells in vitro. *Nature* 209: 1197–1198.
- Norbury G. 2001. Conserving dryland lizards by reducing predator-mediated apparent competition and direct competition with introduced rabbits. *Journal of Applied Ecology* 38: 1350–1361.
- Norbury G, O'Connor C, Byrom A. 2005. Conditioned food aversion to eggs in captive-reared ferrets, *Mustela furo*: A test of seven potential compounds. *Applied Animal Behaviour Science* 93: 111–121.**
- Norbury SC, Norbury GL. 1996. Short communication: Short-term effects of rabbit grazing on a degraded short-tussock grassland in Central Otago. *New Zealand Journal of Ecology* 20: 285–288, available from <http://www.nzes.org.nz/nzje>
- Norris A, Henderson W, McMahan S, Murphy E. 2006. *Costing the impacts of invasive animals. Proceedings of the Invasive Animals CRC workshop on social, economic and environmental impacts of invasive animals.* Invasive Animals Cooperative Research Centre, [http://www.invasiveanimals.com/images/pdfs/Socio-economic\\_Workshop\\_web\\_res.pdf](http://www.invasiveanimals.com/images/pdfs/Socio-economic_Workshop_web_res.pdf)**
- Northland Regional Council. 2005. *Operative regional air quality plan for Northland.* [http://www.nrc.govt.nz/planning/regional\\_air\\_quality\\_plan.shtml](http://www.nrc.govt.nz/planning/regional_air_quality_plan.shtml)**
- Norton D. 2000. Benefits of possum control for native vegetation. In TL Montague (ed), *The brushtail possum: Biology, impact and management of an introduced marsupial*. Lincoln: Manaaki Whenua Press, pp 232–240.
- Notman P. 1989. A review of invertebrate poisoning by compound 1080. *New Zealand Entomologist* 12: 67–71.
- Nugent G. 1989. *Hunting in New Zealand in 1988: Survey results*. Forest Research Institute report for deer industry stakeholders.
- Nugent G. 1990. Forage availability and the diet of fallow deer (*Dama dama*) in the blue mountains, Otago. *New Zealand Journal of Ecology* 13: 83–95, available from <http://www.nzes.org.nz/nzje>**
- Nugent G. 1992a. Big-game, small-game, and game-bird hunting in New Zealand: Hunting effort, harvest, and expenditure in 1988. *New Zealand Journal of Zoology* 19: 75–90.
- Nugent G. 1992b. *The conservation role of commercial deer hunting.* Forest Research Institute Contract report.**

- Nugent G, Fraser KW. 1993. Pest or valued resource: Conflicts in game management in New Zealand. *New Zealand Journal of Zoology* 20: 361–366.
- Nugent G, Fraser KW. 2005. Red deer. In CM King (ed) *The handbook of New Zealand mammals* (2nd edition). Melbourne: Oxford University Press.
- Nugent G, Fraser KW, Asher GW, Tustin KG. 2001. Advances in New Zealand mammalogy 1999–2000: Deer. *Journal of the Royal Society of New Zealand* 31: 263–298.
- Nugent G, Fraser W, Sweetapple P. 1997. *Comparison of red deer and possum diets and impacts in podocarp-hardwood forest, Waihaha catchment, Pureora Conservation Park*. Science for Conservation Series 50. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Nugent G, Fraser W, Sweetapple P. 2001. Top down or bottom up? Comparing the impacts of introduced arboreal possums and ‘terrestrial’ ruminants on native forests in New Zealand. *Biological Conservation* 99: 65–79.**
- Nugent G, Henderson R. 1990. Putting a value on hunting in the Oxford RHA. *New Zealand Wildlife* (summer): 39–40.
- Nugent G, Knightbridge PI, Payton I, Suisted P. 1999. Initial possum densities and canopy condition.**
- Nugent G, Morriss GA, Ball S, O’Conner CE. 2004. Field testing of deer repellent carrot bait for possum control: Tatarakina replicate. Landcare Report.**
- Nugent G, Whitford J. 2003. Epidemiology of bovine tuberculosis in wild deer. Report R-10479.**
- Nugent G, Whitford J, Innes J, Prime K. 2002. Rapid recovery of kohekohe (*Dysoxylum spectabile*) following possum control. *New Zealand Journal of Ecology* 26: 73–79, available from <http://www.nzes.org.nz/nzje>**
- Nugent G, Whitford J, Sweetapple P. 2001. Intermittent possum control: How long before next time: Short-term (2 year) responses in possum density and canopy cover.**
- Nugent G, Yockney I. 2001. *Fallow deer deaths during aerial poisoning of possums in the Blue Mountains, Otago*. Landcare Research Contract Report LC0102/044, -27.
- Nugent G, Yockney I. 2004a. Fallow deer deaths during aerial-1080 poisoning of possums in the Blue Mountains, Otago, New Zealand. *New Zealand Journal of Zoology* 31: 185–192.**
- Nugent G, Yockney I. 2004b. *Pigs as sentinels for detection of Tb: Phase II*. Landcare Research Contract Report: LC0405/035.
- Nutman AW, Gregory NG, Warburton B. 1998. A comparison of the effectiveness of three neck-hold killing traps in occluding carotid arteries in the neck of the brushtail possum. *New Zealand Veterinary Journal* 46: 177–181.
- O’Carroll B. 1996. *The effect of ferret control on the Tb status of ‘Birchdale’ cattle herd*. Miscellaneous Series 36. Royal Society of New Zealand.
- O’Conner, Mathews. 1997. Duration of cyanide-induced conditioned food aversions in possums. *Physiology and Behaviour* 62: 931–933.**

- O'Connor C. 2004. Welfare assessment of vertebrate toxic agents. *Surveillance* 31(3): 19–20.
- O'Connor CE, Airey AT, Littin KE. 2003. *Relative humaneness assessment of possum poisons*. Landcare Research Contract Report, pp 3–20.**
- O'Connor CE, Eason CT, Fountain JS. 2000. *Assessing exposure risks to 1080 workers in New Zealand*. Landcare Research Contract Report LC9900/98 (unpublished) 19 p.
- O'Connor CE, Matthews LR. 1999b. 1080-induced bait aversions in wild possums: Influence of bait characteristics and prevalence. *Wildlife Research* 26: 375–381.**
- O'Connor CE, Milne LM, Arthur DG, Ruscoe WA, Wickstrom M. 1999a. Toxicity effects of 1080 on pregnant ewes. *Proceedings of the New Zealand Society of Animal Production* 59: 250–253.
- O'Connor CE, Morgan DR, Wickstrom M. 1999. *The development of alternatives to 1080 for possum control*. Landcare Research Report LC9899/64 for Animal Health Board.**
- O'Donnell C. 1993. *(Mohua) yellowhead recovery plan (Mohua ochrocephala)*. Threatened Species Recovery Plan Series 6. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39163>
- O'Donnell CFJ. 1996. Monitoring mohua (yellowhead) populations in the South Island, New Zealand, 1983–93. *New Zealand Journal of Zoology* 23: 221–228.**
- O'Donnell CFJ. 2005. NZ long-tailed bat. In CM King (ed) *The handbook of New Zealand mammals* (2nd edition). Melbourne: Oxford University Press, pp 98–109.
- O'Donnell CFJ, Roberts A: Lyall J. 2002. *Mohua (yellowhead) recovery plan 2002–2012*. Threatened Species Recovery Plan Series. Wellington: Department of Conservation.
- O'Hagan D, Harper DB. 1999. Fluorine-containing natural products. *Journal of Fluorine Chemistry* 100: 127–133.
- O'Halloran K, Jones D. 2003. *Regulatory requirement for 1080: Soil ecotoxicity assessment*. Landcare Research Contract Report LCR 0203/ 078. Lincoln: Landcare Research.
- O'Halloran K, Jones D, Booth LH. 2003. *Reproductive ecotoxicity of 1080 to earthworms*. AHB Project R-10608. Landcare Research Contract Report LC0304/046 for Animal Health Board.**
- O'Halloran K, Jones D, Booth L, Fisher P. 2004. 1080 and potential risks to soil organisms. In Kararehe Kino: *Vertebrate Pest Research* (vol 5), pp 3–4.
- O'Halloran K, Jones D, Booth L, Fisher P. 2005. Ecotoxicity of 1080 to soil organisms. *Environmental Toxicology and Chemistry* 24(5): 1211–1218.
- O'Halloran K, Jones D, Fisher P. 2003. *Ecotoxicity of 1080 to soil microorganisms and plants*. Project R-10581. Landcare Research Contract Report LC0304/057. Lincoln: Landcare Research.
- OECD. 1984. *Avian reproduction test. Adopted 4 April 1984. Guideline for the Testing of Chemicals 206*. Organisation for Economic Co-operation and Development.
- OECD. 1992. *Ready biodegradability. Adopted 17 July 1992. Guideline for the testing of chemicals 301*. Organisation for Economic Co-operation and Development.

- OECD. 1998. *Globally harmonised system of classification and labelling of chemicals* (commonly referred to as the GHS). Geneva: United Nations.
- OECD. 2002a. *Aerobic and anaerobic transformation in aquatic sediment systems. Adopted 24 April 2002. Guideline for the testing of chemicals 308*. Organisation for Economic Co-operation and Development.
- OECD. 2002b. *Aerobic and anaerobic transformation in soil. Adopted 24 April 2002. Guideline for the testing of chemicals 307*. Organisation for Economic Co-operation and Development.
- OECD. 2004. *Aerobic mineralisation in surface waters: Simulation biodegradation test. Adopted 13 April 2004. Guideline for the testing of chemicals 309*. Organisation for Economic Co-operation and Development.
- OECD. 2006. *Algal growth inhibition. Revised guideline, adopted 23 March 2006. Guideline for the testing of chemicals 201*. Organisation for Economic Co-operation and Development.
- Ogilvie SC, Ataria JM, Waiwai J, Doherty J, Lambert N, Lambert M. 2004. Uptake and persistence of 1080 in plants of cultural importance. Lincoln University for Animal Health Board.**
- Ogilvie SC, Ataria JM, Waiwai J, Doherty JE, Lambert M, et al. 2006. Uptake and persistence of the vertebrate pesticide, sodium monofluoroacetate (compound 1080), in plants of cultural importance. *Ecotoxicology* 15(1): 1–7.
- Ogilvie SC, Bowen LH, Eason CT. 1995. The effect of the plant *Myriophyllum triphyllum* and temperature on the degradation of sodium monofluoroacetate (1080) in an aquatic ecosystem, In *Proceedings of the 48th New Zealand Plant Protection Conference*, pp 260–263.
- Ogilvie SC, Booth LH, Eason CT. 1998. Uptake and persistence of sodium monofluoroacetate (1080) in plants. *Bulletin of Environmental Contamination and Toxicology* 60: 745–749.**
- Ogilvie SC, Hetzel F, Eason CT. 1996. Effect of temperature on the biodegradation of sodium monofluoroacetate (1080) in water in *Elodea canadensis*. *Bulletin of Environmental Contamination and Toxicology* 56: 942–947.**
- Oliver AJ, King DR. 1983. The influence of ambient temperatures on the susceptibility of mice, guinea-pigs. *Australian Wildlife Research* 10: 297–301.**
- Oliver AJ, King DR, Mead RJ. 1979. Fluoroacetate. *Australian Journal of Zoology* 27: 363–372.**
- Olsen J. 1971. *Slaughter the animals: Poison the earth*. New York: Simon and Schuster.
- Ombler J. 2006. Department of Conservation response to Official Information Act request about poisoned bait deployment, 7 March.
- Oogjes GK. 2003. *Animal ethics and individual animal welfare assessment not yet a reality in population control: A southern hemisphere perspective*. <http://www.landcareresearch.co.nz/news/conferences/wildlife2003/documents/FertilityControlforWildlMgmt.doc>
- Orman T. 1981. *Memories of New Zealand deerstalking*. Auckland: Beckett Publishing.
- Orman T. 2002. *About deer and stalking*. Spring Creek Publishing, Marlborough.

## References

- Orme S, Kegley S. 2004. *PAN pesticide database*. San Francisco, US: Pesticide Action Network, <http://www.pesticideinfo.org> (accessed 13 October 2004).
- Ornithological Society of New Zealand (OSNZ). 2003. *New Zealand recognised bird names (NZRBN)*. <http://bird.org.nz/nzrbn.htm> (accessed 20 December 2006).
- Orr M, Bentley G. 1994. Accidental 1080 poisonings in livestock and companion animals. *Surveillance* 21(1): 27–28.**
- OSH Department of Labour. 2002. *Guidelines for the safe use of sodium fluoroacetate (1080)*. <http://www.osh.dol.govt.nz/order/catalogue/pdf/1080guidelines.pdf>
- Otago Regional Council. 1991. *Toxicity and environmental fate of 1080*. Otago Regional Council.
- Otago Regional Council. 1992. *Investigation into 1080 toxin in waterways following a rabbit poison operation in Central Otago*. Otago Regional Council.
- Otago Regional Council. 2004. Rules: Water use and management. In *Regional Plan*, <http://www.orc.govt.nz/portal.asp?categoryid=71#download>**
- Otago Regional Council. No date. *Handling 1080 poison*.
- Ovenden B, Merrifield K. 2003. Operational report for operation Egmont aerial 1080. Department of Conservation.**
- Owen HJ, Norton DA. 1995. The diet of introduced brushtail possums *Trichosurus vulpecula* in a low-diversity New Zealand Nothofagus forest and possible implications for conservation management. *Biological Conservation* 71(3): 339–345.
- Palmer-Jones T. 1958. Laboratory methods for measuring the toxicity of pesticides to honey bees. *New Zealand Journal of Agricultural Research* 1: 290–300.
- Pank LF. 1976. Effects of seed and background colors on seed acceptance by birds. *Journal of Wildlife Management* 40(4): 769–774.**
- Parfitt RL, Eason CT, Hoff H, Heng LK. 1995. Sodium monofluoroacetate (1080) leaching through soils. *Bulletin of Environmental Contamination and Toxicology* 55: 162–169.
- Parfitt RL, Eason CT, Morgan AJ, Wright GR, Burke CM. 1994. The fate of sodium monofluoroacetate (1080) in soil and water. In AA Seawright and CT Eason (eds) *Proceedings of the science workshop on 1080*. Miscellaneous Series 28. Wellington: Royal Society of New Zealand, pp 59–66.
- Parkes J, Baker AN, Eriksen K. 1997. Possum control by the Department of Conservation: Background, issues, and results from 1993 to 1995. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/Possumcontrol.pdf>**
- Parkes JP. 1983. Control of feral goats by poisoning with compound 1080 on natural vegetation baits and by shooting. *New Zealand Journal of Forestry Science* 13(3): 266–274.**
- Parkes JP. 1991. Phytotoxicity, poison retention, palatability, and acceptance of carriers used in compound-1080: Foliage baits for control of feral goats. *Wildlife Research* 18: 687–694.

- Parkes JP. 2005. Feral goat. In C King (ed) *The handbook of New Zealand mammals*. Auckland: Oxford University Press, pp 374–391.
- Parkin PJ, McGiven AR, Bailey RR. 1977. Chronic sodium monofluoroacetate (compound 1080) intoxication in a rabbit. *New Zealand Medical Journal* 85: 93–96.**
- Parliamentary Commissioner for the Environment (PCE). 1994. *Possum management in New Zealand*. Wellington: Parliamentary Commissioner for the Environment, [http://pce.govt.nz/reports/allreports/0\\_908804\\_49\\_0.pdf](http://pce.govt.nz/reports/allreports/0_908804_49_0.pdf)
- Parliamentary Commissioner for the Environment (PCE). 1998. *Possum-management in New Zealand. Progress Report 1*. Wellington: Parliamentary Commissioner for the Environment, [http://www.pce.govt.nz/reports/allreports/possum\\_mgmt\\_98.shtml](http://www.pce.govt.nz/reports/allreports/possum_mgmt_98.shtml)**
- Parliamentary Commissioner for the Environment (PCE). 2000. *Caught in the headlights: New Zealanders' reflections on possums, control options and genetic engineering*. Wellington: Parliamentary Commissioner for the Environment, [http://www.pce.govt.nz/reports/allreports/0\\_908804\\_92\\_X.shtml](http://www.pce.govt.nz/reports/allreports/0_908804_92_X.shtml)**
- Parton K, Bruère AN, Chambers JP. 2001. *Veterinary clinical toxicology*. Palmerston North: Massey University.
- Paterson BM. 1993. Behavioural patterns of possums and cattle which may facilitate the transmission of tuberculosis. Thesis for Master of Veterinary Science. Massey University.
- Paterson KD, Cowan PE. 1994. *The tuberculosis status of predators on farmland adjacent to Reporoa and the Kaingaroa State Forest*. Landcare Research Contract Report LC9394/59.
- Paton BR, Maitland MJ, Taylor GE, Wotherspoon JA, Gasson PA, et al. 2005. *Rotoiti nature recovery project annual report July 2004 – June 2005*.**
- Patterson M, Cole A. 1998. *The economic value of ecosystem services in the Waikato region*. Report prepared for Environment Waikato. Palmerston North: Massey University.
- Payton IJ. 1988. Canopy closure, a factor in rata (*Metrosideros*)-kamahi (*Weinmannia*) forest dieback in Westland, New Zealand. *New Zealand Journal of Ecology* 11: 39–50, available from <http://www.nzes.org.nz/nzje>**
- Payton IJ, Pelkelharing CJ, Frampton CM. 1999. *Foliar Browse Index: A method for monitoring possum (*Trichosurus vulpecula*) damage to plant species and forest communities*. Lincoln: Landcare Research.
- Payton IL, Forester L, Frampton CM, Thomas MD. 1997. Response of selected tree species to culling of introduced Australian brushtail possums *Trichosurus vulpecula* at Waipoua Forest, Northland, New Zealand. *Biological Conservation* 81: 247–255.
- Peacock EA. 1964. *Sodium monofluoroacetate (compound 1080)*. Circular letter US Bureau of Sport Fisheries and Wildlife, Division of Predator and Rodent Control.
- Peden NR, Taha A, McSorley PD. 1986. Industrial exposure to hydrogen cyanide: Implications for treatment. *British Medical Journal (Clinical Research)* 293: 538–546.

- Pekelharing CJ, Batchelor CL. 1990. The effect of control of brushtail possums (*Trichosurus vulpecula*) on condition of a southern rata/kamahi (*Metrosideros umbellata/Weinmannia racemosa*) forest canopy in Westland, New Zealand. *New Zealand Journal of Ecology* 13: 73–82, available from <http://www.nzes.org.nz/nzje>
- Pekelharing CJ, Frampton CM, Suisted PA. 1998. Seasonal variation in the impacts of brushtailed possums (*Trichosurus vulpecula*) on five palatable plant species in New Zealand beech (*Nothofagus*) forest. *New Zealand Journal of Ecology* 22: 141–148, available from <http://www.nzes.org.nz/nzje>
- Pekelharing CJ, Parkes JP, Barker RJ. 1998. Possum (*Trichosurus vulpecula*) densities and impacts on fuschia (*Fuschia excorticata*) in south Westland, New Zealand. *New Zealand Journal of Ecology* 22: 197–203, available from <http://www.nzes.org.nz/nzje>
- Perfect AJ, Bell BD. 2005. *Assessment of the impact of 1080 on the native frogs Leiopelma archeyi and L. hochstetteri*. Research and Development Series 209. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/drds209.pdf>
- Pesticide Management Regulatory Authority (PMRA). 2004. *Re-evaluation of sodium monofluoroacetate*. Report number PACR2004–20. Ottawa, Canada, Pesticide Management Regulatory Authority, [http://www.pmra-arla.gc.ca/english/pdf/pacr/pacr2004–20–e.pdf](http://www.pmra-arla.gc.ca/english/pdf/pacr/pacr2004-20-e.pdf)
- Pesticide Management Regulatory Authority (PMRA). 2005. *Sodium monofluoroacetate*. Report number RRD2005–05. Ottawa, Canada, Pesticide Management Regulatory Authority, [http://www.pmra-arla.gc.ca/english/pdf/pacr/pacr2005–05–e.pdf](http://www.pmra-arla.gc.ca/english/pdf/pacr/pacr2005-05-e.pdf)
- Peters JA, Ramsay J, Rammell CG, Fleming PA, O’Hara PJ. 1977. 1080 poisoning. *New Zealand Medical Journal* 85: 295–296.
- Peters JA. 1975. Contamination of forest ecosystems by sodium fluoroacetate (compound 1080). *Proceedings of the New Zealand Ecological Society* 22: 34–40.
- Peters RS. 1952. Lethal synthesis. *Proceedings of the Royal Society of London* 139: 142–170.
- Peterson DR, Blaschke P, Gibbs D, Gordon B, Hughes P. 1994. *Possum management in New Zealand*. Office of Parliamentary Commissioner for the Environment.
- Pfeiffer DU. 1994. The role of a wildlife reservoir in the epidemiology of bovine tuberculosis. Doctoral thesis, Massey University.
- Phillips JC, Foster C, Morris P, Teverson R. 2000. *The role of cattle husbandry in the development of a sustainable policy to control M. bovis infection in cattle*. Report to the Ministry of Agriculture, Fisheries and Food, <http://www.defra.gov.uk/animalh/tb/publications/hpanel.pdf>
- Pierce RJ, Maloney RF. 1989. Responses of harriers in the Mackenzie basin to the abundance of rabbits. *Notornis* 36: 1–12.
- Pierce RJ, Montgomery PJ. 1992. *The fate of birds and selected invertebrates during a 1080 operation*. Science and Research Internal Report Series 121. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/ir121.pdf>



- Polter C. 1967. *Influence of monofluoroacetic acid on oxygen uptake of pea roots after cultivation under different conditions.*
- Porphyre T, McKenzie J, Stevenson M. 2005. *Identifying the cause of, and solutions to, vector-related TB persistence near Featherston.* Massey University Research Contract for the Animal Health Board, <http://www.ahb.org.nz/NR/rdonlyres/D86FEEEE4-FA9C-4F1D-A6EC-6F519015D001/307/R50634TheFeatherstonProjectEpiCentre.pdf>
- Potter M, Stringer I, Wakelin M, Barret P, Hedderley D. 2006b. *Effects of pest control on forest invertebrates in Tongariro National Park preliminary results.*
- Potter MA, Barrett DP, King CM. 2006a. Acceptance by stoats (*Mustela erminea*) of 1080 (sodium monofluoroacetate) in small-volume baits and its effect on behaviour and time to death. *New Zealand Veterinary Journal* 54: 350–356.
- Powlesland RG. 1997. *Protocols for monitoring New Zealand robins (Petroica australis)*. Technical Series 13. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/docts13.pdf>**
- Powlesland RG, Knegtmans JW, Marshall ISJ. 1998. *Evaluating the impacts of 1080 possum control operations on North Island robins, North Island tomtits and moreporks at Pureora: Preliminary results.* Science for Conservation Series 74. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/Sfc074.pdf>
- Powlesland RG, Knegtmans JW, Marshall ISJ. 1999. Costs and benefits of aerial 1080 possum control operations using carrot baits to North Island robins (Petroica australis longipes), Pureora Forest Park. *New Zealand Journal of Ecology* 23: 149–159, available from <http://www.nzes.org.nz/nzje>**
- Powlesland RG, Knegtmans JW, Styche A. 1999b. *Impacts of aerial 1080 possum control operations on North Island robins and moreporks at Pureora in 1997 and 1998.* Science for Conservation Series 133. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Powlesland RG, Knegtmans JW, Styche A. 2000. Mortality of North Island tomtits (Petroica macrocephala toitoi) caused by aerial 1080 possum control operations, 1997–98, Pureora Forest Park. *New Zealand Journal of Ecology* 24: 161–168, available from <http://www.nzes.org.nz/nzje>**
- Powlesland RG, Stringer IAN, Hedderley DI. 2005. Effects of an aerial 1080 possum poison operation using carrot baits on invertebrates in artificial refuges at Whirinaki Forest Park, 1999–2002. *New Zealand Journal of Ecology* 29: 193–205, available from <http://www.nzes.org.nz/nzje>**
- Powlesland RG, Wills DE, August ACL, August CK. 2003. Effects of a 1080 operation on kaka and kereru survival and nesting success, Whirinaki Forest Park. *New Zealand Journal of Ecology* 27: 125–137, available from <http://www.nzes.org.nz/nzje>**
- Pracy. 1958. *Baiting trials in relation to birds.* Unpublished internal report. New Zealand Forest Service.
- Pracy LT, Robertson BA, Udy PB. 1981. Flavours tested on Kapiti. *Counterpest*, pp 10–11

- Preece R. 2002. *Awe for the tiger, love for the lamb: A chronicle of sensibility to animals*. Routledge, London.
- Presthus RV. 1959. Behaviour and bureaucracy in many cultures. *Public Administration Review* 19(1): 25–35.**
- Preuss PW, Weinstein LH. 1969. Studies on fluoro-organic compounds in plants: II. Defluorination of fluoroacetate. *Contributions from Boyce Thompson Institute* 24(7): 151–155.
- Pryde MA, O'Donnell CFJ, Barker RJ. 2005. Factors influencing survival and long-term population viability of New Zealand long-tailed bats (*Chalinolobus tuberculatus*): Implications for conservation. *Biological Conservation* 126: 175–185, <http://www.sciencedirect.com>**
- Quin JI, Clark R. 1947. Studies on the action of potassium monofluoroacetate (CH<sub>2</sub>FCOOK) [*Dichapetalum cymosum* (Hook) Engl.] toxin on animals. *Onderstepoort Journal of Veterinary Science and Animal Industry* 22: 77–82.
- Qureshi T et al. 2000. Transmission of *Myobacterium bovis* from experimentally infected ferrets to non-infected ferrets (*Mustela furo*). *New Zealand Veterinary Journal* 48: 99–104.
- Rae AN, Strutt A. 2001. Livestock production and the environment: Some impacts of growth and trade liberalisation. *New Zealand Economic Papers* 35(2): 176–194.**
- Ragg J, Byrom A. 2002. *Review of ferrets for the Animal Health Board*. Report for the Animal Health Board, Wellington.
- Ragg JR, et al. 1994. *The prevalence of bovine tuberculosis (Myobacterium bovis) infections in mammalian predators in Otago and Southland*. Wildlife Management Report 63. University of Otago.
- Ragg JR, Mackintosh CG, Moller H. 2000. The scavenging behaviour of ferrets (*Mustela furo*), feral cats (*Felis domesticus*), possums (*Trichosurus vulpecula*), hedgehogs (*Erinaceus europaeus*), and harrier hawks (*Circus approximans*) on pastoral farmland in New Zealand: *New Zealand Veterinary Journal* 48(6): 166–175.**
- Ramirez M. 1986. Inebriation with pyridoxine and fluoracetate: A case report. *Veterinary and Human Toxicology* 28(April): P154.**
- Rammel CG. 1993. Persistence of compound 1080 in sheep and muscle and liver. *Surveillance* 20(1): 20–21.
- Rammel CG, Fleming PA. 1978. *Compound 1080: Properties and uses of sodium monofluoroacetate in New Zealand*. Wellington: Animal Health Division, Ministry of Agriculture and Fisheries.
- Rammel CG, Fleming PA, O'Hara PJ. 1977. 1080 poisoning. *New Zealand Medical Journal* 85: 295–296.
- Rammel CG, Hoogenboom JJ, Julian AF, Livingstone PG. 1985. Treatment of 1080 poisoning in dogs with glycerol monoacetate. *New Zealand Veterinary Journal* 33: 149–150.
- Ramsay J. 1977. 1080 poisoning. *New Zealand Medical Journal* 85: 295.
- Ramsey D. 2000. *Possums and Tb*. Information brochure. Landcare Research.

- Ramsey D, Efford M. 2005. *Eliminating Tb: Results from a spatially explicit, stochastic model*. Landcare Research.**
- Regional Pest Services. No date. *1080: The facts*.
- Reid B. 1985. The opossum trappers: Our maligned conservators. *Fur Facts* 6: 18–23.
- Reid B. 1986. Kiwis, opossums and vermin: A survey of opossum hunting; and of target and non-target tallies. *Fur Facts* 7: 37–49.
- Reigart JR, Brueggeman JL, Keil JE. 1975. Sodium fluoroacetate poisoning. *American Journal of Diseases of Children* 129: 1224–1226.**
- Riney T. 1955. Identification of big game animals in New Zealand. *Dominion Museum Handbook* 4. Wellington.
- Roberts I. 2005. The risk to horticultural crops from 1080: Chief scientist, the Horticultural and Food Research Institute of New Zealand. Personal communication.
- Roberts VP. 1959. Behaviour and bureaucracy in many cultures. *Public Administration Review* 19(1): 25–35.
- Robertson H, Heather B. 1999. *The hand guide to the birds of New Zealand*. Auckland: Penguin Books.
- Robertson HA, Colbourne RM, Graham P, Miller PJ, Pierce RJ. 1999. Survival of brown kiwi exposed to 1080 poison used for control of brushtail possums in Northland, New Zealand. *Wildlife Research* 26(2): 209–214.
- Robinson B, Duwig C, Bolan N, Kannathasan M, Saravanan A. 2003. Uptake of arsenic by New Zealand watercress (*Lepidium sativum*). *Science of the Total Environment* 301: 67–73.**
- Robinson R. 2006. Monofluoroacetate on the 309 road. *Hauraki Herald* opinion, 29 December.
- Robinson RF, Griffith JR, Wolowich WR, Nahata MC. 2002. Intoxication with sodium monofluoroacetate (compound 1080). *Veterinary and Human Toxicology* 44: 93–95.
- Robison WH. 1970. Acute toxicity of sodium monofluoroacetate to cattle. *Journal of Wildlife Management* 34: 647–648.
- Rogers G. 1997. *Trends in health of pahautea and Hall's totara in relation to possum control in central North Island*. Science for Conservation Series 52. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>**
- Rose AB, Pekelharing CJ. 1995. *The impact of controlled and uncontrolled possum populations on susceptible plant species, South Westland*. Science for Conservation Series 10. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>**
- Rose AB, Pekelharing CJ, Platt KH. 1992. Magnitude of canopy dieback and implications for conservation of southern rata–kamahi (*Metrosideros umbellata* – *Weinmannia racemosa*) forests, central Westland, New Zealand. *New Zealand Journal of Ecology* 16: 23–32, available from <http://www.nzec.org.nz/nzje>**

- Rose AB, Pekelharing CJ, Woolmore CB. 1993. Impact of invading brushtail possum populations on mixed beech-broadleaved forests, south Westland, New Zealand. *New Zealand Journal of Ecology* 17: 19–28, available from <http://www.nzes.org.nz/nzje>
- Ross A. 2005. *Pesticides summary*. Wellington Conservancy, Department of Conservation.
- Ross J. 2004. *A modelling comparison of the cost effectiveness of aerial and ground based control operations for initial and maintenance control of possums (Trichosurus vulpecula)*. Landsdowne Ventures. Project R-80597–01.
- Ross J, Henderson R, Hatton R. 2006. *Assessing the efficacy and enviromental safety of probaitcoated 1080 apple bait*.
- Ross JG. 2006. Monitoring mohua status in the Maclennan Forest Range, Catlins State Forest Park. Unpublished report for AHB. Project Number: R-80600. Landsdowne Ventures, Christchurch.
- Ross JG, Frampton CM. 2000. Trap-catch probabilities of brushtail possums (*Trichosurus vulpecula*) prior and preceding a major control operation. *New Zealand Ecological Society 2000 Conference 19–23 November*, pp 56–57.
- Ross JG, Henderson. 2003. An improved 1080 paste for control of possums (*Trichosurus vulpecula*). *New Zealand Plant Protection* 56: 66–70.
- Ross JG, Hickling GJ, Morgan DR, Eason CT. 2000. The role of non-toxic prefeed and postfeed in the development and maintenace of 1080 bait shyness in captive brushtail possums. *Wildlife Research* 27: 69–74.
- Roy AS, Taitelman U, Bursztein S. 1980. Evaluation of the role of ionized calcium in sodium fluoroacetate (“1080”) poisoning. *Toxicology and Applied Pharmacology* 56: 216–220.
- Royal Forest and Bird Protection Society of New Zealand. 2004. Great Barrier Island marine reserve proposal needs your support. *Forest and Bird* 135: 1–2.
- Royal Society of New Zealand. 1996. *Improving conventional control of possums*. Miscellaneous Series 35. Wellington: Royal Society of New Zealand.
- Rural Delivery. 2005. *The potential of possums*. <http://www.ruraldelivery.net.nz/absolutenm/templates/developmentsTemplate.asp?articleid=73&zoneid=7>
- Ruscoe W, Ramsey D, Sweetapple P, Warburton B, Nugent G, et al. 2006. *Multiple pest dynamics project: Increased protection of native biota through and understanding of the mechanisms driving, and consequences of, multiple pest dynamics in natural ecosystems*. Foundation for Research Science and Technology Contract C09X0505, <http://www.ahb.org.nz/NR/rdonlyres/D86FEEE4-FA9C-4F1D-A6EC-6F519015D001/395/MultiplePestDynamicsNewsletterAug2006.pdf>
- Ruscoe WA, Murphy EC. 2005. House mouse. In CM King (ed) *The handbook of New Zealand mammals* (2nd edition). Melbourne: Oxford University Press.

- Sabadell-Molina M, Bockett F, Burrows L, Knightbridge P. 2005. *Assessing the benefits of possum control for southern rata and Halls totora in the Copland Valley*. New Zealand Ecological Society Annual Conference (joint with New Zealand Freshwater Sciences Society) on ecology on the water's edge, Rutherford Hotel, Nelson, 28 August – 1 September.**
- Sandøe P, Crisp R, Holtug N. 1997. Ethics. In MC Appleby and BO Hughes (eds) *Animal welfare*. Wallingford: CABI Publishing, pp 3–17.
- Saunders C, Cagatay S, Wreford A. 2006. Trade liberalisation and greenhouse gas emissions: The case of dairying in the European Union and New Zealand. *Australian Journal of Agricultural and Resource Economics* 50(4): 538–555.
- Saunders C, Wreford A, Cagatay S. 2003. Lincoln trade and environment model (LTEM): Linking trade and environment. AERU Research Report 263. Lincoln University.
- Sauter CM, Morris RS. 1995. Behavioural studies on the potential for direct transmission of tuberculosis from feral ferrets (*Mustela furo*) and possums (*Trichosurus vulpecula*). *New Zealand Veterinary Journal* 43: 294–300.
- Savarie PJ, Johns BE, Gaddis SE. 1992. A review of chemical and particle marking agents used for studying vertebrate pests. In JE Borrecco and RE Marsh (eds), *Fifteenth Vertebrate Pest Conference*. Newport Beach, California: University of California, pp 252–257.**
- Savarie PJ. 1984. Toxic characteristics of fluorocitrate, the toxic metabolite of compound 1080. In DO Clark (ed) *Eleventh Vertebrate Pest Conference*. Sacramento, California: University of California, pp 132–137.**
- Schaefer H, Machleidt H. 1971. Conversion of fluoroacetic acid to amino acids in the mammal. *Biochimica et Biophysica Acta* 252: 83–91.**
- Schafer EW, Bowles WA. 2004. *Toxicity, repellency or phytotoxicity of 979 chemicals to birds, mammals and plants*. Research Report 04-01. Fort Collins, Colorado, US: Department of Agriculture, APHIS, Wildlife Services National Wildlife Research Centre, available at [www.aphis.usda.gov/ws/nwrc/is/04pubs/schafer041.pdf](http://www.aphis.usda.gov/ws/nwrc/is/04pubs/schafer041.pdf) (accessed 18 January 2007).
- Schmidt CP. 2000. *Changing bureaucratic behavior: Acquisition reform in the US Army*. Rand Corporation.
- Schneider LC. 1975. The effect of hyperthyroidism on caries incidence in adult rats having functioning parathyroid glands. *Pharmacology and Therapeutics in Dentistry* 2: 43–46.
- Schultz RA, Coetzer JAW, Kellerman TS, Naudé TW. 1982. Observations on the clinical, cardiac and histopathological effects of fluoroacetate in sheep. *Onderstepoort Journal of Veterinary Research* 49: 237–245.
- Science Council of Japan, Mammalogical Society of Japan. 2005. *Roles of mammalogy on coexistence of wild mammals and human***. <http://www.imc9.jp>
- Seawright AA, Eason CT. 1994. *Proceedings of the science workshop on 1080*. Miscellaneous Series 28. Wellington: Royal Society of New Zealand.

- Serjeant EP, Dempsey B. 1979. *Ionisation constants of organic acids in aqueous solution*. International Union of Pure and Applied Chemistry (IUPAC) Chemical Data Series No 23. New York: Pergamon Press. (Cited in Hazardous Substances Database via search of <http://chem.sis.nlm.nih.gov/chemidplus> (accessed 16 November 2006).)
- Sessions LA, Kelly D. 2001. **Methods for monitoring herbivory and growth of New Zealand mistletoes (*Loranthaceae*)**. *New Zealand Journal of Ecology* 25: 19–26, available from <http://www.nzes.org.nz/nzje>
- Sessions LA, Rance C, Grant A, Kelly D. 2001. **Possum (*Trichosurus vulpecula*) control benefits native beech mistletoes (*Loranthaceae*)**. *New Zealand Journal of Ecology* 25: 27–33, available from <http://www.nzes.org.nz/nzje>
- Shadel GS. 2005. **Mitochondrial DNA, aconitase ‘wraps’ it up**. *Trends in Biochemical Sciences* 30(6): 294–296.
- Sharp Dr B, Kerr Dr G. 2005. *Option and existence values for the Waitaki catchment*. Ministry of the Environment.
- Sherley G. 1992. *Eradication of brushtail possums (*Trichosurus vulpecula*) on Kapiti Island, New Zealand: Techniques and methods*. Report 46. Department of Conservation.
- Sherley G, Wakelin M, McCartney J. 1999. **Forest invertebrates found on baits used in pest mammal control and the impact of sodium monofluoroacetate (“1080”) on their numbers at Ohakune, North Island, New Zealand**. *New Zealand Journal of Zoology* 26: 279–302.
- Sherley M. 2002. *Australia review of the humaneness of 1080*. RSPCA, <http://www.browsingdamage.org.au/rspca1080.doc>
- Sherley M. 2004. **The traditional categories of fluoroacetate poisoning signs and symptoms belie substantial underlying similarities**. *Toxicology Letters* 151: 399–406, <http://www.sciencedirect.com>
- Shifrin NS, Beck BD, Gauthier TD, Chapnick SD, Goodman G. 1996. Chemistry, toxicology, and human health risk of cyanide compounds in soils at former manufactured gas plant sites. *Regulatory Toxicology and Pharmacology* 23: 106–116.
- Shinoda K, Mitsumori K, Uneyama C, Uehara M. 2000. Induction and inhibition of testicular germ cell apoptosis by fluoroacetate in rats. *Archives of Toxicology* 74: 33–39.
- Sholsberg A, Booth L. 2003. *Veterinary and clinical treatment of vertebrate pesticide poisoning: A technical review*. <http://www.ahb.org.nz/NR/rdonlyres/D86FEEEE4-FA9C-4F1D-A6EC-6F519015D001/93/R10613VeterinaryandClinicalTreatmentofPoisoning.pdf>
- Shrubshall C. 1999. *Use of 1080 baits by invertebrates in the forest sub-canopy, Lenz Reserve, Catlins*. Report 111. Dunedin: University of Otago.
- Sinclair ARE, Innes J, Bradfield P. 2006. **Making endangered species safe: The case of the kokako of North Island, New Zealand**. *New Zealand Journal of Ecology* 30: 121–130, available from <http://www.nzes.org.nz/nzje>

- Smale MC, Rose AB, Frampton CM, Ownd HJ. 1995. *Efficacy of possum control in reducing forest dieback in the Otira and Deception catchments, central Westland*. Science for Conservation Series 13. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Smith GJ, Gardner DE, Yuile CL, de Lopez OH, Hall LL. 1977. Defluorination of fluoroacetate in the rat. *Life Sciences* 20: 1131–1138.**
- Smith GJ, Grosch DS. 1976. Fluoroacetate-induced changes in the fecundity and fertility of *Bracon hebetor* females. *Journal of Economic Entomology* 69, 521–522.
- Sneyd E, Baker M . 2003. *Infectious diseases in New Zealand: 2002 annual surveillance summary*. Report for the Ministry of Health. Porirua: Institute of Environmental Science & Research, [http://www.surv.esr.cri.nz/PDF\\_surveillance/AnnS](http://www.surv.esr.cri.nz/PDF_surveillance/AnnS)
- Snowy Peak Ltd. 2006. *Snowy Peak possum procurement*. [http://www.snowypeak.co.nz/en/sp/possum\\_procurement.htm](http://www.snowypeak.co.nz/en/sp/possum_procurement.htm)
- Soiefer AI, Kostyniak PJ. 1983. The enzymatic defluorination of fluoroacetate in mouse liver cytosol: The separation of defluorination activity from several glutathione S-Transferases of mouse liver. *Archives of Biochemistry and Biophysics* 225(2): 928–935.**
- Speedy C. 2003. *Hatepe trial: Comparison of ground and aerial Tb vector control methods*. Epro Research Report.**
- Sperry G. 2006. 1080 poisoning who? *Local Buy Sell Magazine*, p 10.
- Spielmann H, Meyer-Wendecker R, Spielmann F. 1973. Influence of 2-deoxy-D-glucose and sodium fluoroacetate on respiratory metabolism of rat embryos during organogenesis. *Teratology* 7: 127–134.
- Spurr E. 2000a. Impacts of possum control on non-target species. In TL Montague (ed), *The brushtail possum: Biology, impact and management of an introduced marsupial*. Lincoln: Manaaki Whenua Press, pp 175–186.
- Spurr EB. 1979. A theoretical assessment of the ability of bird species to recover from an imposed reduction in numbers, with particular reference to 1080 poisoning. *New Zealand Journal of Ecology* 2: 46–63, available from <http://www.nzes.org.nz/nzje>**
- Spurr EB. 1981. The effect of 1080 poisoning operations on non-target bird populations. *What's New in Forest Research* No 94. Rotorua: Forest Research Institute.
- Spurr EB. 1988. Bird populations before and after 1080-poisoning of possums in Westland National Park. Unpublished, Forest Research Institute contract report.
- Spurr EB. 1991a. *Effects of brushtail possum control operations on non-target bird populations*. Acta XX Congressus Internationalis Ornithologici.**
- Spurr EB. 1991b. Wasp control by poison baiting: Experimental use of hydramethylnon in canned sardine bait. *Forest and Scrub: Proceedings from the 44th Weed and PEST Control Conference*, pp 42–46.**
- Spurr EB. 1991c. Reduction of wasp (*Hymenoptera: Vespidae*) populations by poison-baiting: Experimental use of sodium monofluoroacetate (1080) in canned sardine. *New Zealand Journal of Zoology* 18: 215–222.**

- Spurr EB. 1993. Feeding by captive rare birds on baits used in poisoning operations for control of brushtail possums. *New Zealand Journal of Ecology* 17: 13–18, available from <http://www.nzec.org.nz/nzje>
- Spurr EB. 1995. Protein bait preferences of wasps (*Vespula vulgaris* and *V. germanica*) at Mt Thomas, Canterbury, New Zealand. *New Zealand Journal of Zoology* 22: 281–289.
- Spurr EB. 1996. Carbohydrate bait preferences of wasps (*Vespula vulgaris* and *V. germanica*) (Hymenoptera: Vespidae) in New Zealand. *New Zealand Journal of Zoology* 23: 315–324.
- Spurr EB. 1996. *Impacts of monofluoroacetate-poisoning for possum control on non-target invertebrates*. Science for Conservation Series 21. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/sfc021.pdf>
- Spurr EB. 1999. *Are insectivorous birds killed by primary or secondary 1080-poisoning?* Landcare Research Contract Report LC9899/57 for Animal Health Board.
- Spurr EB. 2000b. Hen eggs poisoned with sodium monofluoroacetate (1080) for control of stoats (*Mustela erminea*) in New Zealand. *New Zealand Journal of Zoology* 27: 165–172.
- Spurr EB. 2002. Iophenoxic acid as a systemic blood marker for assessment of bait acceptance by stoats (*Mustela erminea*) and weasals (*Mustela nivalis*). *New Zealand Journal of Zoology* 29: 135–142.
- Spurr EB. 1994. Impacts on non-target invertebrate populations of aerial application of sodium monofluoroacetate (1080) for brushtail possum control in New Zealand. In AA Seawright and CT Eason (eds) *Proceedings of the science workshop on 1080*. Miscellaneous Series 28. Wellington: Royal Society of New Zealand, pp. 116–123.
- Spurr EB, Anderson SH. 2004. Bird species diversity and abundance before and after eradication of possums and wallabies on Rangitoto Island, Hauraki Gulf, New Zealand. *New Zealand Journal of Ecology* 28: 143–149, available from <http://www.nzec.org.nz/nzje>
- Spurr EB, Berben PH. 2004. Assessment of non-target impact of 1080-poisoning for vertebrate pest control on weta (*Orthoptera: anostomatidae* and *Rhaphidophoridae*) and other invertebrates in artificial refuges. *New Zealand Journal of Ecology* 28: 63–72, available from <http://www.nzec.org.nz/nzje>
- Spurr EB, Berben PH, McGregor PG, Arnold GC. 2002. *Impacts of simulated aerial application of 1080-poisoned baits on ground-dwelling invertebrate populations*. Landcare Research Contract Report LC0102/094 for Animal Health Board.
- Spurr EB, Drew KW. 1999. Invertebrates feeding on baits used for vertebrate pest control in New Zealand. *New Zealand Journal of Ecology* 23: 167–173, available from <http://www.nzec.org.nz/nzje>
- Spurr EB, Harris RJ, Drew KW. 1996. *Improved bait for wasp control*. Science for Conservation Series 43. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>



- Spurr EB, McGregor PG. 2003. *Potential invertebrate antifeedants for toxic baits used for vertebrate pest control*. Science for Conservation Series 232. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Spurr EB, Olgilvie SC, Morse CW, Young JB. 2005. **Development of a toxic bait for control of ferrets (*Mustela furo*) in New Zealand. *New Zealand Journal of Zoology* 32: 127–136.**
- Spurr EB, Porter RER. 1998. *Cinnamide as a bird repellent for baits used in mammalian pest control*. 11th Australian Vertebrate Pest Conference Bunbury, Western Australia, 3–8 May.
- Spurr EB, Porter RER, Thomson C. 2001. **Palatability of bird repellents to *Rattus norvegicus*.**
- Spurr EB, Powlesland R. 1997. *Impacts of aerial application of 1080 on non-target native fauna*. Science for Conservation Series 62. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Spurr EB, Powlesland R. 2000. **Monitoring the impacts of vertebrate pest control operations on non-target wildlife species. Technical Series 24. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/docts24.pdf>**
- Spurr EB, Powlesland R, Livingstone P. 2003. *Roles, risks, and benefits of poisons for control of brushtail possums in New Zealand*. Symposium: Use of Pesticides for Wildlife Management.
- St Pierre C. No date. *The case for reassessment: Pirongia*.
- Staples ELJ. 1967. The reduction of sodium monofluoroacetate ('1080') content of carrot baits of various thicknesses by weathering. *New Zealand Journal of Agricultural Research* 11: 319–329.
- Staples ELJ. 1968. **The reduction of the sodium monofluoroacetate ("1080") content of carrot baits of various thickness by weathering. *New Zealand Journal of Botany* 11: 319–329.**
- Staples ELJ. 1969. **Absorption of sodium monofluoroacetate ("1080") solution by carrot baits. *New Zealand Journal of Agricultural Research* 783–788.**
- Stark JD, Boothroyd IKG, Harding JS, Maxted JR, Scarsbrook MR. 2001. *Protocols for sampling macroinvertebrates in wadeable streams*. New Zealand Macroinvertebrate Working Group Report 1. Prepared for the Ministry for the Environment, available at <http://limsoc.rsnz.org/ProtocolsManual2.pdf> (accessed 31 January 2007)
- Statistics New Zealand. 1994. *New Zealand official yearbook* (97th edition). Wellington: Statistics New Zealand.
- Stephenson BM, Minot EO, Armstrong DP. 1999. **Fate of moreporks (*Ninox novaeseelandiae*) during pest control operation on Mokoia Island, Lake Rotorua, North Island, New Zealand. *New Zealand Journal of Ecology* 23: 233–240, available from <http://www.nzec.org.nz/nzje>**
- Stevens G et al. 1988. *Prehistoric New Zealand*. New Zealand: Heinmann Reed.

## References

- Stewart GG, Abbs ET, Roberts DJ. 1969. Biochemical effects of fluoroacetate administration in rat brain, heart and blood. *Biochemical Pharmacology* 19: 1861–1866.
- Steyn DG. 1934. Plant poisoning in stock and the development of tolerance. *Onderstepoort Journal of Veterinary Science* 3: 119–123.
- Stokell. 1939. *Gobiomorphus breviceps* (Upland bully) [on FishBase].**  
**<http://fileman.ifm-geomar.de/Summary/SpeciesSummary.php?id=22535>**
- Sullivan JL, Smith FA, Garman RH. 1979. Effects of fluoroacetate on the testis of the rat. *Journal of Reproduction and Fertility* 56: 201–207.
- Sullivan JL, Smith FA, Wilkenfield RM, Garman RH, Kostyniak PJ. 1978. Monofluoroacetate and trifluoroethanol as testicular poisons in the rat. *Toxicology and Applied Pharmacology* 45: 291–292.
- Suren A. 2006. Quantifying contamination of streams by 1080 baits, and their fate in water. *New Zealand Journal of Marine and Freshwater Research* 40: 159–167.
- Suren A, Bonnett M. 2004. *The effects of pollard baits containing sodium monofluoroacetate (1080) on New Zealand freshwater crayfish* (*Paranephrops planifrons*). NIWA Client Report CHC2004–054. Christchurch: NIWA.
- Suren A, Bonnett M. 2006. Consumption of baits containing sodium fluoroacetate (1080) by the New Zealand freshwater crayfish (*Paranephrops planifrons*). *New Zealand Journal of Marine and Freshwater Research* 40: 169–178.
- Suren A, Lambert P. 2002. *Monitoring of streams in the Haupiri forests after aerial 1080 drops*. NIWA Client Report: CHC02/38
- Suren A, Lambert P. 2004. *The effects of 1080 on invertebrate communities and fish in West Coast streams*. NIWA Client Report CHC2004–096. Christchurch: NIWA, [www.ahb.org.nz/NR/rdonlyres/D86FEEEE4-FA9C-4F1D-A6EC-6F519015D001/289/R80575Effectsof1](http://www.ahb.org.nz/NR/rdonlyres/D86FEEEE4-FA9C-4F1D-A6EC-6F519015D001/289/R80575Effectsof1)
- Sweetapple P, Warburton B, Morriss G. 2006. *Development and assessment of a weka-safe possum kill-trap*. Animal Health Board Project R-10635–01, Landcare Research Contract Report LC0506/040.**
- Sweetapple PJ, Fraser KW, Knightbridge PI. 2004. Diet and impacts of brushtail possum populations across an invasion front in South Westland, New Zealand. *New Zealand Journal of Ecology* 28: 19–33, available from <http://www.nzes.org.nz/nzje>
- Sweetapple PJ, Fraser KW. 1997. Assessment of red deer and possum kills during an aerial 1080 control operation in the Rangitoto Range. Unpublished, Landcare Research Contract Report LC9697/139.
- Sweetapple PJ, Nugent G. 1999. Provenance variation in fuschia (*Fuschia excorticata*) in relation to palatability to possums. *New Zealand Journal of Ecology* 23: 1–10, available from <http://www.nzes.org.nz/nzje>
- Sweetapple PJ, Nugent G, Poutu N, Horton P. 2006. *Effect of reduced possum density on rodent and stoat abundance in podocarp-hardwood forests*. Research and Development Series 231. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/drds231.pdf>

- Sweetapple PJ, Nugent G, Whitford J, Knightbridge PI. 2002. Mistletoe (*Tupeia antarctica*) recovery and decline following possum control in a New Zealand forest. *New Zealand Journal of Ecology* 26: 61–71, available from <http://www.nzes.org.nz/nzje>
- Sykes TR, Quastel JH, Adam MJ, Ruth TJ, Noujaim AA. 1987. The disposition and metabolism of [18 F]-fluoroacetate in mice. *Biochemical Archives* 3: 317–323.
- Taitelman U, Roy A, Raikhlin-Eisenkraft B, Hoffer E. 1983. The effect of monoacetin and calcium chloride on acid-base balance and survival in experimental sodium fluoroacetate poisoning. *Toxicology in the Use, Misuse and Abuse of Food, Drugs and Chemicals* 6: 222–227.
- Taranaki Regional Council (TRC). 1993. *Water quality monitoring of stage 1 of the Department of Conservation/Taranaki Regional Council possum control operation on Mount Taranaki/Egmont*.
- Taranaki Regional Council (TRC). 1994. *Water quality monitoring of stages 2 & 3 of the Department of Conservation/Taranaki Regional Council possum control operation on Mount Taranaki/Egmont 1994*. Technical Report 94–7.
- Taranaki Regional Council (TRC). 2001. *Regional fresh water plan for Taranaki*. <http://www.trc.govt.nz/publications/regional+plans/water+plan/Discharges.pdf>
- Taranaki Regional Council (TRC). 2004. *Possum control scheme expands further: Summary annual report 2003/2004*. Taranaki Regional Council.
- Tasman District Council. 2003. *Tasman resource management plan*. [http://tdc.govt.nz/pdfs/2013–36–Rules%20for%20Contaminant%20Discharges.pdf](http://tdc.govt.nz/pdfs/2013-36-Rules%20for%20Contaminant%20Discharges.pdf)
- Tasmania Together. No date. *Our environment*. [http://www.tasmaniatogether.tas.gov.au/tastog\\_original/tastog\\_orig\\_menu.html](http://www.tasmaniatogether.tas.gov.au/tastog_original/tastog_orig_menu.html) (accessed July 2005).
- Tate KR, Giltrap DJ, Claydon JJ, Newsome PF, Atkinson IAE, et al. 1997. Organic carbon stocks in New Zealand's terrestrial ecosystems. *Journal of the Royal Society of New Zealand* 27(3): 315–335.
- Taylor C. 2007. 1080: A pesty poison and pests. *Country News* (January): 10–11.
- Taylor R, Turnbull D. 2005. Mitochondrial DNA mutations in human disease. *Nature Reviews/Genetics* 6: 389–402.
- Taylor WM, D'Costa M, Angel A, Halperin ML. 1977. Insulin-like effects of fluoroacetate on lipolysis and lipogenesis in adipose tissue. *Canadian Journal of Biochemistry* 55(9): 982–987.
- TB-Action. 2007. *TB control news for cattle and deer farmers in Otago*.
- Te Puni Kōkiri. 2001. *He tirohanga ō kawa ki te Tiriti o Waitangi*. Wellington: Te Puni Kōkiri, <http://www.tpk.govt.nz>
- Teclé B, Casida JE. 1989. Enzymatic defluorination and metabolism of fluoroacetate, fluoroacetamide, fluoroethanol, and (-)-erythro-fluorocitrate in rats and mice examined by 19F and 13C NMR. *Chemical Research in Toxicology* 2: 429–435.
- Temple WA, Edwards R. 1984. *Toxic ducks: 1080 residues in game birds and exercise in applied toxicology*.

- Thomas MD, Maddigan F, Gardner D. 2004. *Decay of 1080 baits used for possum control*. AHB Report R-80599. Wellington: AHB, <http://www.ahb.org.nz/NR/rdonlyres/D86FEEEE4-FA9C-4F1D-A6EC-6F519015D001/295/R80599Decayof1080baits.pdf>
- Thomas MD, Maddigan FW, Sessions LA. 2003. Attractiveness of possum apple baits to native birds and honey bees. *New Zealand Plant Protection* 56: 86–89.
- Thomson C, Warburton B, Moran L. 2001. *Weka- and kiwi-safe possum trap sets*. Science Internal Series 24. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39167>
- Todd JH, Waas JR, O'Connor CE. 2000. Do brushtail possums (*Trichosurus vulpecula*) show preferences for exogenous odours associated with food? *New Zealand Journal of Zoology* 27: 49–55.**
- Tomkins BA. 1994. Screening procedure for sodium fluoroacetate (compound 1080) at sub-microgram/gram concentrations in soils. *Analytical Letters* 27(14), 2703–2718, Oak Ridge National Laboratory, Organic Chemistry Section, Chemical and Analytical Sciences Division, TN.**
- Tompkins D, Veltman CJ. 2006. Unexpected consequences of vertebrate pest control: Predictions from a four-species community model. *Ecological Applications* 16(3): 1050–1061.**
- Tonomura K, Futai F, Tanabe O, Yamaoka T. 1965. Defluorination of monofluoroacetate by bacteria: I. Isolation of bacteria and their activity of defluorination. *Agricultural and Biological Chemistry* 29: 124–128.
- Tourtellotte WW, Coon JM. 1950. *Treatment of fluoroacetate poisoning in mice and dogs*.**
- Tourtellotte WW, Coon JM. 1951. Treatment of fluoroacetate poisoning in mice and dogs. *Journal of Experimental Therapeutics* 101: 82–91.
- Trabes J, Rason N, Avrahami E. 1983. Computed tomography demonstration of brain damage due to acute sodium monofluoroacetate poisoning. *Journal of Toxicology: Clinical Toxicology* 20: 85–92.
- Trappers New Zealand. 2003. An estimate of the cost to landholders if Tb vectors are uncontrolled: The cost of bovine Tb related movement control on affected farms: John's story. *Health and Safety Newsletter*.
- Tremblay LA, Fisher P, Leusch DL, Van Den Heuvel MR. 2005. Potential of sodium fluoroacetate (1080) and fluorocitrate to bind to androgen and oestrogen receptor ORS. *Australian Journal of Ecotoxicology* 11: 155–162.**
- Tremblay LA, Fisher P, Leusch DL. 2002. *Evaluation of the potential of sodium monofluoroacetate (1080) and fluorocitrate to bind to a mammalian oestrogen receptor*. Landcare Research Contract Report LC0203/044 for Animal Health Board.**
- Tucker RK. 1970. *Handbook of toxicity of pesticides to wildlife*. National Technical Information Service.**
- Tucker RK, Crabtree DG. 1970. *Handbook of toxicity of pesticides to wildlife*. Bureau of Sport Fisheries and Wildlife, Denver Wildlife Research Centre.

- Tucker RK, Haegele MA. 1971. Comparative acute oral toxicity of pesticides to six species of birds. *Toxicology and Applied Pharmacology* 20: 57–65.**
- Tull Chemical Company. No date. *Compound 1080*. Technical Bulletin 6. Oxford, Alabama: Tull Chemical Company.
- Twigg LE. 1990. The sensitivity of some Western Australian caterpillars to fluoroacetate. *Mulga Research Centre Journal* 10: 14–18.
- Twigg LE, Elridge SR, Edwards GP, Shakeshaft BJ, dePreu ND, et al. 2000. The longevity and efficacy of 1080 meat baits used for dingo control in central Australia. *Wildlife Research* 27: 473–481.
- Twigg LE, King DR. 1991. The impact of fluoroacetate-bearing vegetation on native Australian fauna: A review. *Oikos* 61: 412–430.
- Twigg LE, King DR, Bowen LH, Wright GR, Eason CT. 1996. Fluoroacetate. *Australian Journal of Botany* 44: 411–412.**
- Twigg LE, King DR, Bradley AJ. 1988. The effect of sodium monofluoroacetate on plasma testosterone concentration in *Tiliqua rugosa* (Gray). *Comparative Biochemistry and Physiology* 91C: 343–347.
- Twigg LE, Kok NE, Kirkpatrick WE, Brown G. 2001. The longevity of 1080 egg-baits in a regularly baited nature reserve in south-western Australia. *Wildlife Research* 28: 607–618.**
- Twigg LE, Martin GR, Lowe TJ. 2002. Evidence of pesticide resistance in medium-sized mammalian pests: A case study with 1080 poison and Australian rabbits. *Journal of Applied Ecology* 39: 549–560.**
- Twigg LE, Mead RJ, King DR. 1986. Metabolism of fluoroacetate in the skink (*Tiliqua rugosa*) and the rat (*Rattus norvegicus*). *Australian Journal of Biological Sciences* 39: 1–15.
- Twigg LE, Schoda LV. 2001. Defluorination of sodium monofluoroacetate by soil microorganisms from central Australia soil. *Biology and Biochemistry* 33: 227–234.
- Udy PB, Pracey LT. 1981. Baits, birds and field operations. *Counterpest* pp 13–15.**
- United States Environmental Protection Agency (EPA). 1980. *Ambient water quality criteria for cyanides*. EPA440/5–80–037.**
- United States Environmental Protection Agency (EPA), 2007. *Integrated Risk Information System, 1080 CAS 64-72-8*. <http://cfpub.epa.gov/ecotox/>**
- United States Environmental Protection Agency (USEPA). 1995. *RED facts sodium fluoroacetate*. EPA-738-F-95-022. Washington DC: USEPA.**
- United States Environmental Protection Agency (USEPA). 1995. *Reregistration eligibility decision (RED) sodium fluoroacetate*. EPA738-R-95-025.**
- United States Environmental Protection Agency (US EPA). 1998. *Reregistration eligibility decision (RED): Zinc phosphide*. Washington: USEPA, <http://www.epa.gov/oppsrd1/REDS/0026red.pdf>

- United States Environmental Protection Agency (US EPA). 2003. *Record-keeping requirements for certified applicators using 1080 collars on livestock: Renewal of pesticide information collection activities and request for comments*. US Federal Register, 68(33), <http://www.epa.gov/fedrgstr/EPA-GENERAL/2003/February/Day-19/g3959.htm> (accessed 22 October 2004).
- Ulrich SC, Brady PJ. 2005. Benefits of aerial 1080 possum control to tree fuschia in the Tararua Range, Wellington. *New Zealand Journal of Ecology* 29: 299–309, available from <http://www.nzes.org.nz/nzje>**
- US CDC. 2007. *National Health and Nutrition Examination Survey: CDC growth charts: United States*. <http://www.cdc.gov/nchs/about/major/nhanes/growthcharts/datafiles.htm>
- US Department of Agriculture (USDA). 2004. *Vertebrate pest control products*. [http://www.aphis.usda.gov/ws/nwrc/research/EPA\\_products.html](http://www.aphis.usda.gov/ws/nwrc/research/EPA_products.html) (accessed 13 October 2004).
- Van der Merwe. 1953. The jackal. *Flora and Fauna* no 4.
- van der Sluijs A, Spitzen J. 2000. The effects of predator press on populations of the skinks *Oligosoma nigriplantare polychroma* and *O. maccanni* and examination of European hedgehog (*Erinaceus europaeus*) stomachs on skink remains at Macraes Flat, Otago, New Zealand. Unpublished report, Department of Conservation, Dunedin.
- van Klink PA, Tansell. 2003. *Western weka (Gallirallus australis australis) monitored before and after an aerial application of 1080 baits in the Copeland Valley, Westland National Park*. Science Internal Series 108. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39167>
- van Zijl W. 2004. A review of literature on the use of compound 1080 (sodium monofluoroacetate) in problem animal control internationally. Unpublished report to the Poison Working Group, Endangered Wildlife Trust, Parkview 2122, South Africa.
- Vartiainen T, Kauranen P. 1984. The determination of traces of fluoroacetic acid by extractive alkylation, pentafluorobenzoylation and capillary gas chromatography-mass spectrometry. *Analytica Chimica Acta* 157: 91–97.**
- Veblen TV, Stewart, GH. 1980. Comparison of forest structure and regeneration on Bench and Stewart Islands, New Zealand. *New Zealand Journal of Ecology* 3: 50–68, available from <http://www.nzes.org.nz/nzje>**
- Veltman CJ, Parkes J. 2002. *The potential of poisoned foliage as bait for controlling feral goats (Capra hircus)*. Science for Conservation Series 204. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>
- Veltman CJ, Pinder DN. 2001. Brushtail possum mortality and ambient temperatures following aerial poisoning using 1080. *Journal of Wildlife Management* 65(3): 476–481.**
- Veltman CJ. 2000. Do native wildlife benefit from possum control? In TL Montague (ed), *The brushtail possum: Biology, impact and management of an introduced marsupial*. Lincoln: Manaaki Whenua Press, pp. 241–250.

- Verdoorn GH. No date. *Compound 1080 (sodium monofluoroacetate) as a selective animal control agent*. Position paper of the Poison Working Group, Endangered Wildlife Trust, Parkview 2122, South Africa.
- Vickery B, Vickery ML. 1975. The synthesis and defluorination of monofluoroacetate in some *Dichapetalum* species. *Phytochemistry* 14: 423–427.
- VPRD. 2002. *Vertebrate Pesticide Residue Database*.
- Wakelin MD. 2000. *Invertebrates seen on cereal baits*. Science for Conservation Series 137. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>**
- Walker JRL. 1994. Degradation of sodium monofluoroacetate by soil micro-organisms. In AA Seawright and CT Eason (eds) *Proceedings of the science workshop on 1080*. Miscellaneous Series 28. Wellington: Royal Society of New Zealand, pp. 50–53.
- Walker JRL, Bong CL. 1981. Metabolism of fluoroacetate by a soil *Pseudomonas sp.* and *Fusarium solani*. *Soil Biology and Biochemistry* 13: 231–235.
- Walker K. 1997. Effect of aerial distribution of 1080 for possum control on weka, great spotted kiwi, morepork and fernbird. *Ecological Management* 5: 29–37.
- Walker KJ. 2003. *Recovery plans for Powelliphanta land snails*. Threatened Species Recovery Plan Series 49. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39163>
- Walker R et al. 1992. *Bovine tuberculosis in feral cats and mustelids in the Mackenzie Basin*. MAF Quality Management Contract Report 72/90.
- Walker R et al. 1994. *Bovine tuberculosis prevalence surveys in feral cats and ferrets, Hakataramea Valley and North Canterbury*. MAF Quality Management Contract Report 92/312.
- Warburton B. 1992. Victor foot-hold traps for catching Australian brushtail possums in New Zealand: Capture efficiency and injuries. *Wildlife Society Bulletin* 20: 67–73.**
- Warburton B, Choquenot D. 1999. Animal welfare and pest control: The context is important. In D Mellor and V Monamy (eds) *The use of wildlife for research*. ANZCCART.
- Warburton B, Hall JV. 1995. Impact momentum and clamping force thresholds for developing standards for possum kill traps. *New Zealand Journal of Zoology* 22: 39–44.**
- Warburton B, Orchard I. 1996. Evaluation of five traps for effective capture and killing of Australian brushtail possums (*Trichosurus vulpecula*). *New Zealand Journal of Zoology* 23: 307–314.**
- Warburton B, Thomson C. 2002. *Comparison of three methods for maintaining possums at low density*. Science for Conservation Series 189. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>**
- Warburton B. 1990. Control of Bennett's and Tammar wallabies in New Zealand using compound 1080 gel on foliage baits. *Australian Wildlife Research* 17: 541–546.**

- Warburton B. 1998. Evaluation of escape rates by possums captured in Victor No. 1 Soft Catch traps. *New Zealand Journal of Zoology* 25: 99–103.
- Warburton Bruce, O'Connor Cheryl. 2004. Research on vertebrate pesticides and traps: Do wild animals benefit. *Alternatives to Laboratory Animals* 32(suppl 1): 229–234.
- Ward JC, Spencer DA. 1947. Notes on the pharmacology of sodium fluoroacetate: Compound 1080. *Journal of the American Pharmaceutical Association* pp 59–62.
- Ward PFV, Huskisson NS. 1969. The metabolism of fluoroacetate by plants. *Biochemical Journal* 113: 90.
- Ward PFV, Huskisson NS. 1972. The metabolism of fluoroacetate in lettuce. *Biochemical Journal* 130: 575–587.
- Wardle DA, Barker GM, Yeates GW, Bonner KI, Ghani A. 2001. Introduced browsing mammals in New Zealand natural forests: Aboveground and belowground consequences. *Ecological Society of America* 71: 587–614.
- Warren A. 1984. *The effects of 1080 poisoning on bird populations in Tihoi, Pureora State Forest Park, winter 1983*. Auckland: New Zealand Forest Services.
- Weaver S. 2003. Policy implications of 1080 toxicology in New Zealand. *Journal of Rural Remote Health* 2: 46–59.
- Weaver S. 2006. Chronic toxicity of 1080 and its implications for conservation management: A New Zealand case study. *Journal of Agricultural and Environmental Ethics* 19: 367–389.
- Weaver S. 2005. *Chronic toxicity of 1080 and its implications for conservation management: A New Zealand case study*.
- Wellington Regional Council. 1999. *Regional plan for discharges to land for the Wellington region*. Wellington: Wellington Regional Council.
- West Coast Regional Council. 2002. *Regional plan for discharges to land*. <http://www.wcrc.govt.nz/NR/rdonlyres/46E69C5F-FF71-47D4-9440-D90CE8824D7C/31206?RegionalPlanforDischargetoLand.pdf>
- Westbrooke IM, Etheridge ND, Powlesland RG. 2003. Comparing methods for assessing mortality impacts of an aerial 1080 pest control operation on tomtits (*Petroica macrocephala toitoi*) in Tongariro Forest. *New Zealand Journal of Ecology* 27: 115–123, available from <http://www.nzes.org.nz/nzje>
- Westbrooke IM, Powlesland RG. 2005. Comparison of impact between carrot and cereal 1080 baits on tomtits (*Petroica macrocephala*). *New Zealand Journal of Ecology* 29: 143–147, available from <http://www.nzes.org.nz/nzje>
- Western Australian Government. 2002. 1080 characteristics and use. *Farmnote* no. 28.
- Western Australian Government. 2002. *1080 summary information*. Miscellaneous publications C11.
- Whiting-O'Keefe Q, Whiting-O'Keefe P. 2006. Hauraki Herald articles. *Hauraki Herald* 9 June.
- Whiting-O'Keefe QE, Simborg DW, Henke C. 1984. Choosing the correct unit of analysis in medical care experiments. *Medical Care* 22: 1101–14.



- Whittem JH, Murray LR. 1963. The chemistry and pathology of Georgina River poisoning. *Australian Veterinary Journal* 39: 168–173.
- Wickstrom M, Milne L, Eason CT, Arthur D. 1997. *The short- and long-term effects of a single exposure of 1080 in sheep*. Landcare Research Contract Report LC9798/40.
- Wiemeyer SN, Hill EF; Carpenter JW, Krynitsky AJ. 1986. Acute oral toxicity of sodium cyanide in birds. *Journal of Wildlife Diseases* 22: 535–546.**
- Wildlife Advisory Committee. No date. *An investigation into the use of the poison 1080 in Tasmania. Wildlife Advisory Committee report to the Minister of Parks, Wildlife and Heritage*.
- Wilkinson R, Fitzgerald G. 2006. *Public attitudes towards possum fertility control and genetic engineering*. Landcare Research Science Series 29.
- Williams AT. 1948. Sodium fluoroacetate poisoning. *Hospital Corps Quarterly* 21: 16–18.
- Williams CK, Moore RJ. 1995. Effectiveness and cost-efficiency of control of wild rabbit, *Oryctolagus cuniculus* L., by combinations of poisoning, ripping, fumigation and maintenance fumigation. *Wildlife Research* 22: 253–269.**
- Williams CK. 1982. Nutritional properties of some fruits eaten by the possum *Trichosurus vulpecula* in a New Zealand broadleaf-podocarp forest. *New Zealand Journal of Ecology* 5: 16–20, available from <http://www.nzec.org.nz/nzje>**
- Williams D. 1996. Animal welfare aspects of the use of sodium fluoroacetate to poison wild rabbits. In P Fisher and CA Marks (eds) *Humaneness and vertebrate pest control: Proceedings of the seminar held on March 27th 1996*. Report Series 2. Victoria: Agriculture Victoria, Department of Natural Resources and Environment, pp 37–42.**
- Williamson JR, Jones EA, Azzone GF. 1964. Metabolic control in perfused rat heart during fluoroacetate poisoning. *Biochemical and Biophysical Research Communications* 17: 696–702.
- Wilson C, Cannon J. 2004. *Community consultation process for aerial 1080 applications*. Science for Conservation Series 247. Wellington: Department of Conservation, available from <http://www.doc.govt.nz/templates/page.aspx?id=39157>**
- Wilson DJ, Lee WG, Webster RA, Allen RB. 2003. Effects of possums and rats on seedling establishment at two forest sites in New Zealand. *New Zealand Journal of Ecology* 27: 147–155, available from <http://www.nzec.org.nz/nzje>**
- Wilson DJ, McElrea GJ, McElrea LM, Heyward RP, Peach RME, Thomson C. 2006. *Potential conservation impacts of high-altitude small mammals: A field study and literature review*. Research and Development Series 248. Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/science-and-technical/drds248.pdf>**
- Wilson DJ, Ruscoe WA, Burrows LE, McElrea LM, Choquenot D. 2006. An experimental study of the impacts of understorey forest vegetation and herbivory by red deer and rodents on seedling establishment and species composition in Waitutu Forest, New Zealand. *New Zealand Journal of Ecology* 30: 191–207, available from <http://www.nzec.org.nz/nzje>**

## References

- Wilson K. 2004. *Flight of the Huia: Ecology and conservation of New Zealand's frogs, reptiles, birds and mammals*. Christchurch: Canterbury University Press.
- Wodzicki KA. 1950. *Introduced mammals of New Zealand*. DSRI Bulletin No 98.
- Wolfe GW. 1998. *Subchronic toxicity study in rats with sodium fluoroacetate*. HLA Study No. 2399-118: 505.
- Wong DH, Kirkpatrick WE, King DR, Kinnear JE. 1992a. Defluorination of sodium monofluoroacetate (1080) by microorganisms isolated from Western Australian soils. *Soil Biology and Biochemistry* 24(9): 833-838.
- Wong DH, Kirkpatrick WE, King DR, Kinnear JE. 1992b. Environmental factors and microbial inoculum size, and their effect on biodefluorination of sodium monofluoroacetate (1080). *Soil Biology and Biochemistry* 24: 839-843.
- Wong DH, Kirkpatrick WE, Kinnear JE, King DR. 1991. Defluorination of sodium monofluoroacetate (1080) by microorganisms found in bait materials. *Wildlife Research* 18: 539-544.
- Woodfield A, Cowie D. 1997. The Milford Track: Valuation estimates of a recreation good. *Australian Journal of Agricultural Economics* 21(2): 97-110.
- World Health Organization (WHO). 1994. *Environmental health criteria number 170*. <http://www.inchem.org/documents/ehc/ehc/ehc170.htm>
- World Health Organization (WHO). 1975. *Sodium fluoroacetate*. Data sheets on pesticides 16.
- Wright G, Brown LE, Eason C. 2001. *1080 binding to cellulose: A pilot study*. Landcare Research Contract Report LC0102/022.
- Wright GRG. 1999. *Measure cyanide emission*. Report T985. Toxicology Laboratory, Landcare Research.
- Wright GRG. 2000. *Measure cyanide emission*. Report T1098. Toxicology Laboratory Analysis. Toxicology Laboratory, Landcare Research, Lincoln.
- Wright GRG. 2001. Protocol for environmental water sampling and testing associated with 1080 pest control operations. Landcare Research.**
- Wright GRG, Booth LH, Morriss GA, Potts MD, Brown L, et al. 2002. Assessing potential environmental contamination from compound 1080 (sodium monofluoroacetate) in bait dust during possum control operations. *New Zealand Journal of Agricultural Research* 45: 57-65.**
- Wright GRG, Manning LM. 2003. *Cyanide residues in soil and water*. Landcare research Contract Report LC0203/038. Landcare Research.
- Wright GRG, Manning LM, Fisher PM. 2003. Effects of aquatic plants on the concentration of 1080 in water. Landcare Research Contract Report LC0203/177 for Animal Health Board R-10560.**
- Wright K. 2004. *Hutt water supply catchment: Possum control aerial operation July 2003. Internal report*. Wellington: Greater Wellington Regional Council.

- Wylie M. 2005. Outcome monitoring in the Rakeahua (R1 and R2) and Anglem (A5 and A3) management units (2004/05). Wellington: Department of Conservation, <http://www.doc.govt.nz/upload/documents/conservation/land-and-freshwater/land/stwfc-3594-outcome-mon-rpt04.pdf>**
- Yan L-J et al. 1997. Oxidative damage during aging targets mitochondrial aconitase. *Proceedings of the National Academy of Sciences of the United States of America* 94: 11168–11172.
- Yockney IJ, Hickling GJ. 2000. Distribution and diet of chamois (*Rupicapra rupicapra*) in Westland forests, South Island, New Zealand. *New Zealand Journal of Ecology* 24: 31–38, available from <http://www.nzes.org.nz/nzje>**
- Yu T-SI. 2001. *Emergency medical response to HF and cyanide exposure*. Department of Community and Family Medicine, Chinese University of Hong Kong, <http://www.ab.ust.hk/sepo/Hfcn/tsld001.htm> (accessed 12 October 2006).
- Yu X, Zhou P, Liu Y, Hu H. 2005. Detoxification of cyanide by woody plants. *Archives of Environmental Contamination and Toxicology* 49: 150–154.
- Zavaleta ES, Hobbs RJ, Mooney HA. 2001. Viewing invasive species removal in a whole-ecosystem context. *Trends in Ecology and Evolution* 16(8): 454–459.**
- Zurita JL, Jos A, Camean AM, Salguero M, Lopez-Artiguez M, Repetto G. 2007. Ecotoxicological evaluation of sodium fluoroacetate on aquatic organisms and investigation of the effects on two fish cell lines. *Chemosphere* 67: 1–12.**

