

[Redacted]

From: Otago Regional Council <notifications@engagementhq.com>
Sent: Monday, 4 May 2020 2:52 pm
To: [Redacted]
Subject: Anonymous User completed Submission Form – Proposed Water Permits Plan Change (Plan Change 7) to the Regional Plan: Water

Anonymous User just submitted the survey 'Submission Form – Proposed Water Permits Plan Change (Plan Change 7) to the Regional Plan: Water' with the responses below.

Full name of submitter

Murray Paterson Wilkins, UPDATED Submission from Monday 11.34am

Name of organisation (if applicable)

Fitzpatrick Road Water Supply Association RC 96381

Email

[Redacted]

Postal Address (or alternative method of contact)

[Redacted]

Phone number

[Redacted]

Do you wish to be heard in support of your submission?

(Being 'heard' means speaking at a hearing)

Yes

If others have made a similar submission, would you consider presenting a joint case with them at a hearing?

Yes

Could you gain an advantage in trade competition from this submission?

No

Are you directly affected by an effect of the plan change that:

- a) adversely affects the environment; and
- b) does not relate to trade competition or the effects of trade competition

I am not

State what your submission relates to and if you support, oppose, or want it amended:

(e.g. support rule 'x', or amend policy 'y')

THIS AN UPDATED SUBMISSION, from Monday 4th May 2020 11.34 am. Our water take is 80,000 litres per day which is under the metered requirement. No water meter needed. A provision should be made in this case to provide certainty as to how to calculates the water take.

State what decision you want the Otago Regional Council to make:

(e.g. amend policy 'y' to say....)

THIS IS AN UPDATED SUBMISSION. Resource Consent 96381 We wish to apply for additional water take when our permit expires on the 1st June 2023. ORC Reference A203439. Could you please make provision as to how to calculate our water take.

Give reasons for the decision you want made:

(e.g. I want policy 'y' changed because...)

Our permitted water take is 80,000 Litres per day well under 5 Litres per second for a meter to be installed. ie we don't have any meter data available. Provision should be made to provide certainty as to how to calculate water take without metered data available.

[Redacted]

From: Otago Regional Council <notifications@engagementhq.com>
Sent: Monday, 4 May 2020 11:35 am
To: [Redacted]
Subject: Anonymous User completed Submission Form – Proposed Water Permits Plan Change (Plan Change 7) to the Regional Plan: Water

Anonymous User just submitted the survey 'Submission Form – Proposed Water Permits Plan Change (Plan Change 7) to the Regional Plan: Water' with the responses below.

Full name of submitter

Murray Paterson Wilkins

Name of organisation (if applicable)

Fitzpatrick Road Water Supply Association

Email

[Redacted]

Postal Address (or alternative method of contact)

[Redacted]

Phone number

[Redacted]

Do you wish to be heard in support of your submission?

(Being 'heard' means speaking at a hearing)

Yes

If others have made a similar submission, would you consider presenting a joint case with them at a hearing?

Yes

Could you gain an advantage in trade competition from this submission?

No

Are you directly affected by an effect of the plan change that:

- a) adversely affects the environment; and
- b) does not relate to trade competition or the effects of trade competition

I am not

State what your submission relates to and if you support, oppose, or want it amended:

(e.g. support rule 'x', or amend policy 'y')

Want to ensure that our water permit remains valid until the 1st of June 2023. As stated in your ORC Reissue Letter dated the 12th May 2010. ref A203439

State what decision you want the Otago Regional Council to make:

(e.g. amend policy 'y' to say....)

That we can reapply for our permit six months before the 1st June 2023

Give reasons for the decision you want made:

(e.g. I want policy 'y' changed because...)

as above item 11