

File ref: FTC000020

27 May 2021

Jenny Chetwynd
Executive General Manager Planning & Investment
Auckland Transport
By email: jenny.chetwynd@at.govt.nz

Private Bag 63002
Wellington 6140, New Zealand

Level 10, Grant Thornton House
215 Lambton Quay
Wellington 6011, New Zealand

epa.govt.nz
+64 4 916 2426

Dear Jenny

Request for information from Auckland Transport in relation to Dominion Road Mixed-use Development application under COVID-19 Recovery (Fast-track Consenting) Act 2020

Schedule 7 of the COVID-19 Recovery (Fast-track Consenting) Referred Projects Amendment Order (No 3) 2020 required the expert consenting panel considering the Dominion Road Mixed-use Development resource consent application¹ to invite comments from Auckland Transport (clause 7(1)(b)). This invitation was sent on Tuesday 25 May 2021, with comments due no later than 16 June 2021.

In the interim, on 27 May 2021 the expert consenting panel directed the EPA to request further information from Auckland Transport under clause 25 (1)(a)(iii) of Schedule 6 of the COVID-19 Recovery Act 2020 (the Act), relating to the Dominion Road Mixed-use Development resource consent application.

The EPA is seeking the following information from Auckland Transport:

1. The Integrated Traffic Assessment provided as part of the application recommends the adoption of Scenario B – with the removal of the angled spaces on Prospect Terrace and Grange Road at the intersections with Dominion Road to enable two exit lanes (one left turn, one right turn) out of each street. Please confirm whether Auckland Transport is agreeable to the changes proposed in Scenario B and confirm the process to be followed by Auckland Transport to implement these changes in the event consent is granted.
2. The “Stakeholder Engagement Report” in Appendix 23 of the application includes a document titled “Stakeholder Consultation”. This refers to the potential installation of a pedestrian crossing on Prospect Terrace. This does not appear to form part of the Integrated Traffic Assessment or Scenario B. Please confirm whether the installation of a pedestrian crossing is supported by Auckland Transport.

The EPA considers this information to be necessary and relevant to the Dominion Road Mixed-use Development resource consent application.

In accordance with clause 25 of Schedule 6 of the Act the Auckland Transport must

¹ Dominion Road Mixed-use Development resource consent application <https://www.epa.govt.nz/fast-track-consenting/referred-projects/dominion-road-mixed-use-development/>

- a) Provide electronic copies of the information or report requested; or
- b) Advise the EPA, with reasons that you decline to provide the information or report requested.

Please provide the further information to the EPA by Friday 11 June 2021.

Please note, the information will be provided to the panel, the application and every person who provides comments on the application under clause 17(2) of the Act. The information will also be made available on the EPA website.

Please note, there is no provision for Auckland Transport to cost recover for responding to this further information request.

If you have any questions or further queries please don't hesitate to contact Gen Hewett, by email gen.hewett@epa.govt.nz or phone (04) 474 5523 or 027 839 3760.

Yours sincerely



Gen Hewett
Senior Advisor

Cc: Matthew Richards matthew.richards@at.govt.nz Sarah Jaff sarah.jaff@at.govt.nz