

OF THURSDAY, 3 JUNE 2004

WELLINGTON: FRIDAY, 4 JUNE 2004 — ISSUE NO. 65

ENVIRONMENTAL RISK MANAGEMENT AUTHORITY

HAZARDOUS SUBSTANCES (TIMBER PRESERVATIVES, ANTISAPSTAINS, AND ANTIFOULING PAINTS) TRANSFER NOTICE 2004 (AS AMENDED)*

PURSUANT TO THE HAZARDOUS SUBSTANCES
AND NEW ORGANISMS ACT 1996

***NOTE THIS CONSOLIDATED VERSION OF THE GAZETTE NOTICE HAS BEEN PRODUCED BY ERMA NEW ZEALAND AS AN INFORMATION RESOURCE ONLY. IT IS NOT AN OFFICIAL VERSION OF THE NOTICE. USERS ARE ADVISED TO REFER TO THE OFFICIAL VERSIONS PUBLISHED BY THE GAZETTE OFFICE IF LEGAL INTERPRETATION IS REQUIRED.**

This version incorporates the following:

- Hazardous Substance (Timber Preservatives, Antisapstains and Antifouling Paints) Transfer Notice 2004, (*Gazette*, 04 June 2004, No 65, page 1555)
- Hazardous Substance (Timber Preservatives, Antisapstains and Antifouling Paints) (Amendment) Transfer Notice 2004, (*Gazette*, 16 December 2004, No 167, page 4183)
- Hazardous Substances (Timber Preservatives, Antisapstains and Antifouling Paints) (Amendment) Transfer Notice 2006 (Supplement to the *New Zealand Gazette*, 26 June 2006, No. 66, page 1565)

ERMA New Zealand endeavours to keep this document accurate and up-to-date, but accepts no responsibility for any errors or omissions which may have occurred in its production.

This version was produced on 8 August 2006.

Hazardous Substances and New Organisms Act 1996

Hazardous Substances (Timber Preservatives, Antisapstains, and Antifouling Paints) Transfer Notice 2004

Pursuant to section 160A of the Hazardous Substances and New Organisms Act 1996 (in this notice referred to as **the Act**), the Environmental Risk Management Authority gives the following notice.

Contents

- 1 Title
- 2 Commencement
- 3 Interpretation
- 4 Deemed assessment and approval
- 5 Deemed hazard classification
- 6 Application of controls and changes to controls
- 7 Other obligations and restrictions
- 8 Workplace exposure standards set for substances transferred

Schedule 1

List of substances (timber preservatives, antisapstains, and antifouling paints) to be transferred

Schedule 2

Changes to controls relating to timber preservatives, antisapstains, and antifouling paints

Schedule 3

Prohibitions on alternative uses of timber preservatives, antisapstains, and antifouling paints

Schedule 4

Transitional controls

1 Title

This notice is the Hazardous Substances (Timber Preservatives, Antisapstains, and Antifouling Paints) Transfer Notice 2004.

2 Commencement

This notice comes into force on 1 July 2004.

3 Interpretation

In this notice, **variation code**, in relation to a hazardous substance, means a number set out in the column entitled “variation code(s)” opposite the description of the substance in Schedule 1.

4 Deemed assessment and approval

- (1) On the commencement of this notice, the hazardous substances described in Schedule 1 (timber preservatives, antisapstains, and antifouling paints), are no longer subject to the provisions of Parts XI to XVI of the Act.
- (2) Each hazardous substance described in Table 1 (timber preservatives and antisapstains) of Schedule 1 is deemed to have been assessed and approved by the Authority under section 29 of the Act for use in the treatment of timber.
- (3) Each hazardous substance described in Table 2 (antifouling paints) of Schedule 1 is deemed to have been assessed and approved by the Authority under section 29 of the Act for use as an antifouling paint to prevent, by the slow release of biocides, the build up of aquatic organisms on the hulls of vessels or other surfaces in contact with water.

5 Deemed hazard classification

Each hazardous substance described in Schedule 1 (timber preservatives, antisapstains, and antifouling paints) is deemed to have the hazard classifications specified opposite its description in Schedule 1.

6 Application of controls and changes to controls

- (1) The controls that apply to the hazardous substances described in Schedule 1 (timber preservatives, antisapstains, and antifouling paints) are as follows:
 - (a) The Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001:
 - (b) The Hazardous Substances (Classes 6, 8, and 9 Controls) Regulations 2001, with the changes indicated in Schedule 2:
 - (c) The Hazardous Substances (Tracking) Regulations 2001, with the changes indicated in Schedule 2:
 - (d) The Hazardous Substances (Disposal) Regulations 2001:
 - (e) The Hazardous Substances (Packaging) Regulations 2001, with the changes indicated in Schedule 2:
 - (f) The Hazardous Substances and New Organisms (Personnel Qualifications) Regulations 2001:
 - (g) The Hazardous Substances (Emergency Management) Regulations 2001, with the changes indicated in Schedule 2:
 - (h) The Hazardous Substances (Identification) Regulations 2001:
 - (i) The Hazardous Substances (Tank Wagons and Transportable Containers) Regulations 2004:
 - (j) the controls for stationary container systems set out in Schedule 8 of the Hazardous Substances (Dangerous Goods and Scheduled Toxic Substances) Transfer Notice 2004

1558 Hazardous Substances (Timber Preservatives, Antisapstains and Antifouling Paints)
Transfer Notice 2004 (As Amended)

(*Gazette*, 2004, No 35, p 767), as amended by the Hazardous Substances (Dangerous Goods and Scheduled Toxic Substances) (Amendment) Transfer Notice 2004 (*Gazette*, 2004, No 128, p 3133), with the changes indicated in Schedule 2.

- (k) the controls for the adverse effects of unintended ignition of class 2 and class 3.1 hazardous substances set out in Schedule 10 of the Hazardous Substances (Dangerous Goods and Scheduled Toxic Substances) Transfer Notice 2004 (*Gazette*, 2004, No 35, p 767), as amended by the Hazardous Substances (Dangerous Goods and Scheduled Toxic Substances) (Amendment) Transfer Notice 2004 (*Gazette*, 2004, No 128, p 3133), with the changes indicated in Schedule 2.
- (2) Subclause (1)(j) applies despite clause 1(1) of Schedule 8 of the Hazardous Substances (Dangerous Goods and Scheduled Toxic Substances) Transfer Notice 2004 (*Gazette*, 2004, No. 35, p 767).
- (3) Subclause (1)(k) applies despite clause 1 of Schedule 10 of the Hazardous Substances (Dangerous Goods and Scheduled Toxic Substances) Transfer Notice 2004 (*Gazette*, 2004, No. 35, p 767).

7 Other obligations and restrictions

The obligations and restrictions specified in Schedule 3 (prohibitions on alternative uses of timber preservatives, antisapstains, and antifouling paints) and Schedule 4 (transitional controls) are imposed under section 160B of the Act as controls applying to the hazardous substances described in Schedule 1.

8 Workplace exposure standards set for substances transferred

- (1) Under regulation 29(2) of the Hazardous Substances (Classes 6, 8, and 9 Controls) Regulations 2001, the Authority adopts as a workplace exposure standard in relation to each hazardous substance listed in Schedule 1, the value specified in the documents described in subclause (2) relating to that hazardous substance, if any.
- (2) The document referred to in subclause (1) is the document entitled “Workplace Exposure Standards”, published by the Occupational Safety and Health Service, Department of Labour, January 2002, ISBN 0-477-03660-0.

Schedule 1

List of substances (timber preservatives, antisapstains, and antifouling paints) to be transferred

Substances listed in Table 1 and Table 2 are listed alphabetically by active. Substances containing a single active are listed first, followed by dual actives, triple actives, and so on.

Table 1

Timber preservatives and antisapstains

Substance	Hazard classification(s)	Variation code(s)
Soluble concentrate containing 245 g/litre benzalkonium chloride , 87 g/litre boric acid and 23 g/litre iodocarb	6.1D, 6.5A, 6.5B, 6.8B, 6.9A, 8.2C, 8.3A, 9.1A, 9.3C	1, 3
Soluble concentrate containing 389 g/litre benzalkonium chloride , 21.5 g/litre chlorothalonil and 65.5 g/litre prochloraz	6.1C, 6.5A, 6.5B, 6.7B, 6.8A, 6.9B, 8.2C, 8.3A, 9.1A, 9.2D, 9.3B	2
Emulsifiable concentrate containing 148.8 g/litre benzalkonium chloride , 28.3 g/litre fenpropimorph and 14.6 g/litre octhilinone	3.1D, 6.1C, 6.5A, 6.5B, 6.8B, 6.9B, 8.2C, 8.3A, 9.1A, 9.2D, 9.3B	2
Soluble concentrate containing 500 g/litre benzalkonium chloride , 50 g/litre guazatine and 50 g/litre iodocarb	6.1C, 6.5A, 6.5B, 6.7B, [6.9B], 8.2C, 8.3A, 9.1A, 9.3B	2
Soluble concentrate containing 500 g/litre benzalkonium chloride , 50 g/litre guazatine and 50 g/litre propiconazole	6.1C, 6.5A, 6.5B, 6.7B, [6.9B], 8.2C, 8.3A, 9.1A, 9.3B	2
Soluble concentrate containing 500 g/litre benzalkonium chloride , 50 g/litre iodocarb and 50 g/litre propiconazole	6.1D, 6.5A, 6.5B, 6.9B, 8.2C, 8.3A, 9.1A, 9.3B	1, 3
Soluble concentrate containing 524 g/litre benzalkonium chloride , 65.6 g/litre methylene bistiocyanate and 13 g/litre octhilinone	3.1D, 6.1A, 6.5A, 6.5B, 6.8A, 6.9B, 8.2B, 8.3A, 9.1A, 9.3B	2
Soluble concentrate containing 466 g/litre benzalkonium chloride and 7 g/litre permethrin	6.1D, 6.5A, 6.5B, [6.9B], 8.2B, 8.3A, 9.1A, 9.3B, 9.4B	1, 3
Soluble concentrate containing 12 – 13 g/litre benzalkonium chloride and 246 – 528 g/litre sodium borate	6.1D, 6.3A, 6.4A, 6.5A, 6.5B, 6.8B, 6.9A, 9.1B, 9.3C	
Ready to use liquid containing 22 g/litre benzalkonium chloride and 109 g/litre sodium borate	6.4A, 6.5A, 6.5B, 6.8B, 6.9A, 9.1B	
Emulsifiable concentrate containing 292 g/litre copper carbonate, 64 g/litre boric acid and 6.4 g/litre tebuconazole	6.1B, 6.5A, 6.5B, 6.8A, 6.9A, 8.2C, 8.3A, 9.1C, 9.3B, 9.4C	

1560 Hazardous Substances (Timber Preservatives, Antisapstains and Antifouling Paints)
Transfer Notice 2004 (As Amended)

Substance	Hazard classification(s)	Variation code(s)
[Liquid containing 70 – 120 g/litre boric acid , 140 – 180 g/litre copper carbonate and 1 – 10 g/litre tebuconazole	3.1D, 6.1C, 6.5A, 6.5B, 6.8B, 6.9A, 8.1A, 8.2C, 8.3A, 9.1B, 9.3C	4]
Soluble concentrate containing 86 g/litre boric acid , 50.5 g/litre fenpropimorph and 24.8 g/litre propiconazole	6.1D, 6.8B, 6.9B, 8.2C, 8.3A, 9.1A, 9.2D, 9.3B	1, 3
Soluble concentrate containing 270 g/litre boric acid , 225 g/litre sodium borate and 1.1 g/litre othilinone	6.1E, 6.3A, 6.4A, 6.5B, 6.8B, 9.1B	
Soluble concentrate containing 270 g/litre boric acid , 225 g/litre sodium borate and 0.1 g/litre othilinone	6.1E, 6.3B, 6.4A, 6.8B, 9.1D	
Soluble concentrate containing 200 g/litre boric acid and 240 g/litre sodium borate	6.4A, 6.8B, 9.1D	
[Liquid containing 0.1 – 0.9 g/litre carbendazim and 10 – 17 g/litre chlorothalonil	6.4A, 6.5A, 6.5B, 6.7B, 6.9B, 9.1A	1, 3, 4]
Suspension concentrate containing 113 g/litre carbendazim , 53.2 g/litre 2-(diiodomethylsulfonyl)-toluene and 39.8 g/litre didecyl dimethyl ammonium bromide	6.1D, 6.3A, 6.4A, 6.5B, 6.6A, 6.8A, 6.9B, 9.1A, 9.2C, 9.3C	1, 3
Suspension concentrate containing 29.9 g/litre carbendazim and 53.6 g/litre 4,5-dichloro-2-octyl-3(2H)-isothiazolone	6.3A, 6.4A, 6.5B, 6.6A, 6.8A, 6.9B, 9.1A, 9.2C	1, 3
Emulsifiable concentrate containing 40 g/litre carbendazim and 50 g/litre chlorothalonil	3.1D, 6.1B, 6.3A, 6.5B, 6.6A, 6.7B, 6.8A, [6.9B], 8.3A, 9.1A, 9.2C, 9.3C	2
Suspension concentrate containing 100 – 250 g/litre carbendazim and 250 – 450 g/litre chlorothalonil (Substance A)	6.1B, 6.3B, 6.5B, 6.6A, 6.7B, 6.8A, 6.9A, [8.3A], 9.1A, 9.2B, 9.3B	2
Soluble concentrate containing 100 g/litre carbendazim , 22.6 g/litre cupric oxide and 82.4 g/litre 8-hydroquinoline	6.1D, 6.6A, 6.8A, 6.9B, 8.1A, 8.2C, 8.3A, 9.1A, 9.2C, 9.3C	1, 3
Soluble concentrate containing 80 g/litre carbendazim and 100 g/litre dodine	6.3B, 6.6A, 6.8A, 6.9B, 8.3A, 9.1A, 9.2C, 9.3C	[1, 3]
Suspension concentrate containing 125 g/litre carbendazim and 375 g/litre fenpropimorph	6.6A, 6.8A, 6.9B, 8.2C, 8.3A, 9.1A, 9.2C	1, 3
Emulsifiable concentrate containing 36 g/litre carbendazim , 20 – 21 g/litre iodocarb and 460 g/litre sodium orthophenylphenate	6.1D, 6.3A, 6.5B, 6.6A, 6.8A, 6.9A, 8.1A, 8.3A, 9.1A, 9.2B, 9.3C	1, 3
Suspension concentrate containing 75 g/litre carbendazim and 75 g/litre oxine-copper (Substance A)	3.1D, 6.1D, 6.5A, 6.6A, 6.8A, 6.9A, 8.2B, 8.3A, 9.1A, 9.2C, 9.3B	1, 3

Substance	Hazard classification(s)	Variation code(s)
Suspension concentrate containing 75 g/litre carbendazim and 75 g/litre oxine-copper (Substance B)	6.1D, 6.5A, 6.5B, 6.6A, 6.8A, 6.9B, 9.1A, 9.2C, 9.3C	1, 3
Emulsifiable concentrate containing 75 g/litre carbendazim , 75 g/litre oxine-copper and 30 g/litre permethrin	3.1D, 6.1D, 6.5A, 6.5B, 6.6A, 6.8A, 6.9A, 8.2B, 8.3A, 9.1A, 9.2C, 9.3B, 9.4A	1, 3
Suspension concentrate containing 130 g/litre carbendazim and 100 g/litre prochloraz	6.3A, 6.4A, 6.6A, 6.8A, 6.9B, 9.1B, 9.2C	
Emulsifiable concentrate containing 36 g/litre carbendazim and 460 g/litre sodium orthophenylphenate	3.1D, 6.1D, 6.3A, 6.6A, 6.8A, 6.9B, 8.1A, 8.3A, 9.1A, 9.2B, 9.3B	1, 3
[Liquid containing 35 – 40 g/litre CCA	6.1B, 6.3A, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9B, 8.3A, 9.1A, 9.2C, 9.3B, 9.4C	2, 4]
[Liquid containing 115 – 140 g/litre CCA	6.1B, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9A, 8.2C, 8.3A, 9.1A, 9.2C, 9.3B, 9.4C	2, 4]
Soluble concentrate containing 212 g/litre or 221 g/litre CCA	6.1B, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9A, 8.2C, 8.3A, 9.1A, 9.2C, 9.3A, 9.4C	2
Soluble concentrate containing 214 g/litre CCA	6.1B, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9A, 8.2C, 8.3A, 9.1A, 9.2B, 9.3A, 9.4C	2
Soluble concentrate containing 220 g/litre CCA	6.1B, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9A, 8.1A, 8.2C, 8.3A, 9.1A, 9.2C, 9.3B, 9.4C	2
Soluble concentrate containing 367 g/litre CCA	6.1B, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9A, 8.1A, 8.2B, 8.3A, 9.1A, 9.2C, 9.3A, 9.4C	2
Soluble concentrate containing 407 g/litre, or 657 g/litre, or 687 g/litre CCA	6.1B, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9A, 8.1A, 8.2B, 8.3A, 9.1A, 9.2B, 9.3B, 9.4C	2
Soluble concentrate containing 600 g/litre CCA	6.1B, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9A, 8.2C, 8.3A, 9.1A, 9.2B, 9.3B, 9.4C	2
Soluble concentrate containing 635 g/litre CCA	6.1B, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9A, 8.1A, 8.2B, 8.3A, 9.1A, 9.2B, 9.3A, 9.4B	2
Soluble concentrate containing 650 g/litre CCA (Substance A)	6.1B, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9A, 8.1A, 8.2B, 8.3A, 9.1A, 9.2B, 9.3B, 9.4B	2

1562 Hazardous Substances (Timber Preservatives, Antisapstains and Antifouling Paints)
Transfer Notice 2004 (As Amended)

Substance	Hazard classification(s)	Variation code(s)
Soluble concentrate containing 650 g/litre CCA (Substance B)	6.1B, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9A, 8.1A, 8.2B, 8.3A, 9.1A, 9.2B, 9.3A	2
Soluble concentrate containing 674 g/litre CCA	6.1B, 6.5A, 6.5B, 6.6A, 6.7A, 6.8A, 6.9A, 8.1A, 8.2B, 8.3A, 9.1A, 9.2B, 9.3A, 9.4C	2
Soluble concentrate containing 142 g/litre 5-chloro-2-methyl-4-isothiazolin-3-one and 43 g/litre 2-methyl-4-isothiazolin-3-one	6.1C, 6.5B, 8.2B, 8.3A, 9.1A, 9.3B	2
Emulsifiable concentrate containing 0.6 g/litre 5-chloro-2-methyl-4-isothiazolin-3-one , 311.1 g/litre didecyl dimethyl ammonium chloride, 36.5 g/litre iodocarb and 0.2 g/litre 2-methyl-4-isothiazolin-3-one	3.1C, 6.1C, 6.5B, 6.8B, 6.9A, 8.2B, 8.3A, 9.1A, 9.3B	2
Emulsifiable concentrate containing 0.65 g/litre 5-chloro-2-methyl-4-isothiazolin-3-one , 600 g/litre didecyl dimethyl ammonium chloride, 70 g/litre iodocarb and 0.18 g/litre 2-methyl-4-isothiazolin-3-one	3.1C, 6.1C, 6.5B, 6.8B, 6.9B, 8.2B, 8.3A, 9.1A, 9.3B	2
Suspension concentrate containing 500 g/litre chlorothalonil [(Substance A)]	6.1B, 6.3B, 6.5B, 6.7B, 6.9A, [8.3A], 9.1A, 9.2B, 9.3B	2
Suspension concentrate containing 165 g/litre chlorothalonil and 167 g/litre thiocyanic acid, methylene ester	6.1B, 6.5B, 6.7B, 6.8B, 6.9A, 8.1A, 8.2B, 8.3A, 9.1A, 9.2C, 9.3B	2
Soluble concentrate containing 90.24 g/litre copper as copper ammonium carbonate and 56.4 g/litre didecyl dimethyl ammonium chloride	6.1D, 6.5B, 6.9B, 8.1A, 8.2B, 8.3A, 9.1A, 9.3C	1, 3
Oil miscible liquid containing 240 g/litre tributyltin naphthenate, 11.5 g/litre permethrin and 4.7 g/litre dichlofluamid	3.1C, 6.1B, 6.3A, 6.4A, 6.5A, 6.5B, 6.9A, 9.1A, 9.2B, 9.3C, 9.4B	2
Emulsifiable concentrate containing 240 g/litre didecyl dimethyl ammonium chloride and 48 g/litre propiconazole	3.1C, 6.1B, 6.5B, 6.9B, 8.1A, 8.2C, 8.3A, 9.1B, 9.3B	2
Emulsifiable concentrate containing 603 g/litre didecyl dimethyl ammonium chloride and 71 g/litre iodocarb (Substance A)	3.1C, 6.1C, 6.5B, 6.7B, 6.9B, 8.2B, 8.3A, 9.1A, 9.3B	2
Emulsifiable concentrate containing 603 g/litre didecyl dimethyl ammonium chloride and 71 g/litre iodocarb (Substance B)	3.1C, 6.1C, 6.5B, 6.9B, 8.2B, 8.3A, 9.1A, 9.3B	2
Emulsifiable concentrate containing 8.65 g/litre tebuconazole and 465 g/litre didecyl dimethyl ammonium chloride	3.1C, 6.1C, 6.5B, 8.2B, 8.3A, 9.1A, 9.3B	2

Substance	Hazard classification(s)	Variation code(s)
Emulsifiable concentrate containing 330 g/litre of iodocarb	6.1C, 6.3B, 6.4A, 6.5B, 6.9B, 9.1A	2
Emulsifiable concentrate containing 40 g/litre iodocarb and 120 g/litre orthophenyl phenol	3.1D, 6.1D, 6.3A, 6.5B, 6.9B, 8.3A, 9.1A, 9.2B, 9.3C	1, 3
Emulsifiable concentrate containing 199 g/litre triadimefon, 100 g/litre iodocarb and 15 g/litre permethrin	3.1D, 6.1C, 6.3B, 6.4A, 6.5A, 6.5B, 6.8A, 6.9A, 9.1A, 9.3C, 9.4B	2
[Oil miscible liquid containing 1 – 3 g/litre iodocarb and 10 – 20 g/litre permethrin	3.1C, 6.1E, 6.3B, 6.5A, 6.5B, 6.9B, 9.1A, 9.4B	1, 3, 4]
[Oil miscible liquid containing 10 – 20 g/litre iodocarb and 1 – 9 g/litre permethrin	3.1C, 6.1E, 6.3B, 6.5A, 6.5B, 6.9B, 9.1A, 9.4B	1, 3, 4]
[Liquid containing 20 – 40 g/litre iodocarb and 10 – 20 g/litre permethrin	3.1C, 6.1E, 6.3B, 6.5A, 6.5B, 6.9B, 9.1A, 9.4B	1, 3, 4]
[Oil miscible liquid containing 50 – 90 g/litre iodocarb and 50 – 90 g/litre permethrin	3.1C, 6.1E, 6.3B, 6.4A, 6.5A, 6.5B, 6.9B, 9.1A, 9.3C, 9.4A	1, 3, 4]
[Oil miscible liquid containing 3 – 10 g/litre iodocarb , 10 – 25 g/litre permethrin and 160 – 220 g/litre tributyltin naphthenate	3.1C, 6.1B, 6.3A, 6.4A, 6.5A, 6.5B, 6.7A, 6.9A, 9.1A, 9.2B, 9.3C, 9.4B	2, 4]
[Oil miscible liquid containing 3.2 – 10 g/litre iodocarb , 1 – 10 g/litre permethrin and 100 – 150 g/litre tributyltin naphthenate	3.1C, 6.1C, 6.3A, 6.4A, 6.5A, 6.5B, 6.9A, 9.1A, 9.2B, 9.3C, 9.4B	2, 4]
[Oil miscible liquid containing 225 – 260 g/litre tributyltin naphthenate, 8 – 17 g/litre permethrin and 8 – 17 g/litre iodocarb]	3.1C, 6.1B, 6.3A, 6.4A, 6.5A, 6.5B, 6.9A, 9.1A, 9.2A, 9.3B, 9.4B	2
[Liquid containing 0.6 – 5 g/litre 2-methyl-3(2H)-isothiazolone , 0.6 – 5 g/litre 5-chloro-2-methyl-4-isothiazolin-3-one and 10 – 50 g/litre 8-hydroxyquinolone	6.1D, 6.3A, 6.5B, 6.6B, 6.9B, 8.3A, 9.1A, 9.2D, 9.3C	1, 3, 4]
Suspension concentrate containing 100 g/litre methylene bis thiocyanate	6.1A, 6.5B, 6.8B, 6.9B, 8.2B, 8.3A, 9.1A, 9.3C	2
Emulsifiable concentrate containing 240 g/litre octhilinone	6.1C, 6.5B, 8.2C, 8.3A, 9.1A, 9.3C	2
Emulsifiable concentrate containing 350 g/litre octhilinone	6.1C, 6.4A, 6.5B, 6.8B, 8.2C, 9.1A, 9.3C	2
Emulsifiable concentrate containing 35 g/litre octhilinone and 75 g/litre oxine-copper	6.1C, [6.3A], 6.5A, 6.5B, 6.8A, 8.3A, 9.1A, 9.3C	2
Soluble concentrate containing 40 g/litre oxine-copper (Substance A)	6.1D, 6.3A, 6.5A, 8.1A, 8.3A, 9.1A, 9.3C	1, 3
Soluble concentrate containing 40 g/litre oxine-copper (Substance B)	6.1D, 6.5A, 6.5B, 8.1A, 8.2C, 8.3A, 9.1A, 9.2D, 9.3C	1, 3

1564 Hazardous Substances (Timber Preservatives, Antisapstains and Antifouling Paints)
Transfer Notice 2004 (As Amended)

Substance	Hazard classification(s)	Variation code(s)
Soluble concentrate containing 40 g/litre oxine-copper (Substance C)	6.1D, 6.5A, 6.5B, 6.8A, 6.9B, 8.1A, 8.2C, 8.3A, 9.1A, 9.3C	1, 3
Soluble concentrate containing 40 g/litre oxine-copper . Also contains 128 g/litre ethylene glycol	6.1D, 6.5A, 8.1A, 8.2C, 8.3A, 9.1A, 9.3C	1, 3
Soluble concentrate containing 59 g/litre oxine-copper	3.1C, 6.1D, 6.5A, 8.1A, 8.2C, 8.3A, 9.1A, 9.3C	1, 3
Soluble concentrate containing 100 g/litre oxine-copper	6.1D, 6.5A, 8.1A, 8.2C, 8.3A, 9.1A, 9.3C	1, 3
Oil miscible liquid containing 2.2 g/litre permethrin	3.1C, 6.1E, 6.3B, 9.1A, 9.4B	1, 3
[Oil miscible liquid containing 10 – 20 g/litre permethrin]	3.1C, 6.1E, 6.3B, 6.5A, 6.5B, 6.9B, 9.1A, 9.4B,	1, 3
[Oil miscible liquid containing 10 – 20 g/litre permethrin	3.1C, 6.1E, 6.3B, 6.5A, 6.5B, 6.9B, 9.1A, 9.4B	1, 3, 4]
Oil miscible liquid containing 77 g/litre permethrin	3.1D, 6.1D, 6.3B, 6.4A, 6.5A, 6.5B, 6.9B, 9.1A, 9.3C, 9.4A	1, 3
Oil miscible liquid containing 558 g/litre permethrin	3.1C, 6.1D, 6.3B, 6.4A, 6.5A, 6.5B, 6.9B, 9.1A, 9.3B, 9.4A	1, 3
[Oil miscible liquid containing 26 – 60 g/litre permethrin and 400 – 500 g/litre tributyltin naphthenate	3.1C, 6.1B, 6.3A, 6.4A, 6.5A, 6.5B, 6.9A, 9.1A, 9.2A, 9.3B, 9.4A	2, 4]
[Oil miscible liquid containing 800 – 886 g/litre tributyltin naphthenate and 40 – 50 g/litre permethrin]	3.1C, 6.1B, 6.3A, 6.4A, 6.5A, 6.5B, 6.9A, 9.1A, 9.2A, 9.3B, 9.4A	2
Emulsifiable concentrate containing 100 g/litre propiconazole	3.1D, 6.3B, 6.4A, 6.9B, 9.1A	1, 3
Emulsifiable concentrate containing 279 g/litre propiconazole and 279 g/litre tebuconazole	3.1D, 6.1D, 6.3A, 6.4A, 6.5B, 6.8A, 6.9B, 9.1A, 9.3C	1, 3
Liquid containing 333 g/litre of sodium borate	6.4A, 6.8B, 9.1D	
Water soluble powder containing 980 – 998 g/kg sodium borate	6.1E, 6.4A, 6.8B, 9.1D	
Solid rod containing 1000 g/kg of sodium borate	6.1E, 6.4A, 6.8B, 9.1D	
Solid rod containing 582 g/kg sodium borate and 243 g/kg sodium fluoride	6.1C, 6.3A, 6.4A, 6.6B, 6.8B, 6.9A, 9.3B	
Soluble concentrate containing 248 g/litre sodium orthophenylphenate	6.3A, 6.5B, 6.6B, 6.7B, 6.9B, 8.3A, 9.1B	

Substance	Hazard classification(s)	Variation code(s)
Gel containing 165 g/litre 2-(thiocyanomethylthio) benzothiazole	6.1B, 6.5B, 6.9B, 8.2C, 8.3A, 9.1A, 9.3C	2
Emulsifiable concentrate containing 324 g/litre 2-(thiocyanomethylthio) benzothiazole	3.1C, 6.1A, 6.5B, 6.9B, 8.2C, 8.3A, 9.1A, 9.3C	2
Emulsifiable concentrate containing 333 g/litre 2-(thiocyanomethylthio) benzothiazole	6.1A, 6.5B, 6.9B, 8.2C, 8.3A, 9.1A, 9.3C	2
[Oil miscible liquid containing 32.5 – 50 g/litre tributyltin oxide	3.1C, 6.1D, 6.3B, 6.8B, 6.9B, 9.1A, 9.2B, 9.3C	1, 3, 4]
[Oil miscible liquid containing 100 – 250 g/litre tributyltin oxide]	3.1C, 6.1B, 6.3A, 6.4A, 6.8B, 6.9A, 9.1A, 9.2B, 9.3B	2
[Oil miscible liquid containing 120 – 150 g/litre tributyltin naphthenate	3.1C, 6.1C, 6.3A, 6.4A, 6.9A, 9.1B, 9.2B, 9.3C	2, 4]
[Oil miscible liquid containing 260 – 450 g/litre tributyltin naphthenate	3.1C, 6.1B, 6.3A, 6.4A, 6.9A, 9.1A, 9.2A, 9.3C	2, 4]
Oil miscible liquid containing 600 g/litre tributyltin oxide	3.1C, 6.1B, 6.3A, 6.4A, 6.8B, 6.9A, 9.1A, 9.2A, 9.3A	2

Table 2

Antifouling paints

Substance	Hazard classification(s)	Variation code(s)
Antifouling paint containing 84 – 138 g/litre chlorothalonil and 517 – 690 g/litre cuprous oxide	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.7B, 6.8B, 6.9B, 9.1A, 9.2C, 9.3B	
Antifouling paint containing 138 g/litre chlorothalonil and 722 g/litre cuprous oxide	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.7B, 6.9B, 9.1A, 9.2C, 9.3B	
Antifouling paint containing 62 g/litre chlorothalonil, 518 g/litre cuprous oxide and 82 g/litre mancozeb	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.7B, 6.8A, 6.9B, 9.1A, 9.2C, 9.3B	
Antifouling paint containing 215 g/litre copper thiocyanate and 36 g/litre dichlofluanid	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.8B, 6.9B, 9.1A, 9.3C	
Antifouling paint containing 230 g/litre copper thiocyanate and 40 g/litre diuron	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.8B, 6.9B, 9.1A, 9.2A, 9.3C	
Antifouling paint containing 220 g/litre copper thiocyanate and 20 g/litre irgarol	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.9B, 9.1A, 9.3C	

1566 Hazardous Substances (Timber Preservatives, Antisapstains and Antifouling Paints)
Transfer Notice 2004 (As Amended)

Substance	Hazard classification(s)	Variation code(s)
Antifouling paint containing 290 g/litre copper thiocyanate , 220 g/litre zinc oxide and 55 g/litre zineb	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.7B, 6.8B, 6.8C, 6.9B, 9.1A, 9.3C	
Antifouling paint containing 195 g/litre cuprous oxide	[6.1E], 6.4A, 6.9B, 9.1A, 9.3C	
Antifouling paint containing 245 g/litre cuprous oxide	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.8B, 6.9B, 9.1A, 9.3C	
Antifouling paint containing 521 g/litre cuprous oxide	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.7B, 6.8B, 6.8C, 6.9B, 9.1A, 9.3B	
Antifouling paint containing 408 – 494 g/litre cuprous oxide and 34 – 42 g/litre dichlofluamid	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.8B, 6.9B, 9.1A, 9.3B	
Antifouling paint containing 450 – 849 g/litre cuprous oxide and 40 – 70 g/litre diuron	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.8B, 6.9B, 9.1A, 9.2A, 9.3B	
Antifouling paint containing 580 g/litre cuprous oxide , 65 g/litre diuron and 320 g/litre zinc oxide	3.1C, 6.1D, 6.4A, 6.8B, 6.9B, 9.1A, 9.2A, 9.3B	
Antifouling paint containing 760 g/litre cuprous oxide , 62 g/litre diuron and 165 g/litre zinc oxide	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.8B, 6.9B, 9.1A, 9.2A, 9.3B	
Antifouling paint containing 570 g/litre cuprous oxide and 20 g/litre irgarol	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.9B, 9.1A, 9.3B	
Antifouling paint containing 750 g/litre cuprous oxide , 50 g/litre thiram and 260 g/litre zinc oxide	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.8B, 6.9B, 9.1A, 9.3B	
Antifouling paint containing 754 g/litre cuprous oxide and 550 g/litre zinc oxide	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.9B, 9.1A, 9.3B	
Antifouling Paint containing 780 g/litre cuprous oxide and 220 g/litre zinc oxide	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.8B, 6.9B, 9.1A, 9.3B	
Antifouling Paint containing 840 g/litre cuprous oxide and 350 g/litre zinc oxide	3.1C, 6.1D, [6.3B], 6.4A, 6.5B, 6.7B, 6.8B, 6.8C, 6.9B, 9.1A, 9.3B	
Antifouling paint containing 640 g/litre cuprous oxide and 60 g/litre zinc pyrrithione	3.1C, 6.1D, 6.3B, 6.4A, 6.7B, 6.8B, 6.8C, 6.9B, 9.1A, 9.3B	
Antifouling paint containing 648 g/litre cuprous oxide and 70 g/litre zineb	3.1C, 6.1D, 6.3B, 6.4A, 6.5B, 6.8B, 6.9B, 9.1A, 9.2D, 9.3B	
Antifouling paint prepared from:		
– 20 g/litre diuron (Part A), and	3.1C, 6.1E, 6.3B, 6.4A, 6.5B, 6.8B, 6.9B, 9.1A, 9.2B, 9.3C	
– 1000 g/kg cuprous oxide (Part B)	6.1D, 6.4A, 6.9B, 9.1A, 9.3B	

Schedule 2

Changes to controls relating to timber preservatives, antisapstains, and antifouling paints

**Control – Hazardous
Substances (Classes 6, 8
and 9 Controls)
Regulations 2001**

Changes to Controls

Regulation 9

The regulations apply to each hazardous substance in Table 1 of Schedule 1 with variation code 1, and each hazardous substance in Table 2 of that Schedule, as if regulation 9 were omitted.

Regulation 9

This regulation applies to each hazardous substance with variation code 2 as if each substance is not a class 9 hazardous substance.

[New regulation 9A

The regulations apply to each hazardous substance described in Schedule 1 as if the following regulation were inserted immediately after regulation 9:

9A Exception to approved handler requirement for transportation of packaged substances

- (1) Regulation 9 is deemed to be complied with if—
- (a) in the case of a hazardous substance being transported on land—
 - (i) in the case of a hazardous substance being transported by rail, the person who drives the rail vehicle that is transporting the substance is fully trained in accordance with the approved safety system under section 6D of the Transport Services Licensing Act 1989 or a safety system which is referred to in an approved safety case under the Railways Act 2005; and
 - (ii) in every other case, the person who drives, loads, and unloads the vehicle that is transporting the substance—
 - (A) for hire or reward, or in quantities that exceed those set out in Schedule 1 of the Land Transport Rule 45001/1: Dangerous Goods 2005, has a current dangerous goods endorsement on his or her drivers licence; or

- (B) in every other case, the Land Transport Rule 45001/1: Dangerous Goods 2005 is complied with; or
- (b) in the case of a hazardous substance being transported by sea, one of the following is complied with:
 - (i) Maritime Rules: Part 24A – Carriage of Cargoes – Dangerous Goods (MR024A); or
 - (ii) International Maritime Dangerous Goods Code; or
- (c) in the case of a hazardous substance being transported by air, Part 92 of the Civil Aviation Rules is complied with.
- (2) Subclause (1)(a)—
 - (a) does not apply to a tank wagon or a transportable container to which the Hazardous Substances (Tank Wagons and Transportable Containers) Regulations 2004 applies; but
 - (b) despite paragraph (a), does apply to an intermediate bulk container that complies with chapter 6.5 of the UN Model Regulations.
- (3) Subclause (1)(c)—
 - (a) applies to pilots, aircrew, and airline ground personnel loading and handling a hazardous substance within an aerodrome; but
 - (b) does not apply to the storage and handling of a hazardous substance in any place that is not within an aerodrome, or within an aerodrome by non-airline ground personnel.
- (4) In this regulation, **UN Model Regulations** means the 14th revised edition of the Recommendation on the Transport of Dangerous Goods Model Regulations, published in 2005 by the United Nations.]

Regulation 32

This regulation applies as if subclauses (1) and (2) were omitted.

**Control – Hazardous
Substances (Packaging)
Regulations 2001**

Changes to Controls

Regulation 19

This regulation applies to the following hazardous substances as if each substance is not a class 6.1A hazardous substance:

Suspension concentrate containing 100 g/litre methylene bis thiocyanate

Soluble concentrate containing 524 g/litre benzalkonium chloride, 65.6 g/litre methylene bis thiocyanate, and 13 g/litre octhiline

Emulsifiable concentrate containing 324 g/litre 2-(thiocyanomethylthio) benzothiazole

Emulsifiable concentrate containing 333 g/litre 2-(thiocyanomethylthio) benzothiazole

Regulation 19

This regulation applies to the following hazardous substances as if each substance is not a class 6.1B hazardous substance:

[Liquid containing 35 – 40 g/litre CCA]

[Liquid containing 115 – 140 g/litre CCA]

Emulsifiable concentrate containing 40 g/litre carbendazim and 50 g/litre chlorothalonil

Suspension concentrate containing 100 – 250 g/litre carbendazim and 250 – 450 g/litre chlorothalonil (Substance A)

Suspension concentrate containing 500 g/litre chlorothalonil

Suspension concentrate containing 165 g/litre chlorothalonil and 167 g/litre thiocyanic acid, methylene ester

Oil miscible liquid containing 240 g/litre tributyltin naphthenate, 11.5 g/litre permethrin and 4.7 g/litre dichlofluanid

Emulsifiable concentrate containing 240 g/litre didecyl dimethyl ammonium chloride and 48 g/litre propiconazole

[Oil miscible liquid containing 3 – 10 g/litre iodocarb, 10 – 25 g/litre permethrin and 160 – 220 g/litre tributyltin naphthenate]

[Oil miscible liquid containing 26 – 60 g/litre permethrin and 400 – 500 g/litre tributyltin naphthenate]

[Oil miscible liquid containing 225 – 260 g/litre tributyltin naphthenate, 8 – 17 g/litre permethrin and 8 – 17 g/litre iodocarb]

[Oil miscible liquid containing 260 – 450 g/litre tributyltin naphthenate]

[Oil miscible liquid containing 800 – 886 g/litre tributyltin naphthenate and 40 – 50 g/litre permethrin]

Gel containing 165 g/litre 2-(thiocyanomethylthio) benzothiazole

**Control – Hazardous
Substances (Tracking)
Regulations 2001**

Changes to Controls

Regulations 4 to 6

These regulations apply to each hazardous substance in Table 1 of Schedule 1 with variation code 3, and each hazardous substance in Table 2 of that Schedule, as if Regulations 4 to 6 were omitted.

**Control – Hazardous
Substances (Emergency
Management) Regulations
2001**

Changes to Controls

Regulation 36

This regulation applies as if the following subclauses were added after subclause (3):

- (4) For the purposes of this regulation and regulations 37 to 40, any hazardous substance contained in pipework that is installed and operated so as to manage any loss of containment in the pipework—
 - (a) is not to be taken into account in determining whether a place is required to have a secondary containment system; and
 - (b) is not required to be located in a secondary containment system.
- (5) In this clause, **pipework**—
 - (a) means piping that—
 - (i) is connected to a stationary container; and
 - (ii) is used to transfer a hazardous substance into or out of the stationary container; and
 - (b) includes a process pipeline or a transfer line.

[Regulation 37

This regulation applies to each hazardous substance described in Schedule 1 as if the following subclauses were inserted at the end:

- (2) If pooling substances which do not have class 1 to 5 hazard classifications are held in a place above ground in containers each of which has a capacity of 60 litres or less—
 - (a) if the place's total pooling potential is less than 20,000 litres, the secondary containment system must have a capacity of at least 25% of that total pooling potential:

- (b) if the place's total pooling potential is 20,000 litres or more, the secondary containment system must have a capacity of the greater of—
 - (i) 5% of the total pooling potential; or
 - (ii) 5,000 litres.
- (3) Pooling substances to which subclause (2) applies must be segregated where appropriate to ensure that leakage of one substance may not adversely affect the container of another substance.

Regulation 38

This regulation applies to each hazardous substance described in Schedule 1 as if the following subclauses were inserted at the end:

- (2) If pooling substances which do not have class 1 to 5 hazard classifications are held in a place above ground in containers 1 or more of which have a capacity of more than 60 litres but none of which have a capacity of more than 450 litres—
 - (a) if the place's total pooling potential is less than 20,000 litres, the secondary containment system must have a capacity of either 25% of that total pooling potential or 110% of the capacity of the largest container, whichever is the greater:
 - (b) if the place's total pooling potential is 20,000 litres or more, the secondary containment system must have a capacity of the greater of—
 - (i) 5% of the total pooling potential; or
 - (ii) 5,000 litres.
- (3) Pooling substances to which subclause (2) applies must be segregated where appropriate to ensure that the leakage of one substance may not adversely affect the container of another substance.]

**Control – Schedule 8 of
the Hazardous Substances
(Dangerous Goods and
Scheduled Toxic
Substances) Transfer
Notice 2004 (Gazette, 2004,
No. 35, p 767)**

Changes to Controls

Clause 1

This clause applies as if the words “Schedules 1 and 2” in subclause (1) were omitted and the following substituted:

1572 Hazardous Substances (Timber Preservatives, Antisapstains and Antifouling Paints)
Transfer Notice 2004 (As Amended)

Schedule 1 of the Hazardous Substances (Timber Preservatives, Antisapstains, and Antifouling Paints) Transfer Notice 2004.

Clause 100

This clause applies as if subclause (1) were omitted and the following substituted:

- (1) In this Part, **existing stationary container system** means a stationary container system to which this Schedule applies that, immediately before 1 July 2004—
 - (a) was being used to contain a substance described in Schedule 1 of the Hazardous Substances (Timber Preservatives, Antisapstains, and Antifouling Paints) Transfer Notice 2004; or
 - (b) was designed to be used to contain a substance described in that Schedule, and construction of the stationary container system to that design had commenced.

**Control – Schedule 10 of
the Hazardous Substances
(Dangerous Goods and
Scheduled Toxic
Substances) Transfer
Notice 2004 (Gazette, 2004,
No. 35, p 767)**

Changes to Controls

Clause 1

This clause applies as if the words “Schedule 1” were omitted and the following substituted:

Schedule 1 of the Hazardous Substances (Timber Preservatives, Antisapstains, and Antifouling Paints) Transfer Notice 2004.

Clause 33

Subclause (1) applies as if the words “Subject to subclause (2)” were omitted.

This clause applies as if subclause (2) were omitted.

Schedule 3

Prohibitions on alternative uses of timber preservatives, antisapstains, and antifouling paints

Contents

- 1 Prohibition on alternative uses of timber preservatives and antisapstains
 - 2 Prohibition on alternative uses of antifouling paints
-

1 Prohibition on alternative uses of timber preservatives and antisapstains

No person may use a hazardous substance described in Table 1 (timber preservatives and antisapstains) of Schedule 1 for any purpose other than for the treatment of timber.

2 Prohibition on alternative uses of antifouling paints

No person may use a hazardous substance described in Table 2 (antifouling paints) of Schedule 1 for any purpose other than as an antifouling paint to prevent, by the slow release of biocides, the build up of aquatic organisms on the hulls of vessels or other surfaces in contact with water.

Schedule 4**Transitional controls****Contents**

- 1 Purpose of Schedule
 - 2 Persons may comply with Act and controls at any time
 - 3 Schedule does not apply to new locations or new substances at existing locations
 - 4 Compliance with obligations and restrictions as at 30 June 2004 for transitional period
 - 5 Transitional provision for hazardous substance locations
 - 6 Application for test certificate for hazardous substance location
 - 7 Packaging
 - 8 Identification, documentation, and signage
 - 9 Fire extinguishers and emergency management response plans
 - [10 Packaging, identification and signage for substances with variation code 4]
 - [11 Fire extinguishers, emergency management response plans and secondary containment for substances with variation code 4]
-

1 Purpose of Schedule

- (1) The purpose of this Schedule is to provide for a transitional period to allow persons dealing with hazardous substances to which this notice applies to comply with the Act, and controls under the Act, in relation to those hazardous substances.
- (2) This Schedule achieves the purpose described in subclause (1) by—
 - (a) providing that, for a period of 6 months from the commencement of this notice, a person may comply with the obligations and restrictions that applied to those hazardous substances immediately before the commencement of this notice, as if this notice (other than this Schedule) had not been given; and
 - (b) providing for obligations and restrictions that apply after the expiry of that 6 month period to progressively impose the requirements of the Act, and controls under the Act, in relation to those hazardous substances.

2 Persons may comply with Act and controls at any time

Except as specifically provided in this Schedule, this Schedule does not prevent a person from complying with the Act, and controls under the Act, as if this Schedule did not exist.

3 Schedule does not apply to new locations or new substances at existing locations

Nothing in this Schedule applies to any of the following:

- (a) a hazardous substance location that was not in use immediately before 1 July 2004;
- (b) a hazardous substance at a hazardous substance location if the hazardous substance was not permitted to be stored at the location immediately before that date:

- (c) a stationary container system to which Schedule 8 of the Hazardous Substances (Dangerous Goods and Scheduled Toxic Substances) Transfer Notice 2004 *Gazette*, 2004, No. 35, p 767) applies by virtue of clause 6(j) of this notice.

4 Compliance with obligations and restrictions as at 30 June 2004 for transitional period

- (1) A person complies with the Act in relation to a hazardous substance to which this notice applies, if the person complies with all obligations and restrictions that were in force in relation to the hazardous substance as at the close of 30 June 2004.
- (2) This subclause is subject to any other provision of this Schedule.
- (3) This clause expires with the close of 31 December 2004.

5 Transitional provision for hazardous substance locations

- (1) This clause applies to every licence granted or deemed to be granted by the Authority under section 217 of the Act, and every provisional licence granted under section 218 of the Act, that is in force immediately before the close of 30 June 2004.
- (2) Every licence to which this clause applies continues in force for the purposes of this Schedule.
- (3) On and from 1 January 2005 every licence to which this clause applies is deemed, to the extent that it applies to a class 3.1C hazardous substance, to be a test certificate issued under Regulation 81 of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001.
- (4) A test certificate referred to in subclause (3) expires—
 - (a) if the combined quantity of the substances specified in subclause (5) held at the hazardous substance location to which the test certificate relates is 50,000 litres or greater,—
 - (i) if the Authority approves an implementation plan under clause 6, on a date specified by the Authority when it approves the implementation plan; or
 - (ii) in every other case, at the close of 31 March 2005:
 - (b) if the combined quantity of the substances specified in subclause (5) held at the hazardous substance location to which the test certificate relates is less than 50,000 litres,—
 - (i) if an application is made in accordance with clause 6, on the date that the application is granted or declined; or
 - (ii) if an application is not made in accordance with clause 6, at the close of the month in which the application is required by that clause to be made; or
 - (iii) if the Authority approves an implementation plan under clause 6, on a date specified by the Authority when it approves the implementation plan.
- (5) The substances referred to in subclause (4) are —

- (a) class 3.1C hazardous substances described in Schedule 1; and
 - (b) any petrol, aviation gasoline, racing gasoline, and class 3.1B and class 3.1C hazardous substances.
- (6) A date specified by the Authority under subclause (4)(a)(i) or subclause (4)(b)(iii) must not be later than 30 June 2006.
- (7) While a test certificate referred to in subclause (3) is in force, regulation 77(2) of the Hazardous Substances (Classes 1 to 5 Controls) Regulations 2001 does not apply to the hazardous substance location to which the test certificate relates.

6 Application for test certificate for hazardous substance location

- (1) The holder of a test certificate referred to in clause 5(3) must apply to a test certifier for a test certificate of a type referred to in clause 5(3).
- (2) An application under subclause (1) must be made before the close of the month specified in column 1 of the following table opposite the first letter (or first 2 letters, as the case may be) of the surname, in the case of a natural person, or the name, in the case of any other person, specified on the licence referred to in clause 5(1) as the holder of the licence, in column 2 of the table:

Column 1 Month	Column 2 First letter(s) of name
December 2004	A, B
February 2005	Ca to Ck
March 2005	Cl to Cz
June 2005	D, E, F
August 2005	G, H
October 2005	I, J, K, L
November 2005	M
January 2006	N, O, P
March 2006	Q, R, S
May 2006	T, U, V
June 2006	W, X, Y, Z, Other

- (3) Subclauses (1) and (2) do not apply if, on the application of the holder of a test certificate, the Authority approves a plan setting out the times by which applications for test certificates for 1 or more hazardous substances locations referred to in the plan must be made.

7 Packaging

- (1) Packaging of a hazardous substance to which this notice applies is not required to comply with the Hazardous Substances (Packaging) Regulations 2001 if it complies with the requirements for packaging that applied to the hazardous substance at the close of 30 June 2004.
- (2) This clause expires with the close of 30 June 2006.

8 Identification, documentation and signage

- (1) A person is not required to comply with the Regulations specified in subclause (2) in relation to a hazardous substance to which this notice applies if the person complies with the requirement for identification, documentation and signage in relation to that substance that applied to the hazardous substance at the close of 30 June 2004.
- (2) The regulations are—
 - (a) the Hazardous Substances (Identification) Regulations 2001; and
 - (b) regulations 11 to 14 of the Hazardous Substances (Disposal) Regulations 2001; and
 - (c) regulations 6 to 20 and 42 of the Hazardous Substances (Emergency Management) Regulations 2001.
- (3) This clause expires with the close of 30 June 2006.

9 Fire extinguishers and emergency management response plans

- (1) A person in charge of a place where a hazardous substance to which this notice applies is present is not required to comply with Regulations 21 to 34 of the Hazardous Substances (Emergency Management) Regulations 2001 if that person complies with the requirements for fire extinguishers and emergency management response plans that applied in relation to the substance at the close of 30 June 2004.
- (2) This clause expires with the close of 30 June 2005.

[10 Packaging, identification and signage for substances with variation code 4

- (1) A hazardous substance described in Schedule 1 with variation code 4 is not required to comply with the regulations specified in subclause (2) if it complies with the requirements for packaging, identification, and signage that applied to the substance at the close of June 30 2006.
- (2) The regulations are—
 - (a) the Hazardous Substances (Packaging) Regulations 2001; and
 - (b) the Hazardous Substances (Identification) Regulations 2001; and
 - (c) regulations 11 to 14 of the Hazardous Substances (Disposal) Regulations 2001.
- (3) This clause expires with the close of 30 June 2008.

1578 Hazardous Substances (Timber Preservatives, Antisapstains and Antifouling Paints)
Transfer Notice 2004 (As Amended)

11 Fire extinguishers, emergency management response plans and secondary containment for substances with variation code 4

- (1) A hazardous substance described in Schedule 1 with variation code 4 is not required to comply with regulations 6 to 34 and 42 of the Hazardous Substances (Emergency Management) Regulations 2001 if it complies with the requirements for fire extinguishers, emergency management response plans and secondary containment that applies to the substance at the close of 30 June 2006.
- (2) This clause expires with the close of 30 June 2007.]